

2021 Product Catalog



For the future

- Stainless Steel Vacuum Insulated Products (Bottles, Mugs, Food Jars, Lunch Jars, and others)
- Glass Lined Vacuum Insulated Products (Air Pots, Handy Pots)
- Catering Products

ZOJIRUSHI HISTORY

2018 100th Anniversary

Zojirushi lists shares on the First Section of the Tokyo Stock Exchange



1986

Zojirushi lists shares on the Second Section of the Osaka Securities Exchange; corporate identity is introduced; Union Zojirushi Co., Ltd. in Thailand, is established



1981

Stainless steel dual-layer vacuum pipes are launched



1973

Air Pot is launched, Zojirushi receives high acclaim for this push button-type beverage dispenser



1995

Zojirushi-Simatelex Co., Ltd. and Zojirushi Hong Kong Co., Ltd. are established



1968

Osaka Factory is opened

1963

Japan's first automated bottle production equipment is developed, mass production of vacuum bottle interior glass begins



2014

Zojirushi SE Asia Co., Ltd. is established in Thailand



2008

Zojirushi celebrates 90th anniversary; Vacuum Bottles & Air Pots Pavilion is established



2003

Zojirushi Shanghai Corporation is established

1987

Zojirushi America Corporation is established



2002

Zojirushi Taiwan Corporation, in Taiwan, is established




1961

Name changed to Zojirushi Corporation; elephant adopted as trademark

1918

Ichikawa Brothers Trading Company is established in Osaka




ESTABLISHED IN 1918

The history of the Zojirushi goes back to a glass-lined vacuum bottle created in 1918. This bottle for home use was created using vacuum insulation - a breakthrough technology at the time. In the years since then, Zojirushi has established itself as a top manufacturer of vacuum bottles and has continued to leverage the latest technologies to create a constant stream of leading-edge products that make life more comfortable and convenient.

Although much has changed and lifestyles have become more varied, our corporate philosophy of "Creating a quality of life." continues to be reflected in our many products and services.

GLOBAL NETWORK



Stainless Steel Vacuum Insulated Products

Mugs

One Touch Flip-Open

Step 1
Keep pressed

While the button is pressed, the cap remains slightly open. Excessive dew on the cap drops.

Step 2
↑ OPEN / Release

The cap will flip open when you release your finger from the button.

Twist-Open

Designed to drink directly out of the mug. Just twist to open the lid.

SLiT Design
It stands for Slim, Light and Thin

Whole-Body Washable
Can be rinsed out completely to keep clean

Non-Stick Coating
Discoloration and odors won't stick

Light and Compact

SLiT Design

※Vacuum layer is only about 1 mm thick for lightweight insulation.

Do not soak under water.

Photo shows SM-J type.

Photo shows SM-K type.

Air Vent System

Easy to drink, with no gurgling.
Drink flows out twice as fast!

(Compared to ST-XB)

Tealeaf Filter

Removable and Easy-to-Clean Tealeaf Filter.

Tealeaf Storage

Plastic Drinking Mouth

Functioning as a cover, the plastic mouth is pleasant to drink from. It also indicates that the drinking spout equipped with plastic mouth.

※See list of models for availability of functions ※Except One-Piece Lid

Gasket-Free One-Piece Lid

Gasket-Free ensures no accidental leaks, and helps prevent the loss of parts.

SM-ZA Only

Take-Apart Stopper

Can be taken apart to clean.

One Touch Flip-Open

SM-SG48E 0.48L /60 0.6L **New** Instruction Manuals (ENG) (CHN) (KOR) Export Exclusive Item

BLOOM PINK: PP -SG48E : 715494

MYSTIC EMERALD: GP -SG48E : 715500

RADIANT YELLOW: YP -SG48E : 715517

CLASSY PURPLE: VP -SG48E : 715524

Take-Apart Stopper

SM-SE36 0.36L /48 0.48L /60 0.6L Instruction Manuals (JPN) (ENG) (CHN) (KOR) Limited Stock

Light Blue: AL -SE36 : 217677 -SE48 : 217714

Matte Black: BZ -SE36 : 217653 -SE48 : 217691 -SE60 : 217738

Beige Gold: NZ -SE36 : 217684 -SE48 : 217721 -SE60 : 217752

Garnet Red: RZ -SE36 : 217660 -SE48 : 217707 -SE60 : 217745

Take-Apart Stopper

One Touch Flip-Open

SM-QAF48 0.48L /60 0.6L **New** Instruction Manuals (ENG) (CHN) (KOR) Export Exclusive Item

COBALT BLUE: AK -QAF48 : 714992 -QAF60 : 714954

HIBISCUS RED: RK -QAF48 : 715005 -QAF60 : 714961

TEAL: GK -QAF48 : 715012 -QAF60 : 714978

PURPLE DUSK: VK -QAF48 : 715029 -QAF60 : 714985

Take-Apart Stopper

with Flip Handle

Isotonic (Sports Drink) OK

SM-KC36 0.36L /48 0.48L Instruction Manuals (JPN) (ENG) (CHN) (KOR)

Rose Gold: NM -KC36 : 211866 -KC48 : 211880

Bordeaux: VD -KC36 : 211873 -KC48 : 211897

Take-Apart Stopper

SM-TAE48SA 0.48L Instruction Manuals (ENG) (CHN) (FRE) (GER) (SPA) (NLD) (DAN) (SWE) (ITA) (NOR) (ARA) Export Exclusive Item

KANA WHITE: WJ -TAE48SA : 715296

KANA BLACK: BJ -TAE48SA : 715302

UME SILVER: SZ -TAE48SA : 715319

UME PINK: PZ -TAE48SA : 715326

Ichimatsu White: WZ -TAE48SA : 713933

Ichimatsu Black: BZ -TAE48SA : 713940

Ichimatsu Red: RZ -TAE48SA : 713957

Ichimatsu Blue: AZ -TAE48SA : 713964

Take-Apart Stopper

Isotonic (Sports Drink) OK

SM-TA36 0.36L /48 0.48L /60 0.6L Instruction Manuals (JPN) (ENG) (CHN) (KOR)

Black: BA -TA36 : 216151 -TA48 : 216199 -TA60 : 216236

Honey Gold: DM -TA36 : 216182 -TA48 : 216229 -TA60 : 216250

Pink: PA -TA36 : 216168 -TA48 : 216205

White: WA -TA36 : 216175 -TA48 : 216212 -TA60 : 216243

Stainless: XA -TA36 : 713391 -TA48 : 713407 -TA60 : 713414

Take-Apart Stopper

Export Exclusive Color

Isotonic (Sports Drink) OK

Switchable Stopper (SM-T, SM-N only)

Share!

Do not fill beverages above Fill Line.

SM-PC20 0.2L /30 0.3L Instruction Manuals (JPN) (ENG) (CHN) (KOR) Take-Apart Stopper

Coral Pink: PV -PC20 : 217820

White: WA -PC20 : 217837 -PC30 : 217851

Navy: AD -PC30 : 217844

SM-YAF48 0.48L Instruction Manuals (ENG) (CHN) (KOR) Export Exclusive Item

Cherry Red: RA -YAF48 : 710970

Lime Green: GA -YAF48 : 710987

Stainless: XA -YAF48 : 710956

Dark Cocoa: TD -YAF48 : 710963

Take-Apart Stopper

Fits in most car cup holders.

Do not fill beverages above Fill Line.

Model No.	SM-SG48E	SM-SE36	SM-SE48	SM-SE60	SM-QAF48	SM-QAF60	SM-KC36
Wide Mouth (cm)	4.0	4.0	4.0	4.0	4.0	4.0	4.0
SLiT*1	●	●	●	●	●	●	●
Non-Stick Coating	●	●	●	●	●*	●*	●
Whole-Body Washable*2	●	●	●	●	●	●	●
Take-Apart Stopper	●	●	●	●	●	●	●
Air Vent System	●	●	●	●	●	●	●
Plastic Drinking Mouth	●	●	●	●	●	●	●
Capacity (liters)	0.48	0.36	0.48	0.60	0.48	0.60	0.36
Packing (pcs./carton)	12	12	12	12	12	12	12
Weight							
Net (kgs.)	3.3	2.9	3.5	3.9	4.3	4.8	3.5
Gross (kgs.)	3.5	3.1	3.8	4.1	4.6	5.0	3.7
Measurement (m³)	0.017	0.014	0.017	0.019	0.021	0.024	0.015
Retention							
Hot*3	87°C@1hr./71°C@6hr.	86°C@1hr./67°C@6hr.	87°C@1hr./71°C@6hr.	88°C@1hr./73°C@6hr.	87°C@1hr./71°C@6hr.	88°C@1hr./73°C@6hr.	85°C@1hr./64°C@6hr.
Cold*4	8°C@6hr.	9°C@6hr.	8°C@6hr.	8°C@6hr.	8°C@6hr.	8°C@6hr.	9°C@6hr.
Unit Size*5	6.5x7.0x22.0	6.5x7.0x17.5	6.5x7.0x22.0	6.5x7.0x25.0	7.0x8.0x22.0	7.0x8.0x25.5	6.5x7.0x18.5
Country of Origin	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND

*1. SLiT = Slim, Light and Thin. *2. Do not soak under water. *3. Rating is based on water at a starting temperature of 95°C±1°C at a room temperature of 20°C±2°C. *4. Rating is based on water at a starting temperature of 4°C±1°C at a room temperature of 20°C±2°C. *5. Listed external dimensions : width x depth x height in cm (approximate).
● Do not place in dish washer or dish dryer. * SM-TA, SM-TAE, SM-QAF: Double non-stick coated.

Model No.	SM-KC48	SM-TAE48SA	SM-TA36	SM-TA48	SM-TA60	SM-PC20	SM-PC30	SM-YAF48
Wide Mouth (cm)	4.0	4.0	4.0	4.0	4.0	3.0	3.0	7.5
SLiT*1	●	●	●	●	●	●	●	●
Non-Stick Coating	●	●	●	●	●	●	●	●
Whole-Body Washable*2	●	●*	●*	●*	●*	●	●	●
Take-Apart Stopper	●	●	●	●	●	●	●	●
Air Vent System	●	●	●	●	●	●	●	●
Plastic Drinking Mouth	●	●	●	●	●	●	●	●
Capacity (liters)	0.48	0.48	0.36	0.48	0.60	0.20	0.30	0.48
Packing (pcs./carton)	12	12	12	12	12	12	12	12
Weight								
Net (kgs.)	4.0	4.0	3.2	3.6	4.1	2.5	3.0	4.8
Gross (kgs.)	4.2	4.2	3.5	3.9	4.4	2.7	3.2	5.0
Measurement (m³)	0.017	0.018	0.014	0.017	0.019	0.010	0.013	0.024
Retention								
Hot*3	86°C@1hr./68°C@6hr.	87°C@1hr./71°C@6hr.	86°C@1hr./66°C@6hr.	87°C@1hr./71°C@6hr.	88°C@1hr./73°C@6hr.	83°C@1hr./62°C@6hr.	85°C@1hr./69°C@6hr.	81°C@1hr./56°C@6hr.
Cold*4	9°C@6hr.	8°C@6hr.	9°C@6hr.	8°C@6hr.	8°C@6hr.	10°C@6hr.	9°C@6hr.	10°C@6hr.
Unit Size*5	6.5x7.0x23.0	6.5x7.0x22.5	6.5x7.0x18.5	6.5x7.0x22.5	7.0x7.0x26.0	6.0x6.5x15.0	6.0x6.5x19.5	8.0x8.5x21.5
Country of Origin	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND

*1. SLiT = Slim, Light and Thin. *2. Do not soak under water. *3. Rating is based on water at a starting temperature of 95°C±1°C at a room temperature of 20°C±2°C. *4. Rating is based on water at a starting temperature of 4°C±1°C at a room temperature of 20°C±2°C. *5. Listed external dimensions : width x depth x height in cm (approximate).
● Do not place in dish washer or dish dryer. * SM-TA, SM-TAE, SM-QAF: Double non-stick coated.

Twist-Open

SM-ZA36 (0.36L) /48 (0.48L) /60 (0.6L) **New** [JPN] [ENG] [CHN] [KOR]



Mint Blue: AM -ZA36 : 219169 -ZA48 : 219206
Slate Black: BM -ZA36 : 219183 -ZA48 : 219220 -ZA60 : 219244
Pale Orchid: VM -ZA36 : 219176 -ZA48 : 219213
Pale White: WM -ZA36 : 219152 -ZA48 : 219190 -ZA60 : 219237



Gasket-Free One-Piece Lid

SM-ZA Only



SM-NAE48SA (0.48L) [ENG] [CHN] [FRE] [GER] [SPA] [NLD] [DAN] [SWE] [ITA] [NOR] [ARA] **Export Exclusive Item**



Ichimatsu White: WZ -NAE48SA : 713971
Ichimatsu Black: BZ -NAE48SA : 713988
Ichimatsu Red: RZ -NAE48SA : 713995
Ichimatsu Blue: AZ -NAE48SA : 714008



SM-NA36 (0.36L) /48 (0.48L) /60 (0.6L) [JPN] [ENG] [CHN] [KOR] **Limited Stock**



Black: BA -NA36 : 216267 -NA48 : 216304 -NA60 : 216342
Honey Gold: DM -NA36 : 216298 -NA48 : 216335 -NA60 : 216359
Pink: PA -NA36 : 216274 -NA48 : 216311
White: WA -NA36 : 216281 -NA48 : 216328



SM-JTE34 (0.34L) /46 (0.46L) [ENG] [CHN] [KOR] **Export Exclusive Item**



Pink Champagne: PX -JTE34 : 709219 -JTE46 : 709233
Deep Blue: AD -JTE34 : 709202 -JTE46 : 709226



SM-JF36 (0.36L) /48 (0.48L) [JPN] [ENG] [CHN] [KOR]



Navy: AD -JF36 : 217769 -JF48 : 217790
Floral Pink: PM -JF36 : 217776 -JF48 : 217806
White: WA -JF36 : 217783 -JF48 : 217813



SM-ED20 (0.2L) /30 (0.3L) [JPN] [ENG] [CHN] [KOR]



Pearl White: WP -ED20 : 213099 -ED30 : 213112
Pearl Lavender: VP -ED20 : 213105 -ED30 : 213129



Mug-Cup

SE-KAE48 (0.48L) **New** [ENG] [CHN] [KOR] **Export Exclusive Item**



OFF WHITE: WZ -KAE48 : 715531
PRUSSIAN BLUE: AZ -KAE48 : 715548
BROWN: TA -KAE48 : 715555



Twist-Open

SM-AGE35 (0.36L) /50 (0.5L) [ENG] [CHN] [KOR] **Export Exclusive Item**



Clear Pink: PC -AGE35 : 711960 -AGE50 : 712011
White: WA -AGE35 : 711946 -AGE50 : 711991
Clear Blue: AC -AGE35 : 711939 -AGE50 : 711984
Stainless: XA -AGE35 : 711922 -AGE50 : 711977
Dark Brown: TD -AGE35 : 711953 -AGE50 : 712004



Bottle With Cup

SS-PCE20 (0.20L) /25 (0.25L) [ENG] [CHN] [KOR] **Export Exclusive Item**



Purple Pink: VV -PCE20 : 713377
Metallic Blue: AH -PCE25 : 713384
Blue: AA -GR35 : 211095 -GR50 : 211118
Stainless: XA -GR35 : 211088 -GR50 : 211101



SV-GR35 (0.35L) /50 (0.5L) [JPN] [ENG] [CHN] [KOR] **Ag⁺ Antibacterial Cup (plastic cup interior)**



Red: RA -JS08 : 215215 -JS10 : 215239
Black: BA -JS08 : 215208 -JS10 : 215222
Stainless: XA -JS10 : 712554



SJ-TG08 (0.8L) /10 (1.0L) SF-CC13 (1.3L) /15 (1.5L) /18 (1.8L) /20 (2.0L) SC-MC60 (0.6L) [JPN] [ENG] [CHN] [KOR] **Ag⁺ Antibacterial Cup**



Blue: AA -TG08 : 211125 -TG10 : 211132
Stainless: XA -TG08 : 713421 -TG10 : 713438
Stainless: XA -CC13 : 196101 -CC15 : 196118 -CC18 : 196125 -CC20 : 196132
Metallic Blue: AH -CC15 : 201034
Pink II: PZ -MC60 : 711526
Yellow: YA -MC60 : 711809
White: WA -MC60 : 711793
Blue II: AZ -MC60 : 711519

Model No.	SM-ZA36	SM-ZA48	SM-ZA60	SM-NAE48SA	SM-NA36	SM-NA48	SM-NA60	SM-JTE34	SM-JTE46	SM-JF36	SM-JF48	SM-ED20	SM-ED30	SE-KAE48
Wide Mouth (cm)	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	3.0	3.0	6.0
SLIT*1	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Non-Stick Coating	●	●	●	●*	●	●	●	●	●	●	●	●	●	●
Whole-Body Washable*2	●	●	●	●	●	●	●	●	●	●	●	●	●	●
One-Piece Lid	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Take-Apart Stopper				●	●	●	●	●	●	●	●	●	●	●
Plastic Drinking Mouth										●	●	●	●	●
Tealeaf Filter									●					●
Tealeaf Storage														●
Capacity (liters)	0.36	0.48	0.60	0.48	0.36	0.48	0.60	0.34	0.46	0.36	0.48	0.20	0.30	0.48
Packing (pcs/carton)	12	12	12	12	12	12	12	12	12	12	12	12	12	12
Net (kgs.)	3.1	3.6	4.0	3.9	3.1	3.5	3.9	3.5	4.0	3.4	3.9	2.4	2.9	6.0
Gross (kgs.)	3.4	3.9	4.3	4.1	3.4	3.8	4.2	3.7	4.2	3.6	4.1	2.6	3.0	6.5
Measurement (m ³)	0.019	0.017	0.020	0.017	0.013	0.016	0.019	0.012	0.015	0.012	0.015	0.009	0.011	0.033
Retention	Hot*3	86°C@1hr./66°C@6hr.	87°C@1hr./71°C@6hr.	88°C@1hr./73°C@6hr.	87°C@1hr./71°C@6hr.	86°C@1hr./71°C@6hr.	88°C@1hr./73°C@6hr.	86°C@1hr./70°C@6hr.	87°C@1hr./70°C@6hr.	86°C@1hr./66°C@6hr.	87°C@1hr./70°C@6hr.	85°C@1hr./63°C@6hr.	87°C@1hr./70°C@6hr.	83°C@1hr./56°C@6hr.
	Cold*4	9°C@6hr.	8°C@6hr.	8°C@6hr.	8°C@6hr.	8°C@6hr.	8°C@6hr.	9°C@6hr.	10°C@6hr.	9°C@6hr.	10°C@6hr.	9°C@6hr.	9°C@6hr.	7°C@1hr.
Unit Size*5	6.5x6.5x17.5	6.5x6.5x21.5	6.5x6.5x25.5	6.5x6.5x21.5	6.5x6.5x25.5	6.5x6.5x21.5	7.0x7.0x24.5	6.5x6.5x17.0	6.5x6.5x21.5	6.5x6.5x17.0	6.5x6.5x21.5	6.0x6.0x13	6.0x6.0x17.5	12.5x9.0x16.0
Country of Origin	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	CHINA

*1. SLIT = Slim, Light and Thin. *2. Do not soak under water. *3. Rating is based on water at a starting temperature of 95°C±1°C at a room temperature of 20°C±2°C.
*4. Rating is based on water at a starting temperature of 4°C±1°C at a room temperature of 20°C±2°C. *5. Listed external dimensions : width x depth x height in cm (approximate).
● Do not place in dish washer or dish dryer. * See page 3 for descriptions of various functions.

*6. Test Lab: Boken Quality Evaluation Institute; Testing method: JIS Z 2801; Antibacterial method: AG-; Antibacterial target area: Interior of cup with plastic material; Testing result: 99.9% of antibacterial effect; Test number: 20215002351-1.
*7. Test Lab: Boken Quality Evaluation Institute; Testing method: JIS Z 2801; Antibacterial method: AG-; Antibacterial target area: Cup; Testing result: 99.9% of antibacterial effect; Test number: 20215002351-1.
* SM-NA, SM-NAE, SJ-JS : Double non-stick coated. * See page 3 for descriptions of various functions.

Two-Way Bottles

Two-Way Cup & Direct Drinking




Cup **Direct Drinking***
* For cold beverages only

Two-Way Cup & Straw




Cup **Straw***
* For cold beverages only



Two-Way : Cup & Direct Drinking

SP-JB06 0.62L /08 0.82L /10 1.03L Instruction Manuals JPN



Heart Blue : AK -JB06 : 217219
Dinosaur Blue : AJ -JB06 : 217202
Star Mint : GZ -JB08 : 217240 -JB10 : 217271
Mix Purple : VU -JB08 : 217233 -JB10 : 217264
Black Blue : BU -JB08 : 217226 -JB10 : 217257

Two-Way : Cup & Straw

SC-ZT45 0.45L /60 0.60L Export Exclusive Color

Instruction Manuals JPN ENG CHN KOR



Aqua Blue : AZ -ZT60 : 215253
Black : BA -ZT60 : 215246
PinkII : PZ -ZT45 : 711540
Lemon Yellow : YZ -ZT45 : 711823
RedII : RZ -ZT45 : 711533
Cyan Blue : AZ -ZT45 : 711816

*Direct Drinking type is for cold beverages only.

Model No.	SP-JB06	SP-JB08	SP-JB10	SC-ZT45	SC-ZT60	SD-FB10
Features	Wide Mouth (cm)	4.0	4.0	4.0	5.0	5.0
	SLIT*1	●	●	●	●	●
	Non-Stick Coating	●*	●*	●*	●	●*
	Whole-Body Washable*2	●	●	●	●	●
	Take-Apart Stopper	●(Direct Type)	●(Direct Type)	●(Direct Type)	●	●
Capacity (liters)	0.62	0.82	1.03	0.45	0.60	1.00
	12	12	12	12	12	12
Weight	Net (kgs.)	7.6	8.5	9.3	6.4	6.9
	Gross (kgs.)	8.0	8.5	9.5	6.8	7.5
Measurement (m³)	0.041	0.048	0.055	0.034	0.039	0.040
	Retention	Hot*3 77°C@6hr. Cold*4 8°C@6hr.	80°C@6hr. 7°C@6hr.	82°C@6hr. 7°C@6hr.	72°C@6hr. 10°C(straw)/9°C(cup)@6hr.	75°C@6hr. 9°C@6hr.
Unit Size*5	Direct:8.0x9.0x21.5/ 9.5x9.5x22.0(with pouch)	Direct:8.0x9.0x26.0/ 9.5x9.5x26.5(with pouch)	Direct:8.5x9.0x29.0/ 10.0x10.0x29.5(with pouch)	10.0x8.5x18.0(straw/ 10.0x8.5x16.0(cup)	10.0x8.5x21.0(straw/ 10.0x8.5x19.0(cup)	8.5x9.0x27.5/ 10.0x10.0x28.0(with pouch)
	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND

*1. SLIT = Slim, Light and Thin. *2. Do not soak under water. *3. Rating is based on water at a starting temperature of 95°C±1°C at a room temperature of 20°C±2°C. *4. Rating is based on water at a starting temperature of 4°C±1°C at a room temperature of 20°C±2°C. *5. Listed external dimensions : width x depth x height in cm (approximate). * See page 3 for descriptions of various functions.

Cool Bottles (for cold beverages only)

Direct Drinking (Spout Variations)



Regular Smooth Straw

Suitable for Isotonic/Sports Drinks with Improved Construction



Double Non-stick Coating
Stainless Steel Vacuum Insulation
1st Non-stick coating
2nd Non-stick coating
Salt Salt

Direct Drinking

SD-FB10 1.03L /15 1.55L New Instruction Manuals JPN

Without Cover Without Cover Without Cover Without Cover

Blue Stripe : AJ -FB10 : 218322 -FB15 : 218360
Navy Mint : AG -FB10 : 218346 -FB15 : 218384
Lime Gray : HG -FB10 : 218339 -FB15 : 218377
Botanical Pink : PJ -FB10 : 218353

SD-BD20 2.06L New Instruction Manuals JPN

Without Cover Without Cover Without Cover

Pink Black : BP -BD20 : 218452
Lime Black : BG -BD20 : 218445
Navy : AD -BD20 : 218438

SD-CB50 0.52L Instruction Manuals JPN

Without Cover Without Cover Without Cover Without Cover

Blue : AA -CB50 : 215260
Pink : PA -CB50 : 215277

SD-CS50 0.52L New Instruction Manuals JPN

Without Cover Without Cover Without Cover Without Cover

Navy : AD -CS50 : 218612
Mint : GM -CS50 : 218629

SD-JK06 0.62L /08 0.82L Instruction Manuals JPN

Without Cover Without Cover Without Cover Without Cover

Pink Black : BP -JK06 : 214133 -JK08 : 214157
Lime Black : BG -JK06 : 214126 -JK08 : 214140

SD-CAE50 0.52L Instruction Manuals ENG CHN KOR Export Exclusive Item

Without Cover Without Cover Without Cover Without Cover

Pink : PA -CAE50 : 712448
Yellow : YA -CAE50 : 712424
Blue : AA -CAE50 : 712431

Model No.	SD-FB15	SD-BD20	SD-CB50	SD-CS50	SD-JK06	SD-JK08	SD-CAE50
Features	Wide Mouth (cm)	5.0	7.0	4.0	4.0	4.0	4.0
	SLIT*1	●	●	●	●	●	●
	Non-Stick Coating	●*	●*	●*	●*	●*	●*
	Whole-Body Washable*2	●	●	●	●	●	●
	Take-Apart Stopper	●	●	●	●	●	●
Capacity (liters)	1.50	2.06	0.52	0.52	0.62	0.82	0.52
	6	6	12	12	12	12	12
Weight	Net (kgs.)	5.0	7.0	5.5	4.6	6.7	5.8
	Gross (kgs.)	5.5	7.0	6.0	4.8	7.0	6.0
Measurement (m³)	0.029	0.046	0.028	0.021	0.034	0.040	0.028
	Retention	7°C@6hr.	8°C@6hr.	9°C@6hr.	9°C@6hr.	8°C@6hr.	7°C@6hr.
Unit Size*5	9.5x9.5x32.5/ 11.0x11.0x32.5(with pouch)	15.0x12.5x34.0	7.0x7.5x24.5/ 8.5x8.5x24.5(with pouch)	7.0x7.5x24.5	8.0x9.0x21.5/ 9.5x9.5x22.0(with pouch)	8.0x9.0x26.0/ 9.5x9.5x26.5(with pouch)	7x7.5x24.5/ 8.5x8.5x24.5(with pouch)
	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND

*6. Test Lab: Boken Quality Evaluation Institute; Testing method: JIS Z 2801; Antibacterial method: AG+; Antibacterial target area: Spout (Stopper) and Cup; Testing result: 99.9% of antibacterial effect; Test number: 20215002351-1.
*7. Test Lab: Boken Quality Evaluation Institute; Testing method: JIS Z 2801; Antibacterial method: AG+; Antibacterial target area: Cup and Straw; Testing result: 99.9% of antibacterial effect; Test number: 20215002351-1.
*8. Test Lab: Boken Quality Evaluation Institute; Testing method: JIS Z 2801; Antibacterial method: AG+; Antibacterial target area: Spout (Stopper); Testing result: 99.9% of antibacterial effect; Test number: 20215002351-1.
*9. Test Lab: Boken Quality Evaluation Institute; Testing method: JIS Z 2801; Antibacterial method: AG+; Antibacterial target area: Straw; Testing result: 99.9% of antibacterial effect; Test number: 20215002351-1. * See page 3 for descriptions of various functions.

Stainless Steel Vacuum Insulated Products

Food Jars

Stainless steel vacuum-insulated (double wall)

Whole-Body Washable
※Do not soak under water

Easy-to-clean interior

Take-Apart Stopper

SW-EK26H 0.26L **New** Instruction Manuals (ENG) (CHN) (KOR) Export Exclusive Item

PALE ORANGE: DP -EK26H : 715753

PALE BLUE: AP -EK26H : 715760

SW-JXE75 0.75L Instruction Manuals (ENG) (CHN) (KOR) Export Exclusive Item

Cook & Food Jar

Dark Cocoa: TD -JXE75 : 713049

Tomato Red: RV -JXE75 : 713032

SW-EAE35 0.35L / 50 0.50L Instruction Manuals (ENG) (CHN) (KOR) Export Exclusive Item

Shiny Pink: PS -EAE35 : 709318
-EAE50 : 709325

Cream: CC -EAE35 : 712493
-EAE50 : 712516

Aqua Blue: AB -EAE35 : 709271
-EAE50 : 709288

Stainless: XA -EAE35 : 706973
-EAE50 : 706997

Dark Brown: TD -EAE35 : 712509
-EAE50 : 712523

SW-HAE55 0.55L Instruction Manuals (ENG) (CHN) (KOR) Export Exclusive Item

Metallic Red: RM -HAE55 : 710451

Stainless: XA -HAE55 : 710444

Take-Apart Stopper

SW-FCE75 0.75L Instruction Manuals (ENG) (CHN) (KOR) Export Exclusive Item

Shiny Pink: PS -FCE75 : 709790

Cream: CC -FCE75 : 712530

Aqua Blue: AB -FCE75 : 709806

Stainless: XA -FCE75 : 708526

Dark Brown: TD -FCE75 : 712547

SW-FBE75 0.75L Instruction Manuals (ENG) (CHN) (KOR) Export Exclusive Item

• Comes with Convenient Extra Long Spoon (22.6cm)

• Comes with Convenient Carrying Bag

Stainless: XA -FBE75 : 708366

SW-EZE35 0.35L Instruction Manuals (ENG) (CHN) (KOR) Export Exclusive Item

Green: GA -EZE35 : 711847

Black: BA -EZE35 : 711830

SW-EXE35 0.35L Instruction Manuals (ENG) (CHN) (KOR) Export Exclusive Item

Green: GA -EXE35 : 709844

Orange: DB -EXE35 : 709868

Violet: VC -EXE35 : 709851

Model No.	SW-EK26H	SW-JXE75	SW-EAE35	SW-EAE50	SW-HAE55	SW-FCE75	SW-FBE75	SW-EZE35	SW-EXE35	
Wide Mouth (cm)	6.5	7.0	6.5	6.5	6.5	7.0	7.0	6.5	6.5	
Capacity (liters)	0.26	0.75	0.35	0.50	0.55	0.75	0.75	0.35	0.35	
Food Container (liters)	—	—	—	—	—	—	—	0.3	0.16 (2pcs.)	
Packing (pcs./carton)	12	12	12	12	12	12	6	12	12	
Weight	Net (kgs.)	3.9	6.0	4.3	4.9	5.9	4.9	8.0	7.1	
	Gross (kgs.)	4.1	6.5	4.5	5.0	5.3	5.3	8.5	7.5	
Measurement (m ³)	0.015	0.029	0.018	0.021	0.025	0.028	0.034	0.054	0.037	
Heat Retention*1	50°C@6hr.	73°C@6hr.	57°C@6hr.	64°C@6hr.	67°C@6hr.	71°C@6hr.	71°C@6hr.	57°C@6hr.	57°C@6hr.	
Unit Size*2	Pouch Size	9.0x9.0x11.0	10.0x10.0x18.5	9.0x9.0x12.5	9.0x9.0x15.0	9.0x9.0x16.0	10.0x10.0x18.0	25.5x11.0x38.0	21.5x12.0x20.0	10.0x9.0x25.5
Country of Origin	THAILAND									

*1. Rating is based on water at a starting temperature of 95°C±1°C at a room temperature of 20°C±1°C.
 *2. Listed external dimensions : width x depth x height in cm (approximate).
 • Do not soak under water.
 • Do not place in dish washer or dish dryer.

Lunch Jars

Stainless steel vacuum insulated keep warm jar

Microwaveable Containers
※except lids

AG+ Antibacterial inner containers

Whole-Body Washable
※Do not soak under water

SL-MEE07 Instruction Manuals (ENG) (CHN) (KOR) Export Exclusive Item

Aqua Blue: AB -MEE07 : 707413

SL-NC09 Instruction Manuals (JPN)

Blue: AA -NC09 : 705143

Stainless Silver: ST -NC09 : 194718

SL-JAF14 Instruction Manuals (ENG) (CHN) (KOR) Export Exclusive Item

Apple Red: RU -JAF14 : 712394

Lemon Yellow: YF -JAF14 : 712400

Silver: SA -JAF14 : 704412

Gun Metallic: HG -JAF14 : 704429

SL-GH18 Instruction Manuals (JPN) **Ag+*** Antibacterial inner containers

Black: BA -GH18 : 213273

SL-XE20 Instruction Manuals (JPN) **Ag+*** Antibacterial inner containers

Navy: AD -XE20 : 213266

SL-XCE20 Instruction Manuals (ENG) Limited Stock Export Exclusive Item **Ag+*** Antibacterial inner containers

Stainless Steel Vacuum Insulated Tiffin Box

Curry, soup, vegetables or rice cuisines in 3 containers and one container for bread.

Gun Metallic: HG -XCE20 : 709158

Model No.	SL-MEE07	SL-NC09	SL-JAF14	SL-GH18	SL-XE20	SL-XCE20
Food Container (liters)	Rice	0.31	0.31	0.45	0.59	—
	Food	0.33	0.33	L: 0.30 S: 0.20	0.40	0.30
	Soup	—	0.20	0.28	0.28	0.28 (3pcs.)
Packing (pcs./carton)	12	12	6	6	6	6
	Net (kgs.)	8.9	11.3	7.5	6.8	7.9
Weight	Gross (kgs.)	9.4	11.8	8.0	8.0	8.4
	Measurement (m ³)	0.050	0.060	0.042	0.035	0.043
Heat Retention*1	69°C@6hr.	65°C@6hr.	67°C@6hr.	69°C@6hr.	71°C@6hr.	72°C@6hr.
Unit Size*2	12.5x11.0x16.0	12.5x11.0x20.5	15.0x13.5x22.0	15.0x13.5x21.0	15.0x13.5x23.0	15.0x13.5x23.0
Pouch Size	25.5x12.0x33.5	24.0x12.0x36.0	16.0x16.0x24.0	—	—	16.0x26.0x25.0
Country of Origin	THAILAND					

*3. Test Lab: Boken Quality Evaluation Institute; Testing method: JIS Z 2801; Antibacterial method: AG+; Antibacterial target area: Rice container, rice container lid, food container, soup container and soup container lid; Testing result: 99.9% of antibacterial effect; Test number: 214206124-1.

Press Down

Just press lightly to dispense hot water.

Lever-Style

Convenient lever-style stopper makes it easy to hold the handle and pour.

Detachable Lid

Tilt Leak Prevention
Has safety valve to minimize hot water spillage.

Without Stopper

Easy to wash.

Air Pots

Press Down

SR-CC22 2.2L /30 3.0L Instruction Manuals [JPN]



Tumblers

Tumbler with stainless steel vacuum insulated structure provides high keep warm and keep cool performance



Tumbler with vacuum insulation



SX-FSE45 0.45L Instruction Manuals [ENG] [CHN] [KOR] Export Exclusive Item

White: WA-FSE45 : 714732
Navy: AD-FSE45 : 714749
Blue Gray: AJ-FSE45 : 714756
Coral Pink: PV-FSE45 : 714763

SX-DN30 0.3L /45 0.45L /60 0.6L Instruction Manuals [JPN] [ENG] [CHN] [KOR]

Clear Copper: NC-DN30 : 215772
Clear Copper: NC-DN45 : 215796
Clear Copper: NC-DN60 : 215819

Clear Blue: AC-DN30 : 215789
Clear Blue: AC-DN45 : 215802
Clear Blue: AC-DN60 : 215826

Clear Stainless: XA-DN45 : 712950
Clear Stainless: XA-DN60 : 712967

Handy Pots

Lever-Style

Easy-Open

Lid opens easily by pinching the lock area, making it easy to fill with beverages and clean.

Take-Apart Stopper

Stopper can be taken apart for thorough cleaning.

Detachable Stopper

Coffee Dripper

SH-HC10 1.0L /15 1.5L /19 1.9L New Instruction Manuals [JPN] [ENG] [CHN] [KOR]



SH-RA15 1.5L /19 1.9L New Instruction Manuals [JPN] [ENG] [CHN] [KOR]



SH-JAE15 1.5L /18 1.8L Instruction Manuals [ENG] [CHN] [KOR] Export Exclusive Item



Stainless Steel Pot or Bottle Cleaning Detergent

Ensures easy and healthy clean-up by putting in the detergent together with lukewarm water. This keeps your pot or bottle sparkling clean.



Model No.	SR-CC22	SR-CC30	SH-HC10	SH-HC15	SH-HC19	SH-RA15	SH-RA19	SH-JAE15	SH-JAE18
Wide Mouth (cm)	7.0	7.0	6.5	6.5	6.5	6.5	6.5	7.0	7.0
Detachable Stopper									
Lever Style Stopper									
Easy-Open Lid									
Without Stopper									
Coffee Dripper									
Whole-Body Washable*2									
Capacity (liters)	2.2	3.0	1.0	1.5	1.9	1.5	1.9	1.5	1.8
Packing (pcs./carton)	6	6	6	6	6	6	6	6	6
Weight	Net (kgs.) 10.6 Gross (kgs.) 11.5	Net (kgs.) 11.9 Gross (kgs.) 13.0	Net (kgs.) 5.5 Gross (kgs.) 6.0	Net (kgs.) 6.0 Gross (kgs.) 6.5	Net (kgs.) 6.5 Gross (kgs.) 7.0	Net (kgs.) 6.0 Gross (kgs.) 6.5	Net (kgs.) 6.5 Gross (kgs.) 7.0	Net (kgs.) 6.5 Gross (kgs.) 7.0	Net (kgs.) 7.0 Gross (kgs.) 7.5
Measurement (m ³)	0.086	0.096	0.034	0.039	0.044	0.044	0.049	0.045	0.050
Retention	Hot*4 70°C@10hr/54°C@24hr Cold*5 8°C@10hr.	Hot*4 74°C@10hr/59°C@24hr Cold*5 8°C@10hr.	Hot*4 67°C@10hr/49°C@24hr Cold*5 9°C@10hr.	Hot*4 73°C@10hr/58°C@24hr Cold*5 8°C@10hr.	Hot*4 76°C@10hr/62°C@24hr Cold*5 8°C@10hr.	Hot*4 72°C@10hr/55°C@24hr Cold*5 9°C@10hr.	Hot*4 75°C@10hr/60°C@24hr Cold*5 8°C@10hr.	Hot*4 73°C@10hr/56°C@24hr Cold*5 8°C@6hr.	Hot*4 75°C@10hr/60°C@24hr Cold*5 8°C@6hr.
Unit Size*6	17.5x23.0x28.5	17.5x23.0x32.5	13.0x16.5x20.0	13.0x16.5x24.5	13.0x16.5x28	13.5x18.0x25.0	13.5x18.0x28.5	12.0x18.0x26.5	12.0x18.0x30.0
Country of Origin	CHINA	CHINA	CHINA	CHINA	CHINA	CHINA	CHINA	THAILAND	THAILAND



Stainless Steel Vacuum Insulated Cooking Pots

SN-XAE60 6.0L /80 8.0L Instruction Manuals [ENG] [CHN] Export Exclusive Item



Appealing Points

- Saves energy and reduces cooking cost.
- Ingredients do not break or scorch.
- Complete 3-layer structure allows heat to distribute evenly throughout the pan.
- Leaves you free from having to watch over the cooking process.
- Works on all cooking surfaces including IH heaters.
- Glass lid allows you to watch the cooking process.
- Outer lid locks tight.
- Comes with original recipes.



Model No.	SN-XAE60	SN-XAE80
Capacity (liters)	6.0	8.0
Packing (pcs./carton)	2	2
Weight	Net (kgs.) 12.0 Gross (kgs.) 13.0	Net (kgs.) 13.0 Gross (kgs.) 14.0
Measurement (m ³)	0.070	0.080
Retention	Hot*4 73°C@6hr.	75°C@6hr.
Unit Size*6	38.0x31.0x26.0	38.0x31.0x30.5
Country of Origin	CHINA	CHINA

HOW THERMAL COOKING WORKS

- Heat the Inner Pan
- Put into the Insulated Container and close the inner and outer lids
- Slow cooking using its own heat
- Complete after the specified time

*1. Test Lab: Boken Quality Evaluation Institute; Testing method: JIS Z 2801; Antibacterial method: AG+; Antibacterial target area: Handle; Testing result: 99.9% of antibacterial effect; Test number: 20215053087-1.
*2. Do not soak under water.
*3. Not leak-proof.
*4. Rating is based on water at a starting temperature of 95°C±1°C at a room temperature of 20°C±2°C.
*5. Rating is based on water at a starting temperature of 4°C±1°C at a room temperature of 20°C±2°C.
*6. Listed external dimensions: width x depth x height in cm (approximate).
• Do not place in dish washer or dish dryer.

Glass Lined Vacuum Insulated Products

Air Pots


Press Down



Just press lightly to dispense hot water.



Lever-Style



The lever-style pump makes it easier on the wrist to pump.



Fold Down Handle

360° Swivel Base

Pump Lever Safety Lock

Wide Body With Long Nose

Tilt Leak Prevention
Has safety valve to minimize hot water spillage when tilted.

Detachable Lid


Detachable Stopper

Detachable Lid & Brew-Thru Stem Stopper

Without Stopper
Easy to wash.

Heat Retention of the Air Pot (VRKE-30N)

The heat retention is measured by filling the refill glass with hot water at a starting temperature of 95°C±1°C and left in a room at a temperature of 20°C±2°C and measured.



Press Down

AALB-M25 (2.45L)

Comes with a stainless steel stem stopper



Creamy Flower: CF
-M25 : 700421

Duet Flower: DF
-M25 : 707925



AAPE-19 (1.85L) /22 (2.2L) /25 (2.45L)



Orchid: OK
-19 : 701336
-22 : 705419
-25 : 700827

Herb Cacao: TK
-19 : 702159
-22 : 705426
-25 : 705433



AB-TW22 (2.2L) /30 (3.0L)



Elegant Rose: FX
-19 : 702159
-TW22 : 206275
-TW30 : 206282



Model No.	AALB-M25	AAPE-19	AAPE-22	AAPE-25	AB-TW22	AB-TW30	AB-RB22	AB-RB30	AB-RX22	AAWE-30	VRKE-22N	VRKE-25N	VRKE-30N	VRKE-22E	VRKE-25E	VRKE-30E	AASB-19A
Features	Without Stopper																
	Press Down Style	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Tilt Leak Prevention																
	Lever-Style Pump																
Capacity (liters)	2.45	1.85	2.20	2.45	2.20	3.00	2.20	3.00	2.20	3.00	2.20	2.50	3.00	2.20	2.50	3.00	1.85
Weight	Packing (pcs/carton)	8	8	8	8	6	6	6	6	6	6	6	6	6	6	6	6
	Net (kgs.)	12.0	12.0	12.5	13.0	12.5	14.0	11.0	12.0	11.5	11.5	10.5	11.0	10.5	11.0	12.0	9.5
	Gross (kgs.)	14.0	13.5	14.0	14.5	13.0	15.0	11.5	13.0	12.0	12.5	12.0	13.5	12.0	12.5	13.5	11.0
Measurement (m³)	0.103	0.101	0.105	0.108	0.104	0.118	0.098	0.112	0.103	0.115	0.105	0.109	0.113	0.105	0.109	0.113	0.081
Replacement Glass	FVB-2500	FSLD-1900	FSK-2200	FVB-2500	FVPA-2200	FABB-30	FVZA-2200	FABF-30	FVPA-2200	FAAV-30	FVAB-2200	FVAB-2500	FAAV-30	FVAB-2200	FVAB-2500	FAAV-30	FSLD-1900
Unit Size*	15.5x18.5x39.0	15.5x20.0x37.0	15.5x20.0x38.5	15.5x20.0x40.0	18.5x25.0x32.5	18.5x25.0x37.0	18.5x24.5x31.0	18.5x24.5x35.5	18.5x24.5x32.0	18.5x23.5x36.5	18.5x23.5x34.5	18.5x23.5x36.0	18.5x23.5x38.5	18.5x23.5x34.5	18.5x23.5x36.0	18.5x23.5x38.5	15.5x20.0x38.0
Country of Origin	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN

*Listed external dimensions: width x depth x height in cm (approximate).
 •Do not place in dish washer or dish dryer.


Press Down

AB-RB22 (2.2L) /30 (3.0L)

Instruction Manuals (JPN)



Metallic Gray: HM
-RB22 : 209429
-RB30 : 209436



Elegance Flower: FC
-RB22 : 209405
-RB30 : 209412

AB-RX22 (2.2L)

Instruction Manuals (JPN)



Beige: CA
-RX22 : 209474



Natural Bouquet: FY
-RX22 : 209467

AAWE-30 (3.0L)

Export Exclusive Item



Grape: ZR
-30 : 705396



Royal Fruits: ZP
-30 : 705402

VRKE-22N (2.2L) /25N (2.5L) /30N (3.0L)

Export Exclusive Item



Sweet Pea: FL
-30N : 712202



Mint Gray: HM
-30N : 708113



Camellia: FC
-30N : 707277



Ballerina Flower: FH
-30N : 700957



Symphony Flower: FS
-30N : 707512



Beige: CA
-22N : 706096
-25N : 706317
-30N : 706331



Herb Brown: TD
-25N : 704726
-30N : 700964



Herb Cacao: TK
-22N : 704719
-25N : 704733
-30N : 704740



Gold Brown: TZ
-22N : 707871
-25N : 707888
-30N : 707895



UrushiII: BY
-30N : 709394

VRKE-22E (2.2L) /25E (2.5L) /30E (3.0L)

Export Exclusive Item



Satin Leaf: XS
-22E : 707901
-25E : 707918
-30E : 707215



Lever-Style

AASB-19A (1.85L)

Export Exclusive Item



Herb Cacao: TK
-19A : 701541



Handy Pots

 <p>Push-Type</p> <p>Just press lightly to open and close the stopper.</p> 	 <p>Easy Touch</p> <p>Just press lightly to open and close the stopper.</p> 	 <p>Lever-Style</p> <p>Easy-to-use with one touch.</p> 	 <p>Twist Open</p> <p>Twist to open and close.</p> 
--	---	---	--

 <p>Coffee Dripper</p> <p>The wide mouth lets you place a coffee dripper directly on top.</p>	 <p>Dishwasher Safe (except lid)</p> <p>The product can be washed in a dishwasher (except the lid).</p>	 <p>360° Swivel Base</p> <p>Dispenser turns 360° for added convenience.</p>
--	---	--

Push-Type

<p>AH-FAE10 1.0L New Export Exclusive Item</p>  <p>IMONO BLACK: BZ -10 : 715357</p>	<p>AH-EAE10 1.0L Export Exclusive Item</p>  <p>Silver: SA -10 : 714039</p>	 <p>Black: BA -10 : 714046</p>	 <p>Red: RA -10 : 714053</p>	 <p>Gold: NA -10 : 714060</p>
---	--	--	---	---

Twist Open

<p>AHGB-06 0.6L /10D 1.0L /13 1.3L /16 1.6L Export Exclusive Item</p> <p>New Color</p>  <p>Lily Cacao: TF -10D : 715371</p>	 <p>Kiriko Gray: HG -10D : 713087</p>	 <p>Kiriko Black: BG -10D : 713094</p>	 <p>Red: RA -10D : 712936</p>	 <p>White: WB -10D : 712943</p>
--	--	---	---	--

Model No.	AH-FAE10	AH-EAE10	AHGB-06	AHGB-10D	AHGB-13	AHGB-16
Features						
Push-Type	•	•				
Twist Open Stopper			•	•	•	•
Coffee Dripper			•	•	•	•
Capacity (liters)	1.00	1.00	0.60	1.00	1.30	1.60
Packing (pcs./carton)	12	6	12	12	12	12
Weight						
Net (kgs.)	12.0	7.5	9.0	10.5	12.0	13.5
Gross (kgs.)	13.5	8.5	10.5	11.5	13.0	15.0
Measurement (m ³)	0.104	0.052	0.081	0.089	0.101	0.111
Replacement Glass	FTV-1000	FTV-1000	FAFT-06	FTV-1000	FSU-1300A	FSLD-1600
Unit Size*	14.0x18.0x27.5	14.5x19.0x27.5	13.5x18.0x22.5	13.5x18.0x26.5	13.5x18.0x30.0	13.5x18.0x33.5
Country of Origin	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN


* Listed external dimensions: width x depth x height in cm (approximate).
 • Do not place in dish washer or dish dryer.

Twist Open

<p>AHGB-06 0.6L /10D 1.0L /13 1.3L /16 1.6L Export Exclusive Item</p>  <p>Gold Brown: TZ -10D : 707826</p>	 <p>Hanabi: BF -10D : 709332</p>	 <p>Rose Beige: CH -10D : 709363</p>	 <p>Rose Brown: TP -10D : 709356</p>
 <p>Lotus Silver: SF -10D : 710550</p>	 <p>Lotus Black: BZ -10D : 710543</p>	 <p>Edelweiss: WE -10D : 710416</p>	 <p>Gold Corsage: BN -10D : 710413</p>
 <p>Herb Cacao: TK -06 : 701633 -10D : 704788 -13 : 701657</p>	 <p>Wheat Brown: TW -10D : 708380</p>	 <p>Black: BL -10D : 708311</p>	 <p>UrushiII: BY -10D : 709387</p>
 <p>Momiji: FM -10D : 711649</p>	 <p>Sasa: FB -10D : 711632</p>	 <p>White Ballerina: FC -06 : 706379 -10D : 706263 -13 : 705631</p>	 <p>Cocktail Rose: FW -06 : 706386 -13 : 705648 -16 : 704672</p>
 <p>Royal Orchid: FG -10D : 705495</p>	 <p>Beige: CA -06 : 706362 -10D : 704771 -13 : 706393</p>	 <p>Herb Brown: TD -06 : 700988 -10D : 706232 -13 : 704917 -16 : 702333</p>	 <p>Satin Leaf II: XT -06 : 711144 -10D : 710567</p>


Glass Lined Vacuum Insulated Products


Handy Pots



Push-Type


Just press lightly to open and close the stopper.






Easy Touch


Just press lightly to open and close the stopper.






Lever-Style


Easy-to-use With one touch.





Twist Open

Twist to open and close.





Coffee Dripper

The wide mouth lets you place a coffee dripper directly on top.



Dishwasher Safe

(except lid). The product can be washed in a dishwasher (except the lid).



360° Swivel Base

Dispenser turns 360° for added convenience.

Push-Type

AGYE-10 1.0L /13 1.3L /16 1.55L /19 1.85L



Symphony Flower: FN
-10 : 702869



Jewel Silver: SJ
-10 : 703194

AG-LB10 1.0L



Pink: PA
-LB10 : 206268



Silver: SA
-LB10 : 206251



Herb Cacao: TK
-10 : 701756
-13 : 702173
-16 : 702296
-19 : 702302



Herb Brown: TD
-10 : 702166
-13 : 702180
-16 : 702890
-19 : 704900



Gold Brown: TZ
-10 : 707833
-13 : 707840
-16 : 707857
-19 : 707864





Push-Type

AH-SA10 1.0L



Brown: TA
-SA10 : 712646



Lever-Style

AG-KB10 1.0L



Ivory: CB
-SA10 : 712653



Twist Open

SLE-1000E 1.0L /1300E 1.3L /1600E 1.55L /1900E 1.85L



White: WB
-KB10 : 023596024243 (UPC)*



Black: BA
-KB10 : 023596024120 (UPC)*



Satin Leaf: XS
-1000E : 704627
-1300E : 704634
-1600E : 704641
-1900E : 704658

Easy Touch

AFFB-10 1.0L /13 1.3L /16 1.55L /19 1.85L



Ichimatsu White: WZ
-10 : 714077



Ichimatsu Black: BZ
-10 : 714084



Satin Leaf II: XT
-10 : 711656
-13 : 714381
-16 : 714398
-19 : 714404



All White: WD
-10 : 700582



Metallic Gray: HX
-10 : 708403
-13 : 708410
-16 : 708427
-19 : 708434



Beige: CA
-10 : 704863
-13 : 702777
-16 : 702531
-19 : 702791



Herb Cacao: TK
-10 : 702449
-13 : 701619
-16 : 701626
-19 : 702814



Misty Silver: SF
-10 : 704870
-13 : 702784
-16 : 704894
-19 : 702807

Model No.	AGYE-10	AGYE-13	AGYE-16	AGYE-19	AG-LB10	AH-SA10	AG-KB10	SLE-1000E	SLE-1300E	SLE-1600E	SLE-1900E	AFFB-10	AFFB-13	AFFB-16	AFFB-19
Features															
Push-Type	•	•	•	•	•	•	•								
Easy Touch												•	•	•	•
Lever-Style															
Twist Open															
Coffee Dripper															
Capacity (liters)	1.00	1.30	1.55	1.85	1.00	1.00	1.00	1.00	1.30	1.55	1.85	1.00	1.30	1.55	1.85
Packing (pcs./carton)	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12
Weight															
Net (kgs.)	11.5	12.5	14.0	15.5	11.5	12.0	12.0	11.5	13.0	14.5	16.0	12.0	13.0	14.5	16.0
Gross (kgs.)	12.5	14.0	15.5	17.0	12.0	13.0	13.0	13.0	14.5	16.0	17.5	13.0	14.5	16.0	17.5
Measurement (m³)	0.088	0.102	0.115	0.125	0.085	0.107	0.085	0.094	0.100	0.105	0.109	0.090	0.099	0.110	0.121
Replacement Glass	FTV-1000	FSU-1300A	FBFA-1600	FSLD-1900	FSPR-1000	FTV-1000	FTV-1000	FTV-1000	FSU-1300A	FBFA-1600	FSLD-1900	FTV-1000	FSU-1300A	FBFA-1600	FSLD-1900
Unit Size*	13.5x17.0x27.5	13.5x17.0x31.0	15.0x18.5x30.0	15.0x18.5x33.0	13.5x17.0x27.5	13.5x19.5x29.0	14.0x17.0x28.0	13.5x18.0x27.0	13.5x18.0x30.5	15.0x19.5x29.0	15.0x19.5x32.0	13.5x17.5x27.0	13.5x17.5x30.5	15.0x18.5x29.5	15.0x18.5x32.5
Country of Origin	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN

* Listed external dimensions: width x depth x height in cm (approximate).
 ● Do not place in dish washer or dish dryer.

Glass Lined Vacuum Insulated Products

Catering Products

Air Pots

Press Down



Just press lightly to dispense hot water.



Lever-Style



The lever-style pump makes it easier on the wrist to pump.



Handy Pots

Twist Open.



Twist to open and close.



Push-Type



Just press lightly to open and close the stopper.



Easy Touch



Just press lightly to open and close the stopper.



- Fold Down Handle**
- 360° Swivel Base**
- Pump Lever Safety Lock**
- Wide Body With Long Nose**
- Tilt Leak Prevention**
Has safety valve to minimize hot water spillage.
- Detachable Lid**
- Detachable Stopper**
- Detachable Lid & Stopper**
- Coffee Dripper**
- Without Stopper**
- Detachable Lid & Brew-Thru Stem Stopper**

NSF NSF Certified: NSF (National Sanitation Foundation) is an organization that ensures safe designs and cleaning of commercial appliances and tools. NSF certifies that all products bearing its mark complies with all industry standards and regulatory requirements.

NSF NSF Component: This mark indicates that the product as a component is certified by NSF, while it may not in itself be a complete product.

ETL ETL Sanitation Listed: This mark certifies compliance to appropriate ANSI/NSF standards for products sold in the US and Canada. The mark approves the use of the equipment for food production for human consumption.

Intertek

Air Pots

Press Down

AALB-19S 1.85L /25S 2.45L

• Comes with a stainless steel stem stopper



Stainless: ST
-19S : 700537
-25S : 701053

- Fold Down Handle
- 360° Swivel Base
- Lock
- Pump Lever Safety Lock
- Detachable Lid & Stopper

ABF-30S 3.0L

Instruction Manuals [JPN]



Stainless Steel: XA
-30S : 127556

- Fold Down Handle
- Detachable Lid
- 360° Swivel Base
- Without Stopper
- Lock
- Pump Lever Safety Lock
- Tilt Leak Prevention

Model No.	AALB-19S	AALB-25S	ABF-30S	AAPE-19S	AAPE-25S	AAPE-22SB	AAWE-30S	AAWE-30SB
Capacity (liters)	1.85	2.45	3.00	1.85	2.45	2.20	3.00	3.00
Packing (pcs./carton)	8	8	6	8	8	6	6	6
Weight	Net (kgs.)	11.5	12.5	13.5	12.0	13.0	12.0	12.0
	Gross (kgs.)	12.5	14	14.5	13.5	14.5	13.5	13.5
Measurement (m ³)	0.0970	0.1060	0.125	0.101	0.108	0.080	0.116	0.116
Replacement Glass	FSLD-1900	FVB-2500	FABF-30	FSLD-1900	FVB-2500	FSK-2200	FAAV-30	FAAV-30
Unit Size*	15.5x19.0x35.5	15.5x19.0x39.0	18.5x25.5x38.0	15.5x20.0x37.0	15.5x20.0x40.0	15.5x20.0x38.5	18.5x23.5x36.5	18.5x23.5x36.5
Country of Origin	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN

*Listed external dimensions: width x depth x height in cm (approximate). •Do not place in dish washer or dish dryer.

Press Down

AAPE-19S 1.85L /25S 2.45L



Stainless: ST
-19S : 700247
-25S : 700254

- Export Exclusive Item
- Fold Down Handle
- 360° Swivel Base
- Lock
- Pump Lever Safety Lock
- Detachable Lid & Stopper

AAPE-22SB 2.2L

•Brushed Stainless Finish



Stainless: XA
-22SB : 023596035447 (UPC)*
*This product has a UPC code instead of a JAN code

- Export Exclusive Item
- Fold Down Handle
- 360° Swivel Base
- Lock
- Pump Lever Safety Lock
- Detachable Lid & Brew-Thru Stem Stopper

AAWE-30S 3.0L /30SB 3.0L

•Brushed Stainless Finish (AAWE-30SB)



Stainless: XA
-30S : 700278

- Export Exclusive Item
- Fold Down Handle
- 360° Swivel Base
- Lock
- Pump Lever Safety Lock
- Detachable Lid & Stopper
- Detachable Lid & Brew-Thru Stem Stopper

ETL Intertek (AAWE-30SB)



Brew-Thru Stem Stopper for direct brewing

Stainless: XA
-30SB : 023596177444 (UPC)*
*This product has a UPC code instead of a JAN code

VRKE-30S 3.0L



Stainless: XA
-30S : 700971

- Export Exclusive Item
- Wide Body With Long Nose
- Fold Down Handle
- Detachable Stopper
- 360° Swivel Base
- Lock
- Pump Lever Safety Lock

Stainless Steel Liner

SGA-30 3.0L

Instruction Manuals [JPN]



Stainless: XA
-30 : 117618

- Fold Down Handle
- Lock
- Pump Lever Safety Lock
- Detachable Lid & Stopper

Lever-Style

AASB-22B 2.2L /22SB 2.2L

•Brushed Stainless Finish (AASB-22SB)

Lever-Style Pump



- Safety Lever Lock
- ETL Intertek



Matte Black: BE
-22B : 023596079120 (UPC)*
*This product has a UPC code instead of a JAN code



Silver: SV
-22B : 023596033238 (UPC)*
*This product has a UPC code instead of a JAN code



Stainless: XA
-22SB : 023596033436 (UPC)*
*This product has a UPC code instead of a JAN code

- Fold Down Handle
- 360° Swivel Base
- Lock
- Pump Lever Safety Lock
- Detachable Lid & Brew-Thru Stem Stopper

Stainless Steel Liner

SR-AG30 3.0L /38 3.8L

•Brew-Thru Stem Stopper

Export Exclusive Item



NSF

Stainless: XA
-AG30 : 702227
-AG38 : 708021

- Fold Down Handle
- Lock
- Pump Lever Safety Lock
- Detachable Lid & Brew-Thru Stem Stopper

Model No.	VRKE-30S	SGA-30	AASB-22B	AASB-22SB	SR-AG30	SR-AG38
Capacity (liters)	3.00	3.00	2.20	2.20	3.00	3.80
Packing (pcs./carton)	6	6	6	6	6	4
Weight	Net (kgs.)	12.0	12.5	10.0	14.5	11.2
	Gross (kgs.)	13.5	13.5	11.0	15.5	12.2
Measurement (m ³)	0.113	0.086	0.084	0.084	0.103	0.086
Replacement Glass	FAAV-30	—	FSK-2200	FSK-2200	—	—
Unit Size*	18.5x23.5x38.5	18.0x21.0x36.0	15.5x20.0x39.5	15.5x20.0x39.5	18.0x21.0x39.0	18.0x21.0x43.0
Country of Origin	JAPAN	JAPAN	JAPAN	JAPAN	CHINA	CHINA

Handy Pots

Twist Open

AHGB-06S (0.6L) /10S (1.0L) /13S (1.3L) /16S (1.6L) **Export Exclusive Item**

•Large Handle



Stainless: XA
-06S : 700995
-10S : 700926
-13S : 700933
-16S : 701282

Easy Touch

AFFB-10S (1.0L) **Export Exclusive Item**
/13S (1.3L)
/16S (1.55L)
/19S (1.85L)

•Brushed Stainless Finish



Stainless: XA
-10S : 700728
-13S : 700735
-16S : 700742
-19S : 700759

Twist Open

SLE-1000N (1.0L) **Export Exclusive Item**
/1300N (1.3L)
/1600N (1.55L)
/1900N (1.85L)



Stainless: ST
-1000N : 705662
-1300N : 705464
-1600N : 705679
-1900N : 705471

Push-Type

AGYE-10S (1.0L) **Export Exclusive Item**
/13S (1.3L)
/16S (1.55L)
/19S (1.85L)

•Brushed Stainless Finish



Stainless: XA
-10S : 701350
-13S : 702111
-16S : 702128
-19S : 702135

Twist Open

BHS-1900/19SB (1.85L) **Export Exclusive Item**



Stainless: ST
-1900 : 700704



Brew-Thru Lid allows direct brewing (only for BHS-19SB)



Stainless: XA
-19SB : 023596134447 (UPC)*
*This product has a UPC code instead of a JAN code

Creamer/Dairy Server

SH-MAE10 (1.0L) **Export Exclusive Item**

For Cold Beverages



Always Open Lid (Tilt only ready to serve without twisting the lid.)

Easy to Clean



Stainless: XA
-MAE10 : 710833

Model No.	AHGB-06S	AHGB-10S	AHGB-13S	AHGB-16S	AGYE-10S	AGYE-13S	AGYE-16S	AGYE-19S	AFFB-10S	AFFB-13S	AFFB-16S	AFFB-19S
Capacity (liters)	0.60	1.00	1.30	1.60	1.00	1.30	1.55	1.85	1.00	1.30	1.55	1.85
Packing (pcs/carton)	12	12	12	12	12	12	12	12	12	12	12	12
Weight	Net (kgs.)	9.0	10.5	12.0	13.5	11.5	12.5	14.0	12.0	13.0	14.5	16.5
	Gross (kgs.)	10.5	11.5	13.0	15.0	13.0	14.0	15.5	13.5	14.5	16.0	18.0
Measurement (m ³)	0.081	0.081	0.101	0.111	0.083	0.102	0.115	0.125	0.091	0.101	0.115	0.125
Replacement Glass	FAFT-06	FTV-1000	FSU-1300A	FSLD-1600	FTV-1000	FSU-1300A	FBFA-1600	FSLD-1900	FTV-1000	FSU-1300A	FBFA-1600	FSLD-1900
Unit Size ²	13.5x18.0x22.5	13.5x18.0x26.5	13.5x18.0x30.0	13.5x18.0x33.5	13.0x17.0x27.5	13.5x17.0x31.0	15.0x18.5x30.0	15.0x18.5x33.0	13.5x17.5x27.0	13.5x17.5x31.0	15.0x18.5x30.0	15.0x18.5x33.0
Country of Origin	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN

Model No.	BHS-1900	BHS-19SB	SLE-1000N	SLE-1300N	SLE-1600N	SLE-1900N	SH-MAE10
Capacity (liters)	1.85	1.85	1.00	1.30	1.55	1.85	1.00
Packing (pcs/carton)	12	12	12	12	12	12	6
Weight	Net (kgs.)	14.5	14.5	11.5	13.0	14.5	4.7
	Gross (kgs.)	16.0	16.0	13.0	14.5	16.0	5.1
Measurement (m ³)	0.106	0.108	0.094	0.100	0.105	0.109	0.035
Cold Retention ¹	—	—	—	—	—	—	5°C @4hr.
Replacement Glass	FSLD-1900	FSLD-1900	FTV-1000	FSU-1300A	FBFA-1600	FSLD-1900	—
Unit Size ²	15.0x18.5x31.0	15.0x18.5x31.0	13.0x18.0x27.0	13.5x18.0x30.5	15.0x19.5x29.0	15.0x19.5x32.0	11.0x15.5x28.5
Country of Origin	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	THAILAND

¹ Rating is based on NSF Regulation; water at a starting temperature of 1.5 ± 0.5°C filled to full capacity and with the stopper set placed, at an ambient temperature of 30 ± 2°C, with the product temperature pre-stabilized at an ambient temperature of 21 ± 2.5°C. ² Listed external dimensions: width x depth x height in cm (approximate).
• Do not place in dish washer or dish dryer.

Beverage Dispensers



Pours straight down into placed cup

Main unit detaches from stand with the press of a button for easy cleaning




Brew-Thru lid with mesh filter



Sight gauge easily detaches for quick cleaning



LEGAYAE-12
Taller serving base also available for AY-AE25/25N, SY-AA25/25N.



AY-AE25/25N (2.5L) **Export Exclusive Item**

- Detachable Serving Base
- High Impact Plastic Body Resists Dents And Corrosion
- Fold Down Handle For Easy Transport
- Removable Drip Tray
- Brew-Thru Lid
- Easy to check water level gauge

Black: BA
-AE25N : 707987

NSF

Stainless Steel Liner SY-AA25/25N (2.5L) **Export Exclusive Item**

- Detachable Serving Base
- High Impact Plastic Body Resists Dents And Corrosion
- Fold Down Handle For Easy Transport
- Removable Drip Tray
- Brew-Thru Lid
- Easy to check water level gauge

Black: BA
-AA25N : 707994

NSF

Stainless Steel Liner SY-BA60/60N (6.0L) **Export Exclusive Item**

- Large Capacity 6L
- Detachable Serving Base
- High Impact Plastic Body Resists Dents And Corrosion
- Fold Down Handle For Easy Transport
- Removable Drip Tray
- Brew-Thru Lid
- Easy to check water level gauge

Black: BA
-BA60N : 712059

NSF

DVA-F10S³ (10.0L) **Limited Stock**

• Non-Stick Coated Interior



Stainless: XA
-F10S : 130440

For Cold Beverages

Food Containers

RDS-400³ (10.8L) /600³ (16.2L)

• Non-Electric Large Size Food Container



Stainless: ST
-400 : 016331



Stainless: ST
-600 : 016355

Ice Pail With Ice Tongs

BJC-1300⁴ (1.3L) **Limited Stock**

• Convenient Storage Compartment For Ice Tongs



White: WH
-1300 : 700179



Black: BL
-1300 : 700186

Ice Pail

JPE-1200E⁴ (1.2L) **Limited Stock**

• Export Exclusive Item




Stainless: ST
-1200E : 700223

Model No.	AY-AE25	AY-AE25N	SY-AA25	SY-AA25N	SY-BA60	SY-BA60N	DVA-F10S	RDS-400	RDS-600	BJC-1300	JPE-1200E
Capacity (liters)	2.50	2.50	2.50	2.50	6.00	6.00	10.00	10.80	16.20	1.30	1.20
Packing (pcs/carton)	6	6	6	6	1	1	6	2	2	24	24
Weight	Net (kgs.)	14.5	10.0	14.5	10.0	8.5	12.5	11.0	13.0	16.0	14.0
	Gross (kgs.)	15.5	11.0	16.0	11.0	—	13.5	12.5	14.5	17.0	16.0
Measurement (m ³)	0.146	0.100	0.146	0.100	0.110	0.070	0.182	0.104	0.128	0.144	0.144
Replacement Glass	FVPA-2500	FVPA-2500	—	—	—	—	—	—	—	—	—
Unit Size ²	20.0x22.5x43.5	18.5x22.0x30.0	20.0x22.5x43.5	18.5x22.0x30.0	26.0x37.5x59.5	26.0x34.5x36.5	26.0x29.0x42.0(36.0)	46.0x38.0x27.0	46.0x38.0x34.0	15.0x15.0x21.0	13.5x15.0x19.0
Country of Origin	TAIWAN	TAIWAN	TAIWAN	TAIWAN	CHINA	CHINA	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN

³ Foam Insulation
⁴ Double-wall Insulation

ZOSAN, THE MASCOT OF "ZOJIRUSHI" LOVED IN THE WORLD.

ZOSAN was introduced in 2003. ZOSAN is a 9 years old boy, cheerful sometimes mischievous and healthy friendly boy. ZOSAN appeared in Japanese printed materials at first, but soon later it started to be used in America, Hong Kong, Taiwan, China, Thailand, Vietnam and Indonesia. And now ZOSAN is loved in the world having many variations such as wearing Kung-Fu outfit, Dragon Dance costume and Indonesian student's outfit with Garuda cap and so on.



ZOJIRUSHI CORPORATION

19-9, 1-Chome Tenma, Kita-ku, Osaka 530-0043, Japan
Tel: 81-6-6356-2382 Fax: 81-6-6356-2370
e-mail: int@zojirushi.co.jp
<http://www.zojirushi-world.com>

OVERSEAS OFFICES

Zojirushi America Corporation

19310 Pacific Gateway Dr. Suite 101, Torrance, CA 90502
Tel: 1-310-769-1900 / 800-733-6270 (Toll free) Fax: 1-310-323-5522
e-mail: info@zojirushi.com <http://www.zojirushi.com>

Zojirushi SE Asia Corporation Ltd.

4th Floor, Saha-Union Building, No.1828 Sukhumvit Road,
Phrakanong Tai, Phrakanong, Bangkok 10260, Thailand
Tel: 66-2741-4818 Fax: 66-2741-4819
e-mail: info@zojirushi.co.th
<http://www.zojirushi-seasia.com> (Eng) <http://www.zojirushi.co.th> (Thai)

Zojirushi Taiwan Corporation

11F., No. 4&6, Sec. 3, Minquan East Road, Zhongshan District, Taipei, Taiwan
Tel: 886-2-2506-9009 Fax: 886-2-2506-8980
e-mail: customer@zojirushi.com.tw <http://www.zojirushi.com.tw>

Zojirushi Shanghai Corporation

Unit 1108 Henderson 688 square, No.688 Nanjing Road West, Jing'an District, Shanghai, China
Tel: 86-21-6190-7755 Fax: 86-21-6190-7733
e-mail: zojirushi@zoshanghai.com.cn <http://zojirushi-china.com>

- ★JAN code: The 6-digit number after the model number (e.g.: -AA05) is the last 6 digits of the JAN code number. The first 7 digits for all models are "4974305".
- ★2 capital letters listed after the color name are the color code.
- ★Contents of this catalog may change without notice.
- ★The product colors in this catalog may differ from the actual products.



ISO 9001 No: JET-0297
Zojirushi Corporation
(R&D Department)



ISO 14001 No: E98-063
Zojirushi Corporation
(R&D Department)



ISO 9001 Cert. No: TH010600
ISO 14001 Cert. No: TH011295
Union Zojirushi Co., Ltd.

DISTRIBUTOR: