

fishing rods



124 Bukharestskaya street Saint-Petersburg 192288 phone +7 812 671 04 94 info@eco-group.ru

maximus-rods.com



Content	3	Destroyer-X Casting	46
Technologies		Destroyer-X	
3		Ranger	
SPINNING RODS		Egoist LE	
Butcher	9	Egoist-Z	
Winner		Marauder-X	
Villain		Pulse	
Axiom		Dreamer-Z LE	
Zircon	13	Midori	
Zircon Jig		Raptor-Z	
Zircon Casting		1	
Black Side		TROLLING RODS	
Pointer		Bouncer	58
Work Horse-X		Jazz	59
Work Horse-X Cork	19		
Ichiro		SEA BOAT RODS	
Wild Power-X		Fjord	60
Emissary		Deep Hunter	
Stealth-Z		Sea Empire	
Anvil			_
Streetracer	26	FLOAT RODS	
Streetracer Rock Fish		North Witch	6/1
Neon Spy		Rebel Pole	
Advisor Jig		Rebel Bolognese	
High Energy-Z		_	
High Energy-Z Jig		Rebel Tele Match	
Encore		Sorcerer Pole	
Escape		Sorcerer Bolognese	
Legend Ultras		Wizard Pole	
Gravity		Wizard Bolognese	67
Black Widow		Joker Bolognese	68
Black Widow Casting		Witcher Bolognese	69
Smuggler Travel		Matrix Match	70
Ultimatum			
Manic		FEEDER RODS	
Manic Casting		Agent	72
Fish Poison		Riot	
Mescalito Jig LE		Invader	
Warrior Casting		Interceptor	
Neon Midori		Adventure	
			E
The second secon	Control of the Contro		A Committee of the Comm



TECHNOLOGIES







HIGH MODULUS NANO GRAPHITE FIBER is an exclusive high modulus carbon fiber material with minimum content of binder and unidirectional carbon fiber structure, which provide graphite of maximum density. As a result, we get an extremely lightweight blank combined with maximum strength and sensitivity.



WXW-X-WRAPPING CARBON Blanks produced using the technology of X-Wrapping carbon fibers are more resistant to bending and



X-JOINT CONSTRUCTION is a special rods joint when two sections are connected with carbon tube insertion. This type of a joint doesn't change the action and bend of a blank, providing maximum reliability, sensitivity, functionality and casting characteristics specific for onesection rods.



HSS - HYPER SENSITIVE SYSTEM is the most up-to-date technology which allows the blank to use all its sensitive potential. Materials used for handle producing has high vibration sensitivity. The details made from this materials are put in blank construction. As a result anglers can get more information from bait.





SUPER SENSITIVE SYSTEM is a special reel seat constructed from vibration sensitive materials such as aluminum, carbon, which allows the anglers to feel every bottom touch, slight changes in lure action and the most delicate fish bites.



SUPER SENSITIVE SYSTEM 2 The blank is designed in such a way that its upper part gently expands downwards and goes into the handle due to a special transition-cone. Thus, the blank and the handle of the rod are one unit that significantly reduces weight and adds sensitivity to a spinning construction. A reel seat mounted directly on the rod blank gives additional sensitivity to a spinning.



WARM REEL SEAT made from materials such as cork or EVA. Constructed for a warm feel in your hand and comfortable fishing especially in cold weather conditions.



SST (SOFT SENSITIVE TIP) is a technology specially designed to increase rod sensitivity. Used for blanks with fast and extra fast action. Blanks based on SST technology are characterized by stiff middle and butt sections combined with soft responsive and flexible tips (about 1/3 of a blank). On retrieve the soft tip is always engaged, and after hitting the bottom it 'rebounds' immediately into the angler's hand letting him know about the touch of the bottom.



NONSLIP COATING is a special coating which prevents angler's hand from sliding off the fishing blank. Handle is coated by antifriction granules that help to prevent sliding and improve grip control.



POWERED GRIP CONSTRUCTION The main idea of this construction is to ensure the perfect grip of a handle. It can be found on fishing rods designed to endure extreme loads, when it is important that handle will be reliably fixed in angler's hand.





MULTI-TIP CONCEPT Rods based on this concept are equipped with two tips for different purposes:

a) 1st Interline Tip (fishingline runs inside the blank) - for fishing at depths up to 100m - a powerful blank construction due to equal load

b) 2nd tip with classic rigging (LC guides frame) is ideal for fishing at depths of more than 100m where the quick sinking of a lure is more important than power characteristics of a blank. Each rod of this series is supplied with two tips, which makes it really universal in the very best sense of the word.



TRAVEL DESIGN Easily transported rods ideal for those who like travelling. It can be easily put into a standard suitcase or a travel bag.



Fuji KOGYO CO LTD blanks fitted with Fuji guides.



TORZITE is a material used for internal guides surface producing. Helps to protect fishing line.



Strong: Leg and ring frame has special profile to increase strength. **Lightweight:** A new super thin ring insert. 35% lighter than a classic SIC inserts. The inner diameter increased by 15%.

Low Friction: Due to the shape of the ring insert the pressure on the ring is halved, which positively affects the casting distance.



TITANIUM FUJI SIC Ultra light and durable guides in titanium frame with silicon carbide ring material (SIC). Titanium is much lighter and stronger than stainless steel.



MINI GUIDE SYSTEM is a modern concept using the smallest possible guides, micro guides you might say, helping to reduce the total weight of a rod. This technology is used only with KR-Guide Concept and 3D-Guide System.



AT-GUIDE Engineers have created a single leg guide, which has only 20% less strength than traditional two-leg guide. Specially designed for ultra light fishing rods.



TANGLE FREE Due to a special oval shape of the ring and an accurately calculated slope of the frame, tangles are completely eliminated.



ANTITWISTING TIP is a special "tang", designed to prevent line overlapping during casting. All line just slides from the tip because of the spherical stiffeners, thereby avoiding any damage to the rod or loss of a bait.



SIC GUIDE Guides are fitted with silicon carbide made inlets. Increase casting distance up to 10% without any additional efforts. Suitable for both monofilament and braided lines.



MAXIMUS



ALCONITE Guides with perfectly smooth ceramic rings made of ZIRCONIA is a combination of a new type frame with heavy-duty aluminum oxide. Help to increase casting distance and reduce friction by any braided line.



zirconia rings makes "Kigan Zirconia" guides one of the best on the market. They feature extreme durability and fine granulation and exceed many types of ceramic rings.



weight. TiN is a high-tech golden colour alloy featuring extreme guides along the blank. toughness, optimum fine granulation and low weight.





GOLD CERMET Heavy-duty cermet coated with TiN. Besides KR-GUIDE CONCEPT (FUJI-JAPAN) is the main idea of this concept hardness, perfectly smooth surface and durability, it has very low is to reduce resistance when braided line is flowing through the



introduced by Korean company 'Kigan Industry Co., Ltd' and placed Smaller guides allow lower weight and placed more frequently in accordance with 3D-ZH Guide System.



3D-ZH GUIDE SYSTEM (KIGAN-KOREA) New generation of quides K-GUIDE SYSTEM is a simplified version of KR-Guide Concept. which contributes to perfect rod performance.



casting distance. It suggests more frequent placement of micro guides on high feet. This system helps to achieve better taper input, guides. Such constructive engineering solution provides ideal reducing resistance when braided line is passing through the guides and optimize maximum casting distance and accuracy.




N-GUIDE SYSTEM is a special guide placement to allow maximum INTERLINE In accordance with Interline concept the fishing line runs inside the blank with the help of a system of many inner load distribution over the blank under maximum pressure which significantly increases the reliability of a tackle. Another distinct advantage of Interline concept is a complete lack of any line twisting which is especially important during sea fishing with pilker or other jigging lures. Interline rods become more and more popular for sea fishing because such construction has some undoubted advantages comparing with rods with standard guides. All Interline rods are equipped with a special cable for passing the fishing line inside the blank.

ECOGROUP

ITEM NUMBER DECODING

JS-Jig Special / Jig Rod	JS
SB-Sbirulino / Rod for fishing with bombards	SB
FR-Feeder Rod / Feeder Rod	FR
JB-Jerk Bait / Jerk Bait Rod	JB
TS-Twitching Special / Twitching Rod	TS
RF-RockFish / Micro Jigging Rod	MRFSR702UL(*)
TR-Travel / Travel (compact) Rod	TR
TE-Tele / Telescopic Rod	TE
TEGT-Tele GT / Telescopic Rod with guides	TEGT
BR-Boat Rod / Boat Rod	BR
LE-Limited Edition / Limited Edition Series	LE









Butcher






This series of spinning rods combines low price with excellent assembly quality. Medium-fast blank is made of IMF carbon and fitted with SIC guides. Butcher was designed as a universal spinning rod and, as a result, anglers can fish











- Medium-Fast Action
- 2 sections
- Put over joint

REEL SEAT

- Warm Reel Seat
- Ergonomic design

GUIDES

- SIC guides
- Antitwisting Tip
- Lightweight, single foot
- Classic Guide placement

- Ergonomic design, lightweight split handle type
- Material: EVA



Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MSBU18L*	180	90	95	6	2	3-15
MSBU21L*	210	105	107	6	2	3-15
MSBU21ML*	210	105	127	6	2	5-21
MSBU21M*	210	105	138	6	2	7-28
MSBU24L**	240	120	132	7	2	3-15
MSBU24ML**	240	120	146	7	2	5-21
MSBU24M**	240	120	158	7	2	7-28
MSBU24MH**	240	120	176	7	2	10-42
MSBU27ML**	270	135	172	7	2	5-21
MSBU27M**	270	135	187	7	2	7-28
MSBU27MH**	270	135	198	7	2	10-42

^{*} Handle Type A



^{**} Handle Type B



WINNER













10

This is a series of budget spinning rods with fast action blanks developed for fishing with different types of lures: wobblers, spinners, spoons and jigs. It's a great choice for those who need an inexpensive but multifunctional and quality spinning rod. Its blank is made of IMF carbon, equipped with lightweight SIC quides, ergonomic "warm" reel seat and functional high-quality EVA (neoprene) handle. Modern lightweight fast action blanks allow to make the most accurate

casts and have great sensory characteristics. Powerful butt section copes

perfectly with any big predator fish. Winner Spinning rods are superb for pike,

zander, trout and perch fishing both on rivers and lakes.

BLANK

- Material: IMF carbon
- Fast Action
- 2 sections
- Put over joint

REEL SEAT

- Warm Reel Seat
- Ergonomic design

GUIDES

- SIC quides
- Antitwisting Tip
- Lightweight, single foot
- Classic Guide placement

HANDLE

- Ergonomic design
- Material: EVA

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MSW18L	180	90	148	6	2	3-15
MSW21L	210	105	153	6	2	3-15
MSW21ML	210	105	155	6	2	5-25
MSW21M	210	105	174	6	2	10-30
MSW24L	240	120	175	7	2	3-15
MSW24ML	240	120	178	7	2	5-25
MSW24M	240	120	192	7	2	10-30
MSW24MH	240	120	196	7	2	15-40
MSW27L	270	135	198	7	2	3-15
MSW27ML	270	135	199	7	2	5-25
MSW27M	270	135	211	7	2	7-35
MSW27MH	270	135	215	7	2	15-40
MSW27H	270	135	219	7	2	15-50
MSW30H	300	150	228	8	2	15-50



ECOGROUP













Maximus Villain is a series of spinning rods that combine low price, high quality and modern technologies. Villian was designed as a universal spinning rod and, as a result, anglers can fish with it using different retrieval techniques. Villian is perfect for fishing with various jigs since it is a Fast action rod. K-Guide System was applied to this class of spinning rods for the first time. The blank is made of IMF graphite and equipped with SIC guides in Tangle Free frames. The split handle is made of thick microporous neoprene (EVA), it also features an attractive modern design and comfortable grip. The Warm Reel Seat provides maximum comfort in any weather conditions. This is a perfectly balanced spinning rod, which works well with different types of lures and is suitable for various kinds

of predators. **BLANK**

- Material: IMF graphite
- Fast Action

REEL SEAT

- Warm Reel Seat
- Ergonomic design

GUIDES

- SIC guides
- K-Guide frame
- Antitwisting Tip
- Tangle Free construction
- Lightweight, single foot
- K-Guide System

- Ergonomic design
- Material: EVA



Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MSVI21L	210	105	122	6	2	3-14
MSVI21ML	210	105	132	6	2	5-21
MSVI21M	210	105	140	6	2	7-28
MSVI21MH	210	105	173	6	2	15-40
MSVI24L	240	120	172	7	2	3-14
MSVI24ML	240	120	174	7	2	5-21
MSVI24M	240	120	175	7	2	7-28
MSVI24MH	240	120	176	7	2	15-40
MSVI24H	240	120	189	7	2	20-60
MSVI27ML	270	135	186	7	2	5-21
MSVI27M	270	135	195	7	2	7-28
MSVI27MH	270	135	207	7	2	15-40
MSVI27H	270	135	220	7	2	20-60



















AXIOM

















In the design of the new spinning rods Axiom there were two main goals: to achieve a good price and to use the most up to date technologies, materials and accessories. Maximus engineers managed to do it. All rods are fitted with SIC guides in Tangle Free frames which help eliminate line tangles. They are placed in accordance with ultra-modern K-Guide System concept. Axiom blanks are made from IMF carbon, equipped with ergonomic EVA handle and comfortable Warm Reel Seat. Axiom series rods are considered truly versatile because they combine first class equipment with quite reasonable price, which make them extremely popular among all anglers.

BLANK

- Material: graphite IMF
- Fast Action
- 2 sections
- Put-over ioint

REEL SEAT

- Warm Reel Seat
- Ergonomic design

GUIDES

- SIC guides
- Antitwisting Tip
- Tangle Free frame construction
- Lightweight, single foot
- K-Guide System

HANDLE

- Ergonomic design
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MSAX18UL	180	90	83	6	2	1-8
MSAX18L	180	90	91	6	2	3-15
MSAX18ML	180	90	93	6	2	5-25
MSAX21UL	210	105	104	6	2	1-8
MSAX21L	210	105	117	6	2	3-15
MSAX21ML	210	105	119	6	2	5-25
MSAX21M	210	105	126	6	2	7-35
MSAX24UL	240	120	120	6	2	1-8
MSAX24L	240	120	139	6	2	3-15
MSAX24ML	240	120	140	6	2	5-25
MSAX24M	240	120	147	6	2	7-35
MSAX24MH	240	120	151	6	2	10-40
MSAX24H	240	120	156	6	2	15-55
MSAX27L	270	135	160	7	2	3-15
MSAX27ML	270	135	164	7	2	5-25
MSAX27M	270	135	166	7	2	7-35
MSAX27MH	270	135	168	7	2	10-40
MSAX27H	270	135	171	7	2	15-55
MSAX30MH	300	150	210	8	2	10-42
MSAX30H	300	150	216	8	2	15-55

ZIRCON

















EcoGROUP



For the new Zircon spinning rods series, the same well-known blank construction was used as for the popular Axiom series. Engineers have made just a few small changes applying the more up-to-date "split handle" design and the rare black colour for the guiding ring frames. The Zircon spinning rod was designed as Fast action, all-purpose and intended for a wide group of anglers. Its blank is made of IMF carbon, fitted with light weight SIC guides and comfortable Warm Reel Seat made of dense fine-pored neoprene (EVA). The guides in Tangle Free frames are set up in accordance with the modern K- Guide Concept. The Maximus Zircon rods are available in a wide range of sizes so that you can find a suitable rod for any fishing situation. Due to its perfect balance, this model seems to be very light, but at the same time incredibly powerful to fight a big fish!

BLANK

- Material: IMF carbon
- Fast Action
- 2 sections
- Put over joint

REEL SEAT

- Warm Reel Seat
- Ergonomic design

GUIDES

- SIC guides
- Antitwisting Tip
- Tangle Free frame construction
- Lightweight, single foot
- K-Guide System

- Ergonomic design
- Lightweight split grip handle
- Material: EVA

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MSZI18UL	180	90	85	6	2	1-8
MSZI18L	180	90	93	6	2	3-15
MSZI18ML	180	90	109	6	2	5-25
MSZI21UL	210	105	103	6	2	1-8
MSZI21L	210	105	112	6	2	3-15
MSZI21ML	210	105	116	6	2	5-25
MSZI21M	210	105	126	6	2	7-35
MSZI24UL	240	120	120	6	2	1-8
MSZI24L	240	120	131	6	2	3-15
MSZI24ML	240	120	137	6	2	5-25
MSZI24M	240	120	139	6	2	7-35
MSZI24MH	240	120	142	6	2	15-40
MSZI24H	240	120	157	6	2	15-55
MSZI27L	270	135	137	7	2	3-15
MSZI27ML	270	135	155	7	2	5-25
MSZI27M	270	135	160	7	2	7-35
MSZI27MH	270	135	167	7	2	15-40
MSZI27H	270	135	170	7	2	15-55
MSZI30MH	300	150	205	8	2	10-42
MSZI30H	300	150	212	8	2	15-55





ZIRCON JIG





















The main task of a jigging gear is to have an effective sensitivity. The special Zircon Jig series differs from the "universal" one: it has a different blank and a reel seat. It is designed according to classic principles of a jigging rod - blanks of this series are built more cone-shaped and the tip is much more elastic. Fitted with SSS (Super Sensitive System) reel seats for maximum sensitivity. The blanks are made of IMF carbon, equipped with lightweight SIC guides in Tangle Free frames, placed in accordance with K-Guide System. The reel seat deserves special attention. Thanks to its peculiar design, the angler's fingers always contact directly with the rod blank, which partly provides an excellent sensitivity. The split handle ensures a comfortable grip. The rod shows excellent casting characteristics, which are so necessary when fishing along distant breaklines and slopes.

BLANK

- Material: IMF carbon
- Fast Action
- 2 sections
- Put-over joint

REEL SEAT

- Ergonomic design
- Super Sensitive System

GUIDES

- SIC quides
- Antitwisting Tip
- Tangle Free frame construction
- Lightweight, single foot
- K-Guide System

HANDLE

- Ergonomic design
- Lightweight split grip handle
- Material: EVA

Item	Length, cm	length, cm	weight, g	Guides	Sections	weight, g
MJSSZI21L	210	105	113	6	2	4-16
MJSSZI21ML	210	105	115	6	2	7-25
MJSSZI21M	210	105	119	6	2	10-35
MJSSZI22ML	220	110	117	6	2	7-25
MJSSZI22M	220	110	118	6	2	10-35
MJSSZI22MH	220	110	120	6	2	17-45
MJSSZI23XH	230	115	140	6	2	50-120
MJSSZI24ML	240	120	140	6	2	7-25
MJSSZI24M	240	120	145	6	2	10-35
MJSSZI24MH	240	120	134	6	2	17-45
MJSSZI24H	240	120	138	6	2	20-60
MJSSZI24XH	240	120	144	6	2	40-90
MJSSZI25XH	250	125	150	6	2	50-120
MJSSZI27M	270	135	161	7	2	10-35
MJSSZI27MH	270	135	165	7	2	17-45
MJSSZI27H	270	135	169	7	2	20-60
MJSSZI29MH	290	145	203	8	2	17-45

ECOGROUP

ZIRCON CASTING





Zircon Casting is a Fast Action casting rod, which allows anglers to make

accurate and long-distant casts. The main difference between Zircon Casting

and Zircon Spinning rods is that the casting version has a trigger reel seat featuring SSS (Super Sensitive System) and low profile guides. The guides are placed in accordance with K-Guide System, they have a slightly inclined Tangle

Free frames and ceramic SIC inserts. The number of guides has been increased to meet the requirements of modern casting rods. The blank is made of IMF


carbon. The split handle is made of microporous neoprene (EVA). Equipped













- Material: IMF carbon
- Fast Action
- 2 sections
- Put-over joint

REEL SEAT

- Warm Reel Seat
- Ergonomic design
- Super Sensitive System

GUIDES

- SIC guides
- Antitwisting Tip
- Tangle Free frame construction
- Low profile, reinforced, double foot
- K-Guide System

- Ergonomic design
- Lightweight split grip handle
- Material: EVA



ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MCZI22L	220	110	120	8	2	3-14
MCZI22ML	220	110	123	8	2	5-21
MCZI24ML	240	120	139	9	2	5-21
MCZI24M	240	120	149	9	2	7-35
MCZI24MH	240	120	150	9	2	10-42
MCZI24H	240	120	139	9	2	15-56
MCZI27M	270	135	160	9	2	7-35
MCZI27MH	270	135	162	9	2	10-42
MCZI27H	270	135	180	9	2	15-56
MCZI29MH	290	145	177	10	2	10-42
MCZI29H	290	145	181	10	2	15-56







16

MAXIMUS

Black Side TWITCHING















This is a budget Ex-Fast spinning rod. The main specialization of this rod is jerking lure retrieve or "twitching". Comes in one length, but with 3 different casting weights. The blank is made of IMF carbon, equipped with SIC guides in Tangle Free frames, placed in accordance with K-Guide System. Covered thread Warm Reel Seat. The split handle is made of microporous neoprene (EVA). Due to its "stiff pole" construction, the spinning rod is commonly used for fishing in snags, weed beds and other difficult conditions. This model has a sufficient reserve of power that is required to play big fish.

BLANK

- Material: IMF carbon
- Ex-Fast Action
- 2 sections
- Put-over joint

REEL SEAT

- Warm Reel Seat
- Ergonomic design
- Super Sensitive System

GUIDES

- SIC guides
- Antitwisting Tip
- Tangle Free frame construction
- Lightweight, single foot
- K-Guide System

HANDLE

- Ergonomic design
- Lightweight split grip handle
- Material: EVA

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MTSSBS18L	180	90	93	7	2	3-15
MTSSBS18ML	180	90	97	7	2	7-25
MTSSBS18M	180	90	107	7	2	10-30




POINTER ROCK FISH























BLANK

- Material: IMF carbon
- Ex-Fast Action
- 2 sections
- Put-over joint
- Glued-in monolithic tip

REEL SEAT

- Warm Reel Seat
- Ergonomic design

GUIDES


- SIC guides
- Antitwisting Tip
- Tangle Free frame construction
- Micro-rings (Mini Guide System), ultra-lightweight, single foot
- K-Guide System

- Ergonomic design
- Lightweight split grip handle
- Material: EVA



ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
		Р	ointer			
MRFSP021UL	210	105	90	9	2	0,8-6
MRFSP022UL	220	110	91	9	2	0,8-6,5
MRFSP023UL	230	115	92	9	2	0,8-7
		Poin	ter Travel			
MTRRFSP021UL	210	76	85	9	3	0,8-6
		Point	er Casting			
MRFCP021UL	210	105	106	11	2	0,8-6







Workhorse-X

















Extremely popular Work Horse spinning rods have been restyled but saved perfect value for money. Rods of the renewed series are fitted with SIC quides in Tangle Free frames which help avoid tangles. The guides are placed in accordance with ultra-modern K-Guide System concept. The blank is made of IMF carbon equipped with ergonomic EVA (neoprene) handle and reliable classic reel seat. Work Horse-X rods are really versatile because they combine high quality equipment and good value for money which make them extremely popular among all anglers. Due to properly built Fast action blank, these rods are very powerful but surprisingly light weighted. Elastic tip provides ultimate feedback when fishing with lures of entire test range. Powerful butt section can perfectly handle any big fish.

BLANK

- Material: IMF carbon
- Fast Action
- 2 sections
- Put-over joint

REEL SEAT

• Classic screw down design

GUIDES

- SIC guides
- Antitwisting Tip
- Tangle Free frame construction
- Lightweight, single foot
- K-Guide System

HANDLE

- Ergonomic design
- Material: EVA

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MSWHX18L	180	90	107	6	2	3-15
MSWHX21UL	210	105	136	6	2	1-8
MSWHX21L	210	105	138	6	2	3-15
MSWHX21ML	210	105	140	6	2	5-20
MSWHX21M	210	105	141	6	2	10-30
MSWHX21MH	210	105	143	6	2	15-40
MSWHX22UL	220	110	138	6	2	1-8
MSWHX22L	220	110	140	6	2	3-15
MSWHX22ML	220	110	145	6	2	5-20
MSWHX22M	220	110	147	6	2	10-30
MSWHX24L	240	120	152	6	2	3-15
MSWHX24ML	240	120	155	6	2	5-20
MSWHX24M	240	120	159	6	2	10-30
MSWHX24MH	240	120	164	6	2	15-40
MSWHX27ML	270	135	174	7	2	5-20
MSWHX27M	270	135	181	7	2	7-35
MSWHX27MH	270	135	185	7	2	10-40
MSWHX27H	270	135	191	7	2	15-50
MSWHX30H	300	150	220	8	2	15-50
MSWHX33H	330	165	273	9	2	15-50

Workhorse-X CORK













ECOGROUP

In 2017 Maximus announced the launch of a limited series of extremely popular Work Horse-X spinning rods with cork handle in a smaller size range. All rods are fitted with SIC guides in Tangle Free frames which help eliminate line tangles. The guides are placed in accordance with ultra-modern K-Guide System concept. The blank is made of IMF carbon equipped with ergonomic cork handle and reliable classic reel seat. Work Horse-X rods are considered truly versatile because they combine first class equipment with quite reasonable price, which make them extremely popular among all anglers. Due to their proper Fast action blanks, these rods have a great power but they are surprisingly light. Elastic tip provides ultimate feedback when fishing with lures of entire test range. Powerful butt section can perfectly handle any big fish.

- Material: IMF carbon
- Fast Action
- 2 sections
- Put-over joint

REEL SEAT

• Classic screw down design

GUIDES

- SIC guides
- Antitwisting Tip
- Tangle Free frame construction
- Lightweight, single foot
- K-Guide System

- · Ergonomic design
- Material: CORK

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MCESWHX21UL	210	105	136	6	2	1-8
MCESWHX21L	210	105	138	6	2	3-15
MCESWHX21ML	210	105	140	6	2	5-20
MCESWHX22L	220	110	140	6	2	3-15
MCESWHX22ML	220	110	145	6	2	5-20
MCESWHX22M	220	110	147	6	2	10-30
MCESWHX24L	240	120	152	6	2	3-15
MCESWHX24ML	240	120	155	6	2	5-20
MCESWHX24M	240	120	159	6	2	10-30
MCESWHX27M	270	135	181	7	2	7-35
MCESWHX27MH	270	135	185	7	2	10-40






























- Material: IMF carbon
- Medium-Fast Action
- 2 sections
- Put-over joint

REEL SEAT


- Warm Reel Seat
- Ergonomic design
- Super Sensitive System



- High quality SIC guides
- AT-Guide ultralight rings for Extra and Ultralight rod classes
- Antitwisting Tip
- Micro-rings Mini Guide System, maximum lightweight, single foot
- K-Guide System

- Ergonomic design
- Material: EVA

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MSI18UL	180	90	78	6	2	1-7
MSI18L	180	90	80	6	2	2-9
MSI20UL	200	100	91	6	2	1-7
MSI20L	200	100	93	6	2	2-9
MSI22UL	220	110	95	7	2	1-7
MSI22L	220	110	97	7	2	2-9
MSI24L	240	120	99	7	2	2-9









WILD POWER-X



















This is an updated series. Well known spinning rods have been restyled, but kept perfect value for money. Rods of new series are fitted with SIC guides in Tangle Free frames which help to eliminate tangles. They are placed in accordance with ultra-modern K-Guide System concept. Handle and reel seat have also been seriously changed. Now handle is made from two-coloured durable fine-pored neoprene (EVA) and a special 'warm' reel seat is used for better tactile comfort. Handle design makes it possible to use two types of grip: first - classic, second - sport, when a forefinger is put directly on the blank thereby increasing its sensitive characteristics. Wild Power-X rods are really versatile, because they combine high level of equipment and quite reasonable price which make them extremely popular among all anglers.

- Material: IMF carbon
- Fast Action
- 2 sections
- Put-over joint

REEL SEAT

- Warm Reel Seat
- Ergonomic design
- Super Sensitive System

GUIDES

- High quality SIC guides
- AT-Guide ultralight rings for Extra and Ultralight rod classes
- Antitwisting Tip
- Light weight, single foot
- K-Guide System

HANDLE

- Ergonomic design
- Material: EVA

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MSWPX18L	180	90	100	7	2	3-15
MSWPX21L	210	105	120	7	2	3-15
MSWPX21ML	210	105	124	7	2	5-20
MSWPX21M	210	105	127	7	2	10-30
MSWPX24L	240	120	135	7	2	3-15
MSWPX24ML	240	120	137	7	2	5-20
MSWPX24M	240	120	152	7	2	10-30
MSWPX24MH	240	120	154	7	2	15-40
MSWPX27ML	270	135	154	7	2	5-20
MSWPX27M	270	135	166	7	2	7-35
MSWPX27H	270	135	210	7	2	15-50
MSWPX30H	300	150	250	8	2	15-50






















These all-purpose medium-fast rods are designed for a wide variety of anglers. Its blank is made of IMF graphite, fitted with comfortable Warm Reel Seat made of dense fine-pored neoprene (EVA). The guides are placed in accordance with the modern K- Guide System. Due to its perfect balance, this rod seems to be very light, but at the same time incredibly powerful to fight any big fish!

BLANK

- Material: IMF graphite
- Medium-Fast Action
- Put-over joint

REEL SEAT

- Warm Reel Seat
- Ergonomic design

GUIDES

- Tangle Free construction (for M, ML)
- Micro guides (Mini Guide System), ultra-lightweight, single foot
- K-Guide System

HANDLE

- Ergonomic design
- Lightweight split grip handle
- Material: EVA



K-Guide

AT-Guide

ECOGROUP

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, lb
MSEM18UL	180	90	78	6	2	1-7	2 - 6
MSEM18L	180	90	80	6	2	2-9	2 - 8
MSEM20UL	200	100	91	6	2	1-7	2 - 6
MSEM20L	200	100	93	6	2	2-10	2 - 8
MSEM20ML	200	100	99	6	2	4-17	4 - 12
MSEM20M	200	100	107	6	2	6-28	6 - 18
MSEM22UL	220	110	96	7	2	1-7	2 - 6
MSEM22L	220	110	97	7	2	2-10	2 - 8
MSEM22ML	220	110	106	7	2	4-17	4 - 12
MSEM22M	220	110	124	7	2	6-28	6 - 18
MSEM24L	240	120	112	7	2	2-10	2 - 8
MSEM24ML	240	120	117	7	2	4-17	4 - 12
MSEM24M	240	120	128	7	2	6-28	6 - 18






23









- 2 sections

- Super Sensitive System

- SIC guides
- AT-Guides (for UL, L)
- K-Guide frame (for ML, M)
- Antitwisting Tip

24



STEALTH-Z TWITCHING


















BLANK

- Material: IMF graphite
- Fast Action
- 2 sections
- Put-over ioint

REEL SEAT

- Warm Reel Seat
- Ergonomic design
- Super Sensitive System

GUIDES

- SIC guides
- K-Guide frame
- Antitwisting Tip
- Tangle Free construction
- Lightweight, single foot
- K-Guide System

HANDLE

- Ergonomic design
- Lightweight split grip handle
- Material: EVA

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MTESSZ21L	210	67	118	6	6	4-16
MTESSZ23ML	230	70	134	6	6	5-25
MTESSZ26M	260	72	148	7	7	7-35



ECOGROUP

AHVIL















This is a series of rods specially designed for twitching. These Ex-Fast rods can animate even the most «stubborn» lures. The blank is made of IMF carbon, equipped with SIC micro-guides in Tangle Free frames, placed in accordance with K-Guide Concept. Anvil is equipped with a unique reel seat, in which the base of the frame and the fixing nut are made as a single unit and do not have any protrusions or rims. This is very comfortable for the angler's hand, especially for extended periods of fishing. Covered thread Warm Reel Seat. The split handle is made of high quality microporous neoprene (EVA). It reduces overall weight of the rod but increases its sensitivity and improves balance. Elaborate design and great balance of this rod allow the anglers to make accurate casts and feel confident using a "twitch" retrieve effectively.



BLANK

- Material: IMF carbon
- Ex-Fast Action
- 2 sections
- Put-over joint

REEL SEAT

- Warm Reel Seat
- Ergonomic design

GUIDES

- SIC guides
- Antitwisting Tip
- Tangle Free construction
- Micro-rings (Mini Guide System), ultra-lightweight, single foot
- K-Guide System

- Ergonomic design
- Lightweight split grip handle
- Material: EVA



Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, lb
MTSSAN18UL	180	90	90	7	2	1-8	1-6
MTSSAN19L	190	95	93	7	2	2-10	2-8
MTSSAN20L	200	100	97	7	2	3-12	2-10
MTSSAN20ML	200	100	99	7	2	4-18	4-12
MTSSAN21L	210	105	102	7	2	3-14	2-10
MTSSAN21ML	210	105	106	7	2	5-21	4-18



















26



STREETRACER STREET FISHING

















Over the last few years, fishing on the city embankments with ultralight lures is becoming more and more popular. Inspired by this idea, we have developed a series of spinning rods called Streetracer. This unique multi-purpose series of light and ultra-light spinning rods was specially designed for "mobile" fishing in the city area. The basic concepts of Streetracer were compactness and narrow specialization. All the rods of this type have 3-section blanks, which are very important when the rods are being transported in overcrowded city transport.

Streetracer series includes four models of spinning rods, which would be of great demand at any of the fishing spots in the city area:

Nano Jig - Medium action spinning rod for fishing with ultra-light micro-jigs weighing up to 3.5 q.

Twiching – Fast action twitching spinning rod for fishing with lures weighing up

Ultra Light - Medium-Fast action spinning rod of Ultra light class for fishing with lures up to 7 q.

Light - Medium-Fast action spinning rod of Light class, for fishing with lures up to 10 a.

The blank is made of IMF carbon, equipped with SIC micro-rings (AT-GUIDE), placed in accordance with modern K-Guide Concept. All the rods of this series have a split handle and Warm Reel Seat. No matter what type of fishing you prefer - "Rock Fish" or "Nano Jig", "Twitching" or "Ultralight" - in the Streetracer range you will find all the required models. This is an elaborate series of rods, which allows an effortless lure control and lets the angler feel the lightest of bites.

BLANK

- Material: IMF carbon
- Medium Action/Fast Action/Medium-Fast Action
- 3 sections
- Put over joint, multi-section travel design

REEL SEAT

- Warm Reel Seat
- Ergonomic design
- Super Sensitive System

GUIDES

- SIC guides
- Ultralight guides (AT-Guide) for Extra and Ultralight rod classes
- Antitwisting Tip
- Micro-rings (Mini Guide System), ultra-lightweight, single foot
- K-Guide System

HANDLE

- Ergonomic design
- Lightweight split grip handle
- Material: EVA

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, lb			
	NANO JIG									
MNJSSR18XUL	180	60	70	6	3	0,2-3,5	1-3			
TWITCHING										
MTSSSR19L	190	64	78	7	3	3-12	2-10			
		U	ILTRA LIGHT ®	\ LIGHT						
MULSSR20UL	200	67	73	7	3	1-7	2-6			
MLSSR21L	210	70	79	7	3	2-10	2-8			
			CASTING	j						
MULCSR20L	200	67	79	9	3	3-11	2-10			
MULCSR21ML	210	70	86	9	3	4-16	4-12			



























Over the last few years, fishing on the city embankments with ultralight lures is becoming more and more popular. Inspired by this idea, we have developed a series of spinning rods called Streetracer. This unique multi-purpose series of light and ultra-light spinning rods was specially designed for "mobile" fishing in the city area. The basic concepts of Streetracer were compactness and narrow specialization. All the rods of this type have 3-section blanks, which are very important when the rods are being transported in overcrowded city transport.

In addition to the models listed above, the series includes one more item:

Rock Fish - Medium-Fast spinning rods with special glued-in tips for the best control of ultra-light jig baits weighing 5g, 6g or 7g. The blank is made of IMF carbon, equipped with SIC micro-rings (AT-GUIDE), placed in accordance with modern K-Guide Concept. All the rods of this series have a split handle and Warm Reel Seat. No matter what type of fishing you prefer - "Rock Fish" or "Nano Jig", "Twitching" or "Ultralight" - in the Streetracer range you will find all the required models. This is an elaborate series of rods, which allows an effortless lure control and lets the angler feel the lightest of bites.

- Material: IMF carbon
- Medium-Fast Action
- 3 sections
- Put over joint, multi-section travel design
- Glued-in monolithic tip

REEL SEAT

- Warm Reel Seat
- Ergonomic design
- Super Sensitive System

GUIDES

- SIC guides
- Ultralight guides (AT-Guide) for Extra and Ultralight rod classes
- Antitwisting Tip
- Micro-rings (Mini Guide System), ultra-lightweight, single foot
- K-Guide System

HANDLE

- · Ergonomic design
- Lightweight split grip handle
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, lb			
ROCK FISH										
MRFSSR21SUL	210	70	77	9	3	0,4-5	1-4			
MRFSSR22UL	220	74	80	9	3	0,6-6	1-5			
MRFSSR23UL	230	77	87	10	3	0,8-7	2-6			





























ECOGROUP

MAXIMUS

Meon py




















28



BLANK

- Material: carbon IMS
- Fast Action
- 3 sections
- Put over joint
- **REEL SEAT**
- Warm Reel Seat
- Ergonomic design
- Super Sensitive System

GUIDES

- SIC guides
- Antitwisting Tip
- Tangle Free frame construction
- Lightweight, single foot
- K-Guide System

HANDLE

- Ergonomic design
- Material: EVA

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MSNS20UL	200	100	112	7	2	1-7
MSNS20L	200	100	115	7	2	2-9
MSNS21L	210	105	115	7	2	3-15
MSNS21ML	210	105	111	7	2	5-20
MSNS24L	240	120	129	7	2	3-15
MSNS24ML	240	120	124	7	2	5-20
MSNS27ML	270	135	158	7	2	5-20



EcogROUP (

ADVISOR JIG






















The choice of length and test of the rod usually depends on fishing conditions. The Advisor range is wide enough to find a rod, which would meet your requirements. The blank is made of IMF carbon, equipped with SIC guides in Tangle Free frames, placed in accordance with K-Guide Concept. Tangle Free frames solve the problem of braided line tangles, which is very important when casting small jigging lures. The ergonomic split-grip handle reduces overall weight of the rod but increases its sensitivity and improves balance. Despite its narrow specialization, this rod can be perfectly used for other types of fishing, such as fishing with spoons and spinners. Short rods can be applied for "twitching". Thanks to its Ex-Fast blank, Advisor can easily "twitch" even the hard-pulling lures.

BLANK

- Material: IMS carbon
- Ex-Fast Action
- 2 sections
- Put over joint
- SST (Soft Sensitive Tip)

REEL SEAT

- Warm Reel Seat
- Ergonomic design
- Super Sensitive System

GUIDES

- SIC guides
- Antitwisting Tip
- Tangle Free frame construction
- Lightweight, single foot
- K-Guide System

- Ergonomic design
- Lightweight split grip handle
- Material: EVA

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, lb
MJSSA22ML	220	110	124	7	2	5-25	4-18
MJSSA22M	220	110	126	7	2	7-35	8-20
MJSSA23MH	230	115	128	7	2	10-42	10-24
MJSSA24M	240	120	132	7	2	7-35	8-20
MJSSA24MH	240	120	136	7	2	10-42	10-24
MJSSA24H	240	120	140	7	2	15-56	16-28
MJSSA24XH	240	120	149	7	2	40-90	24-44
MJSSA25MH	250	125	134	7	2	10-42	10-24
MJSSA25H	250	125	141	7	2	20-60	18-32
MJSSA25XH	250	125	165	7	2	50-100	26-50
MJSSA26M	260	130	139	7	2	7-35	8-20
MJSSA26XH	260	130	171	7	2	50-120	26-54
MJSSA27MH	270	135	151	8	2	10-42	10-24
MJSSA27H	270	135	163	8	2	20-60	18-32
MJSSA29MH	290	145	171	8	2	10-42	10-24
MJSSA29H	290	145	176	8	2	25-80	20-42



30



High / Energy-Z




















- Material: High modulus HME carbon
- Fast Action

REEL SEAT

- Warm Reel Seat
- Ergonomic design
- Super Sensitive System

GUIDES

- SIC guides
- K-Guide frame
- Antitwisting Tip
- Tangle Free construction
- Micro guides (Mini Guide System), ultra-lightweight, single foot
- K-Guide System

HANDLE

- Ergonomic design
- Lightweight split grip handle
- Material: EVA

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, lb
MSHEZ18UL	180	90	99	7	2	1-7	2-6
MSHEZ21UL	210	105	108	7	2	1-7	2-6
MSHEZ21L	210	105	112	7	2	3-15	4-12
MSHEZ21ML	210	105	128	7	2	5-20	6-16
MSHEZ21M	210	105	128	7	2	10-30	8-20
MSHEZ24UL	240	120	125	8	2	1-7	2-6
MSHEZ24L	240	120	139	8	2	3-15	4-12
MSHEZ24ML	240	120	137	8	2	5-20	6-16
MSHEZ24M	240	120	148	8	2	10-30	8-20
MSHEZ24MH	240	120	156	8	2	15-40	12-24
MSHEZ24H	240	120	167	8	2	20-60	16-30
MSHEZ27ML	270	135	158	8	2	5-20	6-16
MSHEZ27M	270	135	157	8	2	7-35	8-20
MSHEZ27H	270	135	189	8	2	15-50	12-26
MSHEZ30M	300	150	200	9	2	7-35	8-20
MSHEZ30H	300	150	211	9	2	14-56	12-28

High / Energy-Z JIG



















This is a specialized jigging rod which was designed with the help of professional anglers who took into account all the aspects of "heavy-jig" fishing. The High Energy-Z Jiq series looks almost the same as the universal High Energy-Z series but their guides, reel seats and the tapers of the rods are completely different. This spinning rod is perfectly balanced and has the maximum set of options for jig fishing. It features Ex-Fast action, lightweight high-performance guides, HSS reel seat (Hyper Sensitive System). The blank is made of high modulus graphite HME, the butt section is reinforced with special carbon fibers to increase rigidity and resistance to twisting. After casting, the oscillations get dumped effectively, the blank recovers almost instantly, which results in excellent casting quality. The rod is equipped with the Korea T-Zirconia Slim Guides with ultra-thin zirconia inserts, placed in accordance with K-Guide Concept. The essential features of the reel seat are 2 clumping nuts - one nut tightens the other and doesn't allow the reel to get loose when fishing with heavy jigs. The split-grip handle is made of dense fine-pored neoprene (EVA). Thanks to its accurate Ex-Fast blank, the rod doesn't "fall through" when using aggressive jigging methods and allows to hook the fish reliably.

- Material: High modulus HME graphite
- Ex-Fast Action
- SST (Soft Sensitive Tip) technology used to increase the sensitivity of the blank

REEL SEAT

- Warm Reel Seat
- Ergonomic design
- Super Sensitive System

- KOREA GUIDES with zirconia inserts (Zirconia)
- K-Guide frame
- T-ZIRCONIA SLIM RING
- Antitwisting Tip
- Tangle Free construction • Lightweight, single foot
- K-Guide System

HANDLE

- Ergonomic design
- Lightweight split grip handle
- Material: EVA

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, lb
MJSSHEZ22M	220	110	134	8	2	6-28	8-20
MJSSHEZ23MH	230	115	143	8	2	10-45	8-24
MJSSHEZ23H	230	115	148	8	2	15-55	12-26
MJSSHEZ24M	240	120	149	8	2	7-35	8-20
MJSSHEZ24MH	240	120	154	8	2	12-45	10-25
MJSSHEZ24H	240	120	157	8	2	18-60	16-30
MJSSHEZ24XH	240	120	158	8	2	45-110	24-48
MJSSHEZ25MH	250	125	152	8	2	15-45	12-24
MJSSHEZ25H	250	125	160	8	2	40-80	22-42
MJSSHEZ26XH	260	130	195	8	2	40-100	22-46









ECOGROUP



MAXIMUS

ENCORE

























This is a new series of spinning rods with unique design. They are based on the popular High Energy-X blanks. Use of modern materials and unique technologies allowed creating of a well-balanced spinning rod. Blank is made from high modulus HME carbon. Encore rods are equipped with hi-tech reel seat featuring Super Sensitive System with ratchet and guides with up-to-date Tangle Free frames helping to eliminate all possible line tangles. New series rods have SIC guides produced in South Korea which are placed in accordance with advanced K-Guide System concept. Fast action blank is very powerful and light weighted. Elastic tip provides maximum feedback when fishing with lures of entire test range. Powerful butt section can perfectly handle any big fish.

BLANK

- High modulus HME carbon
- Fast Action
- 2 sections
- Put-over joint
- **REEL SEAT**
- Super Sensitive System

GUIDES

- SIC guides
- Antitwisting Tip
- Tangle Free frame design
- Light weight, single foot
- K-Guide System

HANDLE

- Ergonomic design
- Lightweight split grip handle
- Material: EVA

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MSE21L	210	105	128	7	2	3-15
MSE21ML	210	105	132	7	2	5-20
MSE24L	240	120	138	8	2	3-15
MSE24ML	240	120	144	8	2	5-20
MSE24M	240	120	146	8	2	10-30
MSE27M	270	135	162	8	2	7-35







This is a twin brother of the previous Encore series produced in a different colour

and a little different size range. Use of modern materials and unique technologies

allowed creating of a well-balanced spinning rod. Blank is made from high modulus

HME carbon. Escape rods are equipped with hi-tech reel seat featuring Super

Sensitive System with ratchet and guides with up-to-date Tangle Free frames

helping to eliminate all possible line tangles. New series rods have SIC guides

produced in South Korea which are placed in accordance with advanced K-Guide

System concept. Blank is very powerful, fast action and light weight. Elastic tip

provides maximum feedback when fishing with lures of entire test range. Powerful











• High modulus HME carbon

butt section can perfectly handle any big fish.

- Fast Action
- 2 sections
- Put-over joint

REEL SEAT

Super Sensitive System


GUIDES

- SIC guides
- Antitwisting Tip
- Tangle Free frame design
- Light weight, single foot
- K-Guide System

- Ergonomic design
- Lightweight split grip handle
- Material: EVA

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MSEP21L	210	105	128	7	2	3-15
MSEP21ML	210	105	132	7	2	5-20
MSEP24L	240	120	138	8	2	3-15
MSEP24ML	240	120	144	8	2	5-20







Legend Vitras















The new Legend Ultras series by Maximus will please all fans of fishing with ultralight gear. All rods in this series have very sensitive tips and Fast action blanks to guarantee excellent feedback and casting accuracy. The blanks are made from high modulus IMSE carbon and fitted with ultralight AT-GUIDES, placed in accordance with K-Guide System concept. The split handle helps to reduce overall weight of the rod, at the same time increases its sensitivity and improves balance. Ergonomic handle, Warm Reel Seat with carbon resonator (Super Sensitive System) which provides greater sensitivity "in hand", together with Fast action blank – all these features make Legend Ultras rod extremely popular among all anglers.

- High modulus IMSE carbon
- Fast Action
- 2 sections
- Put-over joint
- «Chameleon» coating

REEL SEAT

- Warm Reel Seat
- Ergonomic design
- Super Sensitive System

- SIC guides
- AT-Guide ultralight rings for Extra and Ultralight rod classes
- Antitwisting Tip
- Mini Guide System, maximum light weight, single foot
- K-Guide System

HANDLE

- Ergonomic design
- Lightweight split grip handle
- Material: Cork

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MULSLU18UL	180	90	80	7	2	1-7
MULSLU19UL	190	95	83	7	2	1-7
MULSLU20UL	200	100	86	7	2	1-7
MULSLU20L	200	100	92	7	2	2-9

























This is a series of Ex-Fast Action rods, specially designed for jig fishing. All the elements were created to achieve maximum sensitivity, when animating jig baits, effective "reading" of the bottom features and detecting of fish bites. The blank is made of high-modulus HME carbon reinforced by using special technology (Xwxw) to increase strength and torsion resistance. Gravity rods come with ultralight and durable T-Zirconia Slim Guides with ultrafine innovative Zirconium ring inserts. Effective modern guides in combination with the ergonomic «skeletal» TVS reel seat provide excellent sensitivity, comfortable and reliable grip. The ergonomic split-grip handle reduces overall weight of the rod but increases its sensitivity and improves balance. Elastic tip (SST technology) provides maximum responsiveness, when fishing with lures of any casting weight, whereas powerful butt section gives an angler more confidence when fighting a big fish.



- Material: High modulus HME carbon
- Ex-Fast Action
- 2 sections
- Put over joint
- SST (Soft Sensitive Tip)

REEL SEAT


- Ergonomic design
- Super Sensitive System

- KOREA GUIDES with Zirconia inserts
- T-ZIRCONIA SLIM RING
- Antitwisting Tip
- Tangle Free frame construction
- Micro-rings (Mini Guide System), ultra-lightweight, single foot
- K-Guide System

- Ergonomic design
- Lightweight split grip handle
- Material: EVA

ltem	Length, cm	Transport Length, cm	Weight, g	Guides	Sections	Lure weight, g	Line weight, lb
MJSSG22L	220	110	106	7	2	3-12	2-8
MJSSG23ML	230	115	112	7	2	5-21	4-18
MJSSG24M	240	120	122	7	2	7-35	8-20
MJSSG24MH	240	120	123	7	2	15-45	14-26
MJSSG245H	245	123	129	7	2	20-55	18-28
MJSSG245XH	245	123	145	7	2	40-100	24-46
MJSSG25MH	250	125	131	7	2	14-43	14-24
MJSSG25H	250	125	142	7	2	40-80	24-42
MJSSG25XH	250	125	157	7	2	50-110	24-48
MJSSG26H	260	130	140	7	2	18-56	16-28
MJSSG27M	270	135	141	8	2	14-43	14-24







BLACK WIDOW






















- Fast Action
- 2 sections
- Put-over joint

REEL SEAT

• Classic screw down design

GUIDES

• Kigan guides with Zirconia inserts

- Antitwisting Tip
- Tangle Free frame design
- Mini Guide System, maximum light weight, single foot
- 3D-Guide System

HANDLE

- Ergonomic design
- Material: EVA

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MSBW21UL	210	105	97	8	2	1-7
MSBW21L	210	105	99	8	2	3-14
MSBW21ML	210	105	102	8	2	4-18
MSBW23L	230	115	109	9	2	2-9
MSBW23ML	230	115	117	9	2	5-20
MSBW24L	240	120	115	9	2	3-15
MSBW24ML	240	120	119	9	2	7-25
MSBW24M	240	120	125	9	2	10-32
MSBW24H	240	120	137	9	2	15-55
MSBW26ML	258	129	118	9	2	4-18
MSBW26M	258	129	145	9	2	7-28
MSBW27M	270	135	154	10	2	7-30
MSBW27MH	270	135	168	10	2	10-40
MSBW30MH	300	150	170	10	2	10-40

BLACK WIDOW CASTING





















Extremely popular Black Widow spinning rod is now available in casting version. It is an ideal choice for those who are looking for a universal high-tech rod at a reasonable price. This is a successful attempt to combine a high-quality blank and a good value for money. Fast action, medium stiffness and high modulus IMSE carbon allow using it for jigging and twitching, as well as for fishing with spinners, spoons and wobblers. High quality Kigan Zirconia guides are placed in accordance with modern 3D-Guide and Mini Guide Systems. Handle is made of high quality EVA (neoprene) and equipped with the reel seat featuring Super Sensitive System. Excellent sensitivity, long casting distance and comfortable retrieve make this rod useful for catching different fish using various techniques.

BLANK

- High modulus IMSE carbon
- Fast Action
- 2 sections
- Put-over joint

REEL SEAT

- Warm Reel Seat
- Ergonomic design
- Super Sensitive System


GUIDES

- Kigan guides with Zirconia inserts
- Antitwisting Tip
- Tangle Free frame design
- Mini Guide System, maximum light weight, double foot
- 3D-Guide System

- · Ergonomic design
- Material: EVA

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MCBW19ML	190	95	85	9	2	5-20
MCBW24ML	240	120	110	10	2	7-25
MCBW27MH	270	135	135	11	2	10-40









smuggler TRAVEL


















- High modulus IMSE carbon
- Fast Action
- 3-4 sections
- Put over, multi-section "Travel" construction

REEL SEAT

- Warm Reel Seat
- Ergonomic design
- Super Sensitive System

GUIDES

- SIC guides
- Antitwisting Tip
- Tangle Free frame design
- Light weight, single foot
- K-Guide System

HANDLE

- Ergonomic design
- Material: EVA

Maximus	

38

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MTRSS18UL	180	64	99	7	3	1-7
MTRSS20L	200	55	112	7	4	2-10
MTRSS21L	210	58	119	7	4	3-14
MTRSS21ML	210	58	128	7	4	5-20
MTRSS24L	240	65	139	8	4	3-14
MTRSS24ML	240	65	145	8	4	5-20
MTRSS24M	240	65	148	8	4	10-30
MTRSS27ML	270	74	158	8	4	5-20
MTRSSS27M	270	74	163	8	4	7-35
		CASE (компле	ектуются тубусс	ом)		
MTRCS21L	210	58	119	7	4	3-14
MTRCS21ML	210	58	128	7	4	5-20
MTRCS24L	240	65	139	8	4	3-14
MTRCS24M	240	65	145	8	4	5-20
MTRCS24ML	240	65	148	8	4	10-30
MTRCS27ML	270	74	158	8	4	5-20

ULTIMATUM











New series of spinning rods Ultimatum by Maximus is an ideal choice for those









ECOGROUP



anglers who are looking for a universal high-tech rod at a reasonable price. Ex-Fast action, medium stiffness, high modulus IMSE carbon – all these characteristics allow using it for jigging and twitching, as well as for fishing with spinners, spoons and wobblers. Excellent sensitivity, long casting distance and comfortable retrieve make this rod useful for catching different fish using various techniques. Ultimatum blank is equipped with high quality Kigan Zirconia Mini Guides placed in accordance with 3D-Guide System. Ergonomic handle, FUJI "warm" reel seat with carbon resonator (Super Sensitive System) which provides greater sensitivity "in hand", together with Ex-Fast action blank made of high modulus carbon - all these make Ultimatum rod an incredibly informative fishing tackle.

BLANK

- High modulus IMSE carbon
- Ex-Fast Action
- 2 sections
- Reinforced put-over joint (WXW-X)

REEL SEAT

- FUJI
- Warm Reel Seat
- Ergonomic design
- Super Sensitive System


GUIDES

- Kigan guides with Zirconia inserts
- Antitwisting Tip
- Tangle Free frame design
- Mini Guide System, maximum light weight, single foot
- 3D-Guide System

- Ergonomic design
- Lightweight split grip handle
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MSU19UL	190	95	80	8	2	1-8
MSU21L	210	105	88	8	2	4-16
MSU21ML	210	105	90	8	2	5-22
MSU23M	230	115	102	9	2	7-28
MSU24UL	240	120	102	9	2	1-8
MSU24L	240	120	104	9	2	4-17
MSU24ML	240	120	110	9	2	5-22
MSU24M	240	120	116	9	2	7-30
MSU27ML	270	135	118	10	2	5-25
MSU27M	270	135	126	10	2	7-35
MSU27MH	270	135	136	10	2	12-42
MSU30MH	300	150	156	10	2	12-42
MSU30H	300	150	170	10	2	15-56





40



TITICAL TWITCHING

















This is an Ex-Fast action spinning rod specially designed for twitching but also can be used for fishing in snags or underwater vegetation and jig fishing. Thanks to Ex-Fast Action blank, spinning rod has an incredible margin of power necessary when fighting with a fish on forced retrieve, fishing in snags and in other difficult situations. Blank is made from high modulus HME carbon, equipped with "warm reel" seat featuring Super Sensitive System technology. Manic rods are fitted with SIC guides with Tangle Free frames helping to prevent any line tangles. Guides are placed in accordance with modern K-Guide System concept. Ideal balance and elaborate design of this model help an angler to make very accurate casting, recognize all bottom details and feel confident while retrieving any fish regardless of its size.



- Ex-Fast Action
- 2 sections
- Put-over joint

REEL SEAT

- Warm Reel Seat
- Ergonomic design

GUIDES



- Antitwisting Tip
- Mini Guide System, maximum light weight, single foot
- K-Guide System

HANDLE

- Ergonomic design
- Lightweight split grip handle
- Material: Cork

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MTSSM20L	200	100	92	8	2	4-16
MTSSM20ML	200	100	98	8	2	5-25
MTSSM21M	210	105	114	8	2	7-35
MTSSM21MH	210	105	117	8	2	10-42



ECOGROUP

CASTING TWITCHING





















This is an Ex-Fast Action casting rod to be the perfect match with multiplier reels. Specially designed for twitching but also can be used for fishing in snags, underwater vegetation and jig fishing. Thanks to Ex-Fast Action blank, spinning rod has an incredible margin of power necessary when fighting with a fish on forced retrieve, fishing in snags and in other difficult situations. Blank is made from high modulus HME carbon, equipped with warm reel seat featuring Super Sensitive System technology. Manic Casting rods are fitted with SIC guides with Tangle Free frames helping to prevent any line tangles. Guides are placed in accordance with modern K-Guide System concept. Ideal balance and elaborate design of this model help an angler to make very accurate casting, recognize all bottom details and feel confident while retrieving any fish regardless of its size.



BLANK

• High modulus HME carbon

- Ex-Fast Action
- 2 sections
- Put-over joint

REEL SEAT


- Warm Reel Seat
- Ergonomic design
- Super Sensitive System

GUIDES

- SIC guides
- Antitwisting Tip
- Tangle Free frame design
- Mini Guide System, maximum light weight, single foot
- K-Guide System

- Ergonomic design
- Lightweight split grip handle
- Material: Cork

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MTSCM20ML	200	100	106	9	2	5-25
MTSCM21M	210	105	126	9	2	7-35







42



FISH POISON
















BLANK

- High modulus HMN carbon
- Ex-Fast Action
- 2 sections
- Put-over joint

REEL SEAT

- FUJI
- Warm Reel Seat
- Ergonomic design

GUIDES

- FUJI ALCONITE quides
- Antitwisting Tip
- Tangle Free frame design
- Mini Guide System, maximum lightweight, single foot
- KR-Guide System

HANDLE

- Ergonomic design
- Material: Cork

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections		Lure weight, g
MSFP21UL	210	107	89	8		2	1-8
MSFP21L	210	107	91	8		2	2-11
MSFP23UL	230	115	94	9	2		1-8
MSFP23L	230	115	98	9		2	2-11
MSFP24UL	240	120	104	10	2		1-8
MSFP24L	240	120	106	10		2	2-11



ECOGROUP

Mescalito JIGLE WXW WHSS Warm Reel Seat Wysst TZS

















Model is produced in a limited edition. This specialized jigging rod has been developed with the help of professional anglers for the most comfortable and successful fishing experience. Mescalito is a lightweight, comfortable and extremely sensitive rod for fishing with all types of jigs. Thanks to its accurate Ex-Fast blank, the rod doesn't "fall through" when using aggressive jigging methods and allows to hook the fish reliably. The spinning rod is perfectly balanced and designed for professional jigging. It features Ex-Fast action, lightweight high-performance guides, HSS reel seat (Hyper Sensitive System).

The blank is made of high modulus graphite HME, the butt section is reinforced with special carbon fibers to increase rigidity and resistance to twisting. After casting, the oscillations get dumped effectively, the blank recovers almost instantly, which results in excellent casting quality. The rod is equipped with the Korea T-Zirconia Slim Guides with ultra-thin zirconia inserts, placed in accordance with K-Guide Concept. The number of the guides and their diameters have been increased compared to the standard models. The increased number of the quides ensures an ideal load distribution throughout the length of the rod. This makes for better performance of the rod during casts and retrieves. The increased diameters of the guides on the rod make it more comfortable to use in cold temperatures. The handle is designed to achieve comfortable grip and maximum sensitivity.



BLANK

- High modulus HME graphite
- Ex-Fast Action
- SST (Soft Sensitive Tip) technology used to increase the sensitivity of the blank

REEL SEAT


- Warm Reel Seat
- · Ergonomic design
- Hyper Sensitive System

GUIDES

- KOREA GUIDES with zirconia inserts (Zirconia)
- K-Guide frame
- T-ZIRCONIA SLIM RING
- Antitwisting Tip
- Tangle Free construction
- Lightweight, single foot
- K-Guide System

- Ergonomic design
- Lightweight split grip handle
- Material: EVA

Item	Length, cm	Closed length, cm			Sections	Lure weight, g	Line weight, lb
MJSSME782M	234	117	138	9	2	7-35	8-20
MJSSME802MH	244	122	142	9	2	10-42	10-24
MJSSME802H	244	122	146	9	2	14-49	12-26
MJSSME832MH	251	126	145	10	2	12-45	12-28
MJSSME832H	251	126	151	10	2	14-56	12-28
MJSSME862H	259	130	167	10	2	21-63	18-32
MJSSME862XH	259	130	186	10	2	28-84	20-42







WARRIOR CASTING JERKBAIT









This is a special casting rod for jerk fishing with medium and large jerk baits. Stiff Ex-Fast blank ensures the right jerking movement of a lure in the water and damps well even the largest fish jerks. Reinforced blank design together with rod construction «1+» (blank + handle) are not afraid of any extreme loads and have enormous power reserves.

BLANK



- Ex-Fast Action
- 1+ section (blank + handle)
- Конструкция штекерная усиленная, армированная (WXW-X)
- Reinforced put-over joint (WXW-X)

• Baitcasting (with trigger) classic screw down design

GUIDES

- SIC guides
- Antitwisting Tip
- Low profile, reinforced, double foot
- N-Guide System

HANDLE

• Material: EVA

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MJBCW16XH	160	115	178	6	1+	50-120
MJBCW18XXH	180	127	194	7	1+	80-180
MJBCW20XXH	200	145	218	8	1+	90-220

































ECOGROUP

This is a series of hi-tech spinning rods specially designed for the most effective trout fishing. It consists of four models: Neon Midori Area Edition 602XUL (test: up to 4 q) suitable for pond trout and classified as "Area Fishing"; Neon Midori Stream Edition 622SUL (test: up to 5g), 662UL and 702UL (test: up to 6g) suitable for fishing in rapid mountain streams, small medium-fast running rivers and brooks. All Midori rods are perfect for delicate fishing style requiring "animation" of plastic lures, lightweight jigs, micro spoons or wire rigs. Midori blanks feature mediumfast action, slightly more stiffness compared with classic Area and Stream rods and the shortest damping period (that is how rapidly a rod will damp out vibrations). All the other characteristics of our ultralight trout rod remained the same - long and accurate casting of lures of any size or weight, the possibility to use various "animation" techniques, superb sensitivity, perfect balance and ultralight weight. This rod is manufactured from high modulus NANO carbon fibers. It is built with premium modern components: ultra-light guides Korea T-Zirconia Slim Rings in super light frames with ultra slim Zirconia inserts and ergonomic Fuji skeleton TVS reel seats. Due to the unique combination of NANO fibers, Korea T- Zirconia Slim Ring, Super Sensitive System and Mini Guide System we managed to create an exceptionally lightweight rod with incredible sensitivity and amazing power. This flexible blank can minimize hookpulls and line breakage giving you the best fishing experience you have ever had!

BLANK

- High modulus carbon NANO GRAPHITE FIBERS
- Medium Action
- 2 sections
- Put-over joint **REEL SEAT**

• FUJI

- Warm Reel Seat, ergonomic design
- Super Sensitive System

GUIDES

- KOREA GUIDES (Zirconia)
- T-ZIRCONIA SLIM RING
- AT-Guide ultralight rings for Extra and Ultralight rod classes
- Antitwisting Tip
- · Micro-rings Mini Guide System, maximum lightweight, single foot

- Ergonomic design
- Lightweight split grip handle
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, kg	Line weight, lb
MAESNM602XUL	183	92	59	7	2	0,8-4	0,5-1,5	1-3
MSESNM622SUL	188	94	60	7	2	1-5	0,5-2	1-4
MSESNM662UL	198	100	62	7	2	1,5-6	0,5-2,5	1-5
MSESNM702UL	213	107	70	8	2	1,5-6	0,5-2,5	1-5







Destroyer-X CASTING JERKBAIT

















Updated Destroyer-X series by Maximus will please all fans of fishing with medium and large jerk baits. Rods of the renewed series are fitted with modern SIC guides in Tangle Free frames which help eliminate line tangles. Now you do not need to worry about such situations when fishing line can tangle and "shoot off", or even the rod can break. It is absolutely impossible when using Tangle Free frame design. Guides are placed in accordance with K-Guide System concept. The reel seat has also undergone a number of changes. In its design we have added a carbon resonator (Super Sensitive System) for greater sensitivity. The high quality blanks are made from high modulus HME carbon. The split handle helps reduce overall weight of the rod, at the same time increases its sensitivity and improves balance. Blank construction "1+" (blank + handle) has enormous reserves of power to handle any large predator's jerks.



- High modulus HME carbon
- Ex-Fast Action
- 1+ section (blank + handle)
- Reinforced put-over joint

REEL SEAT

- Warm Reel Seat
- Ergonomic design
- Super Sensitive System

GUIDES

- SIC guides
- Antitwisting Tip
- Tangle Free frame design
- Low profile, reinforced, double foot
- Расстановка колец по системе K-Guide System
- K-Guide System

HANDLE

- Ergonomic design
- Lightweight split grip handle
- Material: EVA

46

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MJBCDX15H	150	113	124	8	1+	20-80
MJBCDX17XH	170	135	142	9	1+	40-100



ECOGROUP


















This is an updated spinning version of Destroyer series. All rods are fitted with modern SIC guides in Tangle Free frames which help eliminate line tangles. Now you do not need to worry about such situations when fishing line can tangle and "shoot off", or even the rod can break. It is absolutely impossible when using Tangle Free frame design. Guides are placed in accordance with K-Guide System concept. The reel seat has also undergone a number of changes. In its design we have added a carbon resonator (Super Sensitive System) for greater sensitivity. The high quality blanks are made from high modulus HME carbon. The split handle helps reduce overall weight of the rod, at the same time increases its sensitivity and improves balance. Blank construction «1+» (blank + handle) has enormous reserves of power to handle any large predator's jerks.



- High modulus HME carbon
- Ex-Fast Action
- 1+ section (blank + handle)
- Reinforced put-over joint

REEL SEAT

- Warm Reel Seat
- Eraonomic design
- Super Sensitive System

GUIDES

- SIC guides
- Antitwisting Tip
- Tangle Free frame design
- Low profile, reinforced, double foot
- K-Guide System

- Ergonomic design
- Lightweight split grip handle
- Material: EVA



ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MJBSDX15H	150	113	126	6	1+	20-80







RANGER ROCKFISH



















This is a series of Ex-Fast spinning rods for fishing with small jigging lures of UltraLight range. Super sensitive solid tip will feel even the most careful bite and provide an accurate cast of your favorite mini lure. The tip is painted white for better visual control of retrieve. The blank is made of high modulus HME carbon and equipped with FUJI Alconite guides placed in accordance with KR-Guide Concept. Special guides of Mini Guide System absorb the impact on the blank and increase its sensitivity. A comfortable split handle improves rod balance and the real seat with Super Sensitive System option makes it more informative. Ranger is a wonderful rod for those who prefer a graceful fishing style with ultralight jigs, micro spoons or spinners.

BLANK

- High modulus HME carbon
- Ex-Fast Action
- 2 sections
- Put-over joint
- Glued in solid tip

REEL SEAT

- FUJI
- Warm Reel Seat
- Ergonomic design
- Super Sensitive System

GUIDES

- FUJI ALCONITE guides
- Antitwisting Tip
- Mini Guide System, maximum light weight, single foot
- KR-Guide System

- Ergonomic design
- Lightweight split grip handle
- Material: EVA

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MRFSR702UL	213	107	88	8	2	1-7
MRFSR762UL	228	114	93	9	2	2-9





MAXIMUS

















This is a new limited series of the popular spinning rods Egoist LE which raises the bar of rod building to a higher level. The blank is marked with Extra-Fast action in contrast to its namesake with marking "X", which had Fast Action blanks. New series rods are fitted with FUJI SIC guides with Tangle Free frames. Guides are placed in accordance with modern K-Guide System concept. For this series producers have used a new type of FUJI reel seat which has absolutely the best sensitivity. Due to use of modern materials and high-quality rod components this series combines excellent casting performance and high sensitivity. Perfect balance and elaborate design of this model help an angler to make very accurate casting, recognize all bottom details and enjoy retrieving.





- Ex-Fast Action
- 2 sections
- Put-over joint
- «Chameleon» coating

REEL SEAT

- FUJI
- Super Sensitive System

GUIDES


- FUJI SIC guides
- Antitwisting Tip
- Tangle Free frame design
- Micro-rings Mini Guide System, maximum lightweight, single foot
- KR-Guide System

HANDLE

- Ergonomic design
- Lightweight split grip handle
- Material: Cork

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MLESE602UL	183	92	83	7	2	1-5
MLESE662UL	198	99	93	7	2	1-7
MLESE762L	228	114	107	8	2	2-10
MLESE802L	244	122	122 112 8		2	3-14



















The newly redesigned series of the popular spinning rods Egoist will please all fans of fishing with ultralight gear. Due to the use of modern materials and high quality components, it became possible to create an incredibly responsive fishing rod for long casting. A number of technical changes have been made including modification of guides. On our spinning rod marked with prefix Z, we have used the lightest guides in AT frames made in South Korea. The elaborate design of the inserts allows using all types of modern fishing lines: fluorocarbon, polyester, nylon, and, of course, all types of braided lines. The blank is made of high modulus HME graphite and fitted with extra-light Korea T-Zirconia Slim Ring with ultra-thin zirconia inserts. The ultra lightweight guides in combination with the ergonomic «skeleton» TVS reel seat provide an excellent balance of the rod and a comfortable and reliable grip. The split handle design helps to reduce overall weight of the rod and at the same time increases its sensitivity.

BLANK

- High modulus HME graphite
- Fast Action

REEL SEAT

• Ergonomic design

EXCEPT ME!

Super Sensitive System

GUIDES

- KOREA GUIDES with zirconia inserts (Zirconia)
- T-ZIRCONIA SLIM RING
- AT-Guide frame
- Antitwisting Tip
- Micro guides (Mini Guide System), ultra-lightweight, single foot
- K-Guide System

HANDLE

- · Ergonomic design
- Lightweight split grip handle
- Material: EVA



ECOGROUP

Item	Length, cm	Closed Rod length, cm weight, g		Guides	Sections	Lure weight, g	Line weight, lb
MSEZ662UL	198	99	76	7	2	1-5	1-5
MSEZ702UL	213	107	84	8	2	1-7	2-6
MSEZ762L	228	114	96	8	2	2-10	2-8









Marauder X TWITCHING

















Our great twitching rod got a new design. The changes mainly affected the ergonomics of the handle; our engineers modified it to have a more complete look. The Marauder-X Twitching rod was specially designed for jerking retrieve technique and every detail was thoroughly developed: ultra-light, Ex-Fast action blank, made of high modulus HMN + HME graphite (40 + 46T combination). The butt section reinforced with special carbon fibers to increase rigidity and resistance to twisting. FUJI guides with Alconite inserts, placed in accordance with modern KR-Guide Concept. Only when all the above components were combined we were able to build an ideal rod for twitching. This rod will allow anglers to feel every movement of a lure, it will work precisely and the tip will not «fall through» when using an aggressive twitching technique.



- High modulus HMN+HME graphite
- Ex-Fast Action

REEL SEAT

- FUJI
- Warm Reel Seat
- Ergonomic design
- Super Sensitive System

GUIDES

- FUJI guides with ALCONITE inserts
- K-Guide frame
- Antitwisting Tip
- Tangle Free construction
- Micro guides (Mini Guide System), ultra-lightweight, single foot
- KR-Guide Concept

- Ergonomic design
- Lightweight split grip handle
- Material: Cork

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MTSSMX662L	198	99	86	9	2	3-14
MTSSMX662ML	198	99	91	9	2	5-21
MTSSMX662M	198	99	93	9	2	7-28
MTSSMX662MH	198	99	93	9	2	11-42
			CASTING			
MTSCMX662L	198	99	103	10	2	3-14
MTSCMX662ML	198	99	105	10	2	5-21
MTSCMX662M	198	99	107	10	2	7-28


































Super Sensitive System2 - the blank is designed in such a way that its upper part gently expands downwards and goes into the handle due to a special transition-cone. Thus, the blank and the handle of the rod are one unit that significantly reduces weight and adds sensitivity to a spinning construction. A reel seat FUJI SKSS is mounted directly on the rod blank and it gives additional sensitivity to a spinning construction too. The tests of these rods proved their

consistency. Spinning has an unsurpassed sensitivity, weighing only 78 grams at a length of 2.22 meters.

T-Zirconia Slim Ring - super light and productive rings Korea T-Zirconia Slim Ring in superlight frame with a new ultrathin zirconia insert. These rings are about 35% lighter than the classic ones with the SIC insert. Modern super light rings are a necessary attribute for ultra light class fishing rods for maximum sensitivity increase and instant recovery of the form.

Stiff High Modulus Graphite Thin Solid Tip – the superfine rigid monolithic top (insert) made of high-modulus graphite. Allows you to make accented animation of the lightest jigs and provides incredible sensitivity.

Bandages of the spinning top rings are painted in orange for better visual control of the wiring. The combination of NANO fibers, Korea T-Zirconia Slim Ring in AT-Guide frames and Super Sensitive System2 and Mini Guide System technologies let us create an unusually light spinning rod with incredible sensitivity and power reserve.



- High Modulus Graphite Nano Graphite Fibers
- Fast Action
- Rod pieces: 2
- Design: detachable
- Blank with a glued monolithic tip for models 702 and 732. for 762 a hollow tip

REEL SEAT

- FUJI
- Reel seat construction increasing sensitivity (Super Sensitive System 2)

GUIDES

- Korea Guide with inserts of zirconia (Zirconia)
- T-Zirconia Slim Ring ultrathin ring insert
- AT-Guide ultralight rings for Extra and Ultralight rods
- Antitwisting "Tulip" Tip preventing the overlapping of the line
- Mini Guide System micro rings, as light as possible on one support
- Guide arrangement: K-Guide System

HANDLE

- Ergonomic design
- Lightweight hollow construction
- Material: Graphite

Артикул	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, kg	Line weight, lb	Tip
MRFSP702XUL	213	107	77	9	2	0,5-4	0,5-2,5	1 - 5	Solid
MRFSP732SUL	220	110	79	9	2	0,8-5	0,5-2,5	1 - 5	Solid
MRFSP762UL	228	114	84	9	2	1,5-8	1-3	2 - 6	Tubular
























The limited series of spinning rods Dreamer-Z belongs to the premium class rods and is associated with technological progress. They are exclusively assembled with premium FUJI accessories: for lightweight models we used FUJI TITANIUM SIC - AT auides, for medium-weight - more powerful FUJI TITANIUM SIC - K-series guides. placed in accordance with KR-GUIDE CONCEPT. The reel seat: FUJI-VSS, X-JOINT (Spigot joint) construction. The blank is made of high modulus HMN graphite, its butt section is reinforced with special carbon fibers to increase rigidity and resistance to twisting. Thanks to the use of high-modulus carbon fiber composites, we managed to build a slim blank that has a minimal diameter in its butt section and at the same time features Ex-Fast action. Our «Dreamer» comes fitted with the latest HSS construction (Hyper Sensitive System) with excellent sensitivity. The spinning rods of this series have the perfect combination of light weight, sensitivity and power.









ECOGROUP

- High modulus HMN graphite
- Ex-Fast Action
- X-Joint of rod sections (Spigot joint)

REEL SEAT

• FUJI

- Warm Reel Seat
- · Ergonomic design
- Hyper Sensitive System

GUIDES

- FUJI with SIC inserts
- Titanium Frame
- AT-Guide frame (for 662UL and 762L)
- K-Guide frame (for 802L, 832ML, 862M, 902H)
- Antitwisting
- Tangle Free construction (for 802L, 832ML, 862M, 902H
- Micro guides (Mini Guide System), ultra-lightweight, single foot
- KR-Guide Concept

- Ergonomic design
- Lightweight split grip handle
- Material: Cork

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, lb
MSDZ662UL	198	99	90	7	2	1-7	2-6
MSDZ762L	228	114	108	7	2	2-10	2-8
MSDZ802L	244	122	117	8	2	3-14	4-12
MSDZ832ML	251	126	120	8	2	5-21	4-18
MSDZ862M	259	130	138	8	2	7-35	8-20
MSDZ902H	274	137	158	8	2	14-56	16-28

























Midori TROUT















This is a series of exclusive hi-tech spinning rods specially designed for the most effective trout fishing. It consists of 3 versions: Midori Area Edition 60XUL (test: up















to 4 g) which is good for catching pond trout and classified as Area Fishing; Midori Stream Edition 62SUL and 66UL (test: up to 5g and 6g respectively) - for fishing in rapid mountain streams, small medium-fast running rivers and brooks. All Midori rods are ideal for delicate fishing requiring "animation" of plastic lures, lightweight jigs, micro spoons and wire rigs. Midori blanks feature fast action, slightly more stiffness compared with classic Area and Stream rods and the shortest damping period (that is how rapidly a rod will damp out vibrations). All the other characteristics of an ultralight trout rod remained the same - long and accurate casting of lures in all the range of weights, the possibility "to animate" a lure, extraordinary sensitivity, perfect balance and ultralight weight. This rod is made of high modulus NANO carbon fibers reinforced with L.W.G. Wrapping Carbon for additional protection of the blank. It is equipped with premium Fuii components; super light and productive TORZITE quides in titanium frames, ergonomic reel seat and high quality cork handle. Thanks to combination of NANO fibers, FUJI TORZITE quides, Super Sensitive System and Mini Guide System we managed to create surprisingly light weight rod (for example, the weight of 60XUL is only 58g) with incredible sensitivity and amazing power. The flexible blank perfectly works when playing a fish reducing hookpulls and line breakage to a minimum.

- High modulus carbon NANO GRAPHITE FIBERS
- Fast Action
- 2 sections
- Reinforced put-over joint (L.W.G.)

REEL SEAT

- FUJI
- Warm Reel Seat
- Ergonomic design
- Super Sensitive System

GUIDES

- FUJI TORZITE quides
- Titanium frames
- Antitwisting Tip
- Tangle Free frame design
- Micro-rings Mini Guide System, maximum lightweight, single foot
- KR-Guide System

HANDLE

- Ergonomic design
- Lightweight split grip handle
- Material: Cork

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, kg	Line weight, lb
MAESM602XUL	183	92	53	7	2	0,8-4	0,5-1,5	1 - 3
MSESM622SUL	188	94	57	7	2	1-5	0,5-2	1 - 4
MSESM662UL	198	99	66	7	2	1,5-6	0,5-2	1 - 4

Raptor-z











57









The redesigned series Raptor-Z has undergone a number of serious technical changes, and now is associated with technological progress. This top series of Maximus spinning rods is exclusively equipped with premium FUJI accessories: for lightweight models we used FUJI TITANIUM TORZITE-AT guides, for medium-weight - more powerful FUJI TITANIUM TORZITE-K guides, placed in accordance with KR-GUIDE CONCEPT. The reel seat: «Skeleton» FUJI-TVS, X-JOINT, or Spigot joint of rod sections. The blank is made of high modulus NANO GRAPHITE FIBER, its butt section is reinforced with special carbon fibers to increase rigidity and resistance to twisting. Features EX-Fast action. Thanks to the use of ultra-modern materials, we managed to create the blank with the smallest possible diameter. The new «Raptor» features an incredible sensitivity due to the modified technology HSS (Hyper Sensitive System). The company managed to apply the most advanced technologies and modern materials to this model.

BLANK

- High modulus carbon NANO GRAPHITE FIBERS
- Ex-Fast Action
- X-Joint of rod sections (Spigot joint)

REEL SEAT

- FUJI
- Ergonomic design
- Hyper Sensitive System

GUIDES

- FUJI with TORZITE inserts
- Titanium Frame
- AT-Guide frame (for 662UL and 762L)
- K-Guide frame (for 832ML and 862M)

HANDLE

- Ergonomic design
- Lightweight split grip handle
- Material: Cork



K-Guide

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, lb
MSRZ762L	228	114	109	9	2	3-12	2-12
MSRZ832ML	251	126	123	10	2	4-22	4-18
MSRZ862M	259	130	135	10	2	7-35	8-20





ECOGROUP 56



BOUNCER TROLLING







This is a series of rods specially designed for trolling. This unique rod is unmatched in its class. Its blank is made of high-quality composite blend and features a J-Action, typical for trolling rods.

The Bouncer is equipped with anti-twisting guides featuring high corrosion resistance. The guides are places in such a way that energy and stress are evenly spread throughout the length of the rod, preventing the line from sticking to the blank under the heaviest load.

The sensitive brightly coloured tip made by using Power Stick technology allows an angler to feel the action of a lure at the end of the line and accurately detect any fish bites. A special coating of the tip makes it easy to notice a fish bite even at twilight. These rods are equipped with classic screw-down reel seats and comfortable EVA handles. Bouncer is a reliable trolling rod that can be used both for fishing in freshwater and in the sea. It is suitable for anglers of all skill levels.

BLANK

- Composite material
- Trolling J-Action
- T Power Stick Top (sensitive and stiff tip)

REEL SEAT

• Classic screw down design

GUIDES

- SIC guides
- Antitwisting Tip
- Tangle Free frame construction
- Reinforced double foot

HANDLE

- Reinforced handle
- Material: EVA

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, lb
MTRLSB702MH	210	105	254	9	2	10-25
MTRLSB702H	210	105	268	9	2	15-40
MTRLSB802MH	240	120	320	10	2	10-25
MTRLSB802H	240	120	320	10	2	15-40



ECOGROUP














We applied the Heavy Duty Guide Concept to our new JAZZ rods: we equipped them with powerful anti-twisting guides featuring high corrosion resistance. The guides are places in such a way that energy and stress are evenly spread throughout the length of the rod, preventing the line from sticking to the blank under the heaviest load.

The sensitive brightly coloured tip made by using Power Stick technology allows an angler to feel the action of a lure at the end of the line and accurately detect any fish bites. A special coating of the tip makes it easy to notice a fish bite even at twilight. The rod has a gimbal with a protective removable butt cap, the powerful anodized aluminum reel seat and the comfortable high-quality EVA foam grip with a non-slip coating. JAZZ is a professional trolling rod specially designed for experts in trolling, which can be used both in freshwater and in the sea.

BLANK

- Composite material
- Trolling J-Action
- T Power Stick Top (sensitive and stiff tip)

EEL SEAT

• Reinforced aluminum screw down design with two clamping nuts

GUIDES

- SIC guides
- Antitwisting Tip
- Strong LC guide frames (Tangle Free)
- Reinforced double foot

HANDLE

- Powered Grip Construction (special technology providing an excellent grip)
- Graphite gimbal to be fixed on a fighting belt
- Material: EVA

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, lb
MTRLSJ702MH	210	105	286	10	2	10-25
MTRLSJ702H	210	105	302	10	2	15-40
MTRLSJ802MH	240	120	301	11	2	10-25
MTRLSJ802H	240	120	318	11	2	15-40







59

MAXIMUS

BOAT





























ECOGROUP

This is a rod specially designed for boat fishing with heavy jigs. Reliable lightweight rod is made from IMFI carbon. It is fitted with special guides in durable LC (Low Rider Guide) frames, designed for heavy loads. Handle is made in accordance with Powered Grip Construction technology from durable fined-pored EVA. A special perforation is applied to the upper part of the handle making the grasp more comfortable. Powerful reel seat is made from solid aluminum alloy with two clamping nuts for reliable reel fixation. Butt section has a special aluminum gimbal for use with fight belt. Powerful blank combined with X-Joint (spigot) are designed for extreme loads and have a huge margin of strength. This is an ideal choice for trophy cod, catfish and halibut fishing.

BLANK

- Material: IMFI carbon
- 2 sections
- Put over power joint
- X-Joint (spigot) connection

REEL SEAT

• Reinforced screw down design with two clamping nuts

GUIDES

- SIC guides
- Antitwisting Tip
- Tough durable top design with enlarged improved profile rings
- Durable Tangle Free frame LC
- Reinforced, double foot

HANDLE

- Powered Grip Construction
- Carbon gimbal buttcap
- Material: EVA

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, lb	Lure weight, g
MBRF210MH	210	105	370	8	2	30	до 500
MBRF210H	210	105	420	8	2	50	до 700



DEEP HUNTER BOAT













This is a rod specially designed for sea boat fishing or so called vertical jigging rod. This budget and lightweight fishing rod is made from a composite heavy-duty material. Blank is fitted with special guides in durable LRX frames designed to withstand extreme loads, and deep-seated Gold Cermet rings, perfectly protected against damages. Handle is made in accordance with Powered Grip Construction technology from durable fined-pored EVA. A special perforation is applied to the upper part of the handle making the grasp more comfortable. Powerful red seat is made from solid aluminum alloy. Butt section has a gimbal for use with fight belt. This rod is ideal for rough boat fishing for trophy cod, catfish, pollack and halibut.

BLANK

- Composite material
- 2 sections
- Put over power joint

REEL SEAT


• Reinforced screw down design with two clamping nuts

- High quality Gold Cermet guides
- Antitwisting Tip
- Tangle Free design, durable LRX frames
- Reinforced, double foot

- Powered Grip Construction
- Carbon gimbal buttcap
- Material: EVA



Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, lb	Lure weight, g
MBRDH190H	190	100	490	7	2	50	max 800
MBRDH190XH	190	100	505	7	2	70	max 1100
MBRDH210MH	210	105	465	8	2	30	max 500
MBRDH210H	210	105	480	8	2	50	max 800









SEA EMPIRE BOAT























This sea rod is specially designed for catching trophy halibut, cod, ling or sea bass. Sea Empire rods are produced using the unique Multi Tip Concept the idea of which is that rods are supplied with two tips for different purposes:

is that rods are supplied with two tips for different purposes:

1) Interline Tip (fishing line runs inside the blank) – for fishing at depths up to 100m. The blank becomes more powerful due to equal load distribution.

2) Tip with classic guides placement is ideal for fishing at depths greater than 100m where fast sinking of a lure is more important than power characteristics of a blank. Each rod of this series is supplied with two tips which makes it really universal in the very best sense of the word. You will be prepared for any situation that may arise. If you have lost or broken one tip, you can continue fishing using the second one. In fact, you will get two rods in one. Sea Empire blanks are made of IMS carbon featuring unique Power Carbon Construction providing ultimate strength which is so necessary to handle extreme load when fighting a trophy sized fish. Sea Empire rods are equipped with a quality aluminum gimbal buttcap, reliable aluminum reel seat with two clamp nuts, excellent SIC guides with modern stainless steel LC (Low Rider) frames and salt water protection. The handle is made using Powered Grip Construction technology of a durable fined-pored EVA (neoprene). A special Grip Construction technology of a durable fined-pored EVA (neoprene). A special perforation is applied to the upper part of the handle making the grasp more

These rods are capable of more than we expect. The elastic tip absorbs jerks very well whereas the powerful butt section allows to fight a big halibut or cod.

- Material: IMS carbon
- 2 sections + additional tip
- Конструкция штекерная усиленная
- Reinforced put-over joint

REEL SEAT


• Reinforced screw down design with two clamping nuts

GUIDES

- SIC guides
- Antitwisting Tip
- Heavy Duty Tip Top with enlarged and improved profile of the insert
- Heavy Duty Tangle Free frame LC
- Reinforced, double foot
- Power Interline construction preventing line from overlapping

- Powered Grip Construction
- Carbon gimbal buttcap
- Material: EVA

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, lb	Lure weight, g
MBRSE702MH	210	105	320/315	8/Interline	1+2Tips	30	до 500
MBRSE702H	210	105	325/320	8/Interline	1+2Tips	50	до 700





MAXIMUS

NORTH WITCH







This high quality float rod, featuring a compact travel design, will meet the demands of any avid traveler. Made of IMF carbon and fitted with lightweight high-stand Match guides with SIC center. Match guides, placed with a small interval, help distributing the load equally and guarantee that the line will never stick to the blank. The rods have Medium-Fast blanks and come with a reliable reel seat with a movable lock. Thanks to its Medium-Fast Action blank, this rod shows outstanding performance bending along the entire length, which results in minimum hook-pulls. At the end of the handle you will find an unscrewing butt cap (for drying and easy maintenance access). The rod also comes with guides protective cap.

BLANK

- Material: IMF carbon
- Medium-Fast Action
- Telescopic multi-section «Travel» design

REEL SEAT

• With movable lock

GUIDES

- SIC guides
- Lightweight, single high foot
- 3 sliding rings: 2 on the tip, 1 on the second section from the tip

· Compact «Travel» design



Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MTRFNW390	390	77	205	8	6	3-15
MTRFNW420	420	78	225	9	7	3-15
MTRFNW450	450	80	275	10	8	3-15
MEHTRFNW390	390	79	235	8	6	3-15
MEHTRFNW420	420	79	255	9	7	3-15
MEHTRFNW450	450	79	305	10	8	3-15



64



ECOGROUP

Rebel Pole



BLANK


Material: IMF graphite

Fast Actionesign

HANDLE

Non-slip Coating

This is a series of modern, lightweight and powerful fishing poles featuring fast-action blanks made of IMF graphite. The Rebel Poles are recommended for fishing with pole rigs and are best suited for fishing with a nod. The handles of the poles have a special non-slip coating. The butt cap at the end of the handle can be unscrewed for drying and maintenance.







Rebel Bolognese





This is a series of modern, lightweight and sensitive rods featuring fast-action blanks made of IMF graphite. The Rebel Bolognese rods are equipped with lightweight guides with SIC centre and reliable reel seats. The upper section has two sliding guides for equal load distribution. The handle has a special non-slip coating. The butt cap at the end of the handle can be unscrewed for drying and maintenance.

BLANK

- Material: IMF graphite
- Fast Action

REEL SEAT

• With movable lock

GUIDES

- SIC guides
- Lightweight, single high foot

HANDLE

Non-slip Coating







Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections
MRTEGT400	400	130	154	6	4
MRTEGT500	500	131	219	7	5
MRTEGT600	600	132	340	8	6
MRTEGT700	700	133	450	9	7

Rebel Tele Match





This is a series of modern, lightweight and powerful match rods featuring fast-action blanks made of IMF graphite. The Rebel Tele Match rods are equipped with lightweight guides with SIC centre and reliable reel seats. The high match guides placed at short intervals ensure an ideal load distribution throughout the length of the rod. This fast-action rod allows the anglers to make quick and accurate casts. The handle has a special non-slip coating. The butt cap at the end of the handle can be unscrewed for drying and maintenance.

BLANK

- Material: IMF graphite
- Fast Action

REEL SEAT

- With movable lock
- **GUIDES**
- SIC guides
- Lightweight, single high foot

HANDLE

• Non-slip Coating





40.9109,4931631163116311631163116



Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections
MRTM400	400	112	159	10	8
MRTM420	420	116	178	10	8







FORCERER POLE



This light but powerful Tele Pole is made of IMF carbon and has a Medium-Fast action blank. Rods of this series can be recommended for those who prefer to have a fishing tackle without guides and ideally suited for fishing with a bobber. The handle has a special non-slip coating. At the end of the handle you can find an unscrewed butt cap which lets you dry the rod.

BLANK

- Material: IMF carbon
- Medium-Fast Action
- Telescopic construction

HANDLE

Non-slip Coating





Item	Length, cm	Closed length, cm	Rod weight, g	Sections
MSTE400	400	118	166	4
MSTE500	500	118	272	5
MSTE600	600	118	372	6

FORCERER BOLOGNESE





This is a high quality light fishing rod with Medium-Fast action blank made of IMF carbon, fitted with lightweight high foot SIC guides and a reliable reel seat. The upper section has two sliding guides for equal load distribution. The handle has a special non-slip coating. At the end of the handle you can find an unscrewed butt cap which lets you dry the rod.

BLANK

- Material: IMF carbon
- Medium-Fast Action
- Telescopic construction

REEL SEAT

- With movable lock
- **GUIDES**
- SIC guides
- Lightweight, single high foot
- Two sliding guides on the tip

HANDLE

66

Non-slip Coating







Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections
MSTEGT400	400	125	195	6	4
MSTEGT500	500	126	306	7	5
MSTEGT600	600	128	430	8	6

WIZARD POLE



This light and reliable Tele Pole is made of IMF carbon and has a Medium-Fast action blank. It's a good choice for both professional and amateur float fishing. Rods of this series can be recommended for those who prefer to have a fishing tackle without guides and ideally suited for fishing with a bobber. The handle has a special non-slip coating. At the end of the handle you can find an unscrewed butt cap which lets you dry the rod.

- Material: IMS carbon
- Medium-Fast Action
- Telescopic construction

HANDLE

Non-slip Coating





Item	Length, cm	Closed length, cm	Rod weight, g	Sections
MWTE450	450	116	200	5
MWTE550	550	116	286	6

WIZARD BOLOGNESE





This light, tough and sensitive rod shows the best results in any float fishing style. It is made of IMS carbon, fitted with lightweight high foot SIC guides and a reliable reel seat. The upper section has two sliding guides for equal load distribution. It comes with a special cap for safe storage and protection of the guides during transportation. At the end of the handle you can find an unscrewed butt cap which lets you dry the rod.

- Material: IMF carbon
- Medium-Fast Action
- Telescopic construction

REEL SEAT

• With movable lock

GUIDES

- SIC guides
- Lightweight, single high foot
- Two sliding guides on the tip

HANDLE

Non-slip Coating








Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections
MWTEGT450	450	124	242	7	5
MWTEGT550	550	125	328	8	6









Joker BOLOGNESE











- Medium-Fast Action
- Telescopic construction

REEL SEAT

• With movable lock

GUIDES


- SIC guides
- Lightweight, single high foot
- Three sliding guides on the tip

HANDLE

Non-slip Coating



Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections
MJTEGT450	450	111	234	8	5
MJTEGT550	550	113	321	9	6



WITCHER BOLOGNESE











This is a high quality light and strong rod with Fast action stiff blank made of IMS carbon. Rods of this series are fitted with lightweight high foot SIC guides produced in South Korea. Thanks to them the line never sticks to the blank. Due to its light weight and ideal balance an angler would never get tired during a long fishing period. And the optimal construction of a blank allows to make very accurate casts, control retrieve of a big fish and minimize the number of hookpulls or false strikes. It is suitable for all types of float fishing. It comes with a special cap for safe storage and protection of the guides during transportation. At the end of the handle you can find an unscrewed butt cap which lets you dry the rod.

BLANK

- Material: IMF carbon
- Fast Action
- Telescopic construction

REEL SEAT

• With movable lock

GUIDES

- SIC guides
- Lightweight, single high foot
- Two sliding guides on the tip

HANDLE

Non-slip Coating

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MWCTEGT400	400	138	214	7	4	4 - 20





ECOGROUP

69




















This is a float telescopic rod of a short folded length produced in accordance with Travel Design. This concept is based on the idea of minimal travel length of a rod. Matrix-Match series is specially designed for those who love travelling. Blank is made from high modulus HMH carbon. Rods of this series are fitted with lightweight high frame SIC guides, and thanks to them the line never adheres to the blank in rainy weather. Due to large number of rod sections, it became possible to place larger number of guides and shorten the distance between them. As a result, we have improved rod performance. Ideal balance and elaborate design of this model help an angler to make long distance casts and feel confident while fighting any figh regardless of its size. All rods are equipped with guides protection can for safe fish regardless of its size. All rods are equipped with guides protection cap for safe transportation.

BLANK

- High modulus HMH carbon
- Medium-Fast Action
- Telescopic multi-section «Travel» design

REEL SEAT

- Warm Reel Seat
- Ergonomic design
- With movable lock


GUIDES

- SIC guides
- Lightweight, single foot high frame guides + 1 reinforced double foot guide on
- 2 sliding guides: one on the tip, another on the second upper section

HANDLE

• Material: Cork

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MTRFM420	420	77	218	10	9	5-25
MTRFM450	450	78	253	11	10	5-25





















This is a series of budget feeder rods with Medium-fast action blanks which will satisfy even the highest demands. Agent rods are available in a wide range of sizes allowing you to choose the right rod for any fishing conditions – whether you are fishing from the shore in still waters using a 10g feeder; or fishing in fast streams using a 120g feeder. This feeder rod is made of IMF carbon, equipped with SIC guides, a combined cork + EVA handle and a reliable classic reel seat. It is supplied with 3 tips of different stiffness. Its high quality carbon blank features enough stiffness and superb casting performance.

BLANK

- Material: IMF carbon
- Medium-Fast Action
- 3 sections + 3 tips
- Put-over joint

REEL SEAT

Classic screw down design

GUIDES

- SIC guides
- Low profile reinforced guides
- (2 double foot, the others single foot)

HANDLE

- Ergonomic design
- Material: Cork + EVA

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MFRAG240L	240	125	135	10	2+3 Tips	10/30/60
MFRAG270L	270	140	165	10	2+3 Tips	10/30/60
MFRAG270M	270	140	163	10	2+3 Tips	30/60/90
MFRAG300M	300	106	240	13	3+3 Tips	30/60/90
MFRAG300H	300	106	245	13	3+3 Tips	60/90/120
MFRAG330M	330	117	273	13	3+3 Tips	30/60/90
MFRAG330H	330	117	250	13	3+3 Tips	60/90/120
MFRAG360H	360	124	265	13	3+3 Tips	60/90/120















Maximus Riot is a series of rods for beginners made of composite material. At the same time, the rods meet the highest requirements and have excellent performance characteristics: high reliability and long distance casting. In this series, there are feeder rods with a medium action, ideally suited for fishing in still waters and on moderate currents. The lengths of the rods are ranging from 3 to 3.6 meters and they can have casting weights up to 90 grams. The Riot rods are equipped with modern EVA handles and reliable classic reel seats. They come with three quivertips of various hardness. The quivertips are fitted with functional spinning tip tops designed to prevent the line from overlapping.

BLANK

- Composite material
- Medium Action
- 3 changeable tips in a tube

REEL SEAT

Classic screw down design

GUIDES

SIC guides

• Low profile reinforced guides (3 guides - double foot, the rest - single foot)

HANDLE

- Ergonomic design
- Material: EVA

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MFRRI300M	300	106	313	11	3+3 Tips	30/60/90
MFRRI330M	330	116	352	12	3+3 Tips	30/60/90
MFRRI360M	360	126	398	13	3+3 Tips	30/60/90





ECOGROUP

73



nvader feeder















Maximus Invader is a series of universal rods suitable for almost any fishing conditions. They can be effectively used in a variety of fishing spots: on small ponds, large lakes and reservoirs, as well as on rivers with strong current. The rods are made of high-quality IMF graphite, feature medium-fast action and are able to satisfy even the most experienced anglers' needs. The lengths of the rods are ranging from 3 to 4.2 meters and casting weights – from 30 to 180 grams. The rods are equipped with modern handles made of cork and EVA and reliable classic reel seats.

They come with three quivertips of various hardness. The quivertips are fitted with functional spinning tip tops designed to prevent the line from overlapping.

BLANK

- Material: IMF graphite
- Medium-Fast Action
- 3 changeable tips in a tube

REEL SEAT

• Classic screw down design

GUIDES

- SIC guides
- Low profile reinforced guides
 (4 guides double feet the recent descriptions)

(4 guides - double foot, the rest – single foot)

HANDLE

- Ergonomic design
- Material: Cork + EVA

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MFRI300M	300	106	254	12	3+3 Tips	30/60/90
MFRI300H	300	106	255	12	3+3 Tips	60/90/120
MFRI330M	330	116	275	12	3+3 Tips	30/60/90
MFRI330H	330	116	279	12	3+3 Tips	60/90/120
MFRI330XH	330	116	281	12	3+3 Tips	90/120/150
MFRI360M	360	126	318	13	3+3 Tips	30/60/90
MFRI360H	360	126	326	13	3+3 Tips	60/90/120
MFRI360XH	360	126	335	13	3+3 Tips	90/120/150
MFRI390XH	390	137	352	13	3+3 Tips	90/120/150
MFRI390XXH	390	137	373	13	3+3 Tips	120/150/180
MFRI420XH	420	147	411	13	3+3 Tips	90/120/150
MFRI420XXH	420	147	416	13	3+3 Tips	120/150/180



















Interceptor is a series of universal rods suitable for almost any fishing conditions. They can be effectively used in a variety of fishing spots: on small ponds, large lakes and reservoirs, as well as on rivers with strong current. The rods are made of high-quality graphite, feature medium-fast action and are able to satisfy even the most experienced anglers' needs. The lengths of the rods are ranging from 3 to 4.2 meters and casting weights – from 30 to 180 grams. The rods are equipped with modern handles made of cork and EVA and reliable classic reel seats.

They come with three quivertips of various hardness. The quivertips are fitted with functional spinning tip tops designed to prevent the line from overlapping.

ECOGROUP

BLANK

- Composite material
- Medium-Fast Action
- 3 changeable tips in a tube

REEL SEAT

- Warm Reel Seat
- Ergonomic design

GUIDES

- SIC guides
- K-Guide frame
- Antitwisting TipLow profile reinforced guides

(3 guides - double foot, the rest - single foot)

- Ergonomic design
- Material: Cork + EVA

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MFRIN300H	300	106	231	12	3+3 Tips	60/90/120
MFRIN330H	330	116	284	12	3+3 Tips	60/90/120
MFRIN330XH	330	116	287	12	3+3 Tips	90/120/150
MFRIN360H	360	127	295	13	3+3 Tips	60/90/120
MFRIN360XH	360	127	301	13	3+3 Tips	90/120/150
MFRIN360XXH	360	127	336	13	3+3 Tips	120/150/180
MFRIN390XH	390	137	342	13	3+3 Tips	90/120/150
MFRIN390XXH	390	137	372	13	3+3 Tips	120/150/180
MFRIN420XXH	420	147	407	13	3+3 Tips	120/150/180





APVENTURE FEEDER













This series of modern feeder rods is available in three models of the most popular sizes and tests. Its Medium-Fast action carbon blank features enough stiffness and superb casting performance. The rod is equipped with South Korean SIC guides and a combined EVA + high quality cork handle. Supplied with one fiberglass and two carbon spare tips of different stiffness.

RI ANK

- Material: high modulus carbon
- Medium-Fast Action
- 3 sections + 3 tips
- Put-over joint


REEL SEAT

- Classic screw down design
- **GUIDES**
- SIC guides
- Low profile reinforced double foot guides

- Ergonomic design
- Material: Cork + EVA

Item	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MFRA330H	330	116	234	13	3+3 Tips	60/90/120
MFRA360H	360	126	247	13	3+3 Tips	60/90/120
MFRA390H	390	136	292	13	3+3 Tips	60/90/120
			Spare tips			
MFRAQTH*	63	63	_	5	3 Tips	60/90/120

^{*}Adventure Spare Q-Tips – spare exchangeable tips are supplied in a transparent plastic tube



NOTES	MAXIMUS

