

MAXIMUS

THE FISHING GLADIATOR

High Quality Fishing Rods

Contents

Technology and basic specifications.....	4-9
Operational Safety	10
Explanation Article.....	11

SPINNING RODS 12-59

Work Horse.....	12-13
Zenith	14-15
SeaWolf.....	16-17
Wild Power	18-19
Black Side	20-21
Stealth - Tele.....	22-23
High Energy-X.....	24-25
Striker	26-27
Legend-X.....	28-29
Black Widow	30-31
Big River.....	32-33
Poacher.....	33-35
Fish Poison.....	36-37
Warrior - casting /Jerkbait/	38-39
Warrior /Jerkbait/.....	40-41
Destroyer - casting /Jerkbait/	42-43
Destroyer /Jerkbait/.....	44-45
Ranger RockFish.....	46-47
Egoist-X.....	48-49
Dueler-X Twitching	50-51

Marauder Twitching	52-53
Dreamer-X.....	54-55
Dreamer - casting.....	56-57
Raptor-X Professional Series.....	58-59

FLOAT RODS..... 60-71

Sorcerer Pole.....	60
Sorcerer - Bolognese	61
Wizard Pole	62
Wizard - Bolognese	63
Joker - Bolognese	64-65
Witcher - Bolognese.....	66-67
Walker - Travel.....	68-69
Mantra - Match.....	70-71


FEEDER RODS 72-77

Red Devil - Feeder.....	72-73
Bream Master - Feeder	74-75
Adventure - Feeder.....	76-77

FLY RODS..... 78-81

Medalist - Fly.....	78-70
Distance Ace - Fly.....	80-81

Technology and basic specifications



HIGH MODULUS NANO GRAPHITE FIBER - Exclusive high modulus graphite material with specific minimum binder percentage. The one-way orientation of graphite fibres means maximum material density, resulting in the lightest blank possible, combining extreme sensitivity and the highest durability.



SANDWICH CONSTRUCTION – This technology combines several types of high modulus graphite materials in one blank. Layering of these different materials makes the blank stronger in the middle and butt, but does not increase blank diameter. The tip stays elastic and very sensitive, helping to “read” the river bed contour and control the lure under any fishing conditions.



WXW-X-WRAPPING CARBON - This technology uses crossways winding of carbon layers, making the blanks more resistant to bending while maintaining lightness and stiffness.



X-JOINT CONSTRUCTION – This style of spigot joint uses a special internal graphite tube which doesn't change the action and bending locus of the blank. It provides the rod with robustness, sensitivity and casting characteristics normally associated with one-piece rods.



C.W.P. (Carbon Wrapping Power Connection) - This is a special graphite fibre reinforced bandage used on the outer layer of the bottom section of the high part of the rod. It increases the toughness and reliability of the blank under stress.



Super Sensitive System

SUPER SENSITIVE SYSTEM – This specially designed reel seat uses a combination of materials, including aluminium and graphite, to impart maximum vibration conductivity. It helps the rod to feed information back to the angler – every touch on the bottom or brush with weed or rock, every change in the bait’s motion and even the slightest nibble is transmitted immediately to the angler’s hand.



WARM REELSET - The surface of the reel seat in contact with angler’s hand is made of “warm” materials such as cork or neoprene. It gives a feeling of comfort, especially in cold weather.



NONSLIP COATING – A special coating which prevents the angler’s hand slipping over the blank. Pellets embedded in the coating provide extra security.



TRAVEL DESIGN – The compact construction of the rod makes it essential for anglers who like to travel. These rods can easily be carried in a suitcase or bag, ideal for any trip where you don’t want to take a massive case with standard rods.



FUJI KOGYO CO LTD. (JAPAN) – The world’s leading manufacturer of high-quality fishing accessories (split rings, cork handles, reel seats). Line guides have the FUJI logo on their side stands, guaranteeing highest quality.



KIGAN INDUSTRY GROUP (KOREA) – A leading manufacturer from South Korea. This company has 30 years of experience producing high-quality parts for fishing rods (rings, handles, reel seats) including its own high-technology developments. Over recent years the Kigan Industry Group has come up with many innovative concepts and solutions. All this company’s products carry the KIGAN logo, guaranteeing highest quality.

Technology and basic specifications




TITANIUM FUJI SIC - Superlight and strong guides with titanium frames and inserts made of silicone carbide (SIC). Titanium is much lighter and stronger than stainless steel and these rings are used with modern high modulus graphite rods. This dramatically reduces residual vibration after casting. Using guides with titanium frames makes the rod lighter and optimizes casting characteristics. The weight of a full set of TITANIUM FUJI SIC rings is almost equal to the weight of one stainless steel ring.




MINI GUIDE SYSTEM - A modern concept which uses rings of minimal size, making for much lighter fittings. As micro-rings are situated very close to the tip more rings than usual are used to make the rod work effectively. However, the small size of the rings means the total weight is smaller, complementing the rod's dynamics as a result.



TANGLE FREE. The special oval shape of the ring frames and correct oblique angle mean the possibility of line overshooting through the rings is absolutely eliminated. The usual loops that appear during casting are automatically reduced.



ANTITWISTING TIP – construction tip prevents line overshoot while casting. If overshoot does occur, the loop slides from the tip thanks to special spherical supports, preventing bait loss or rod damage.



SIC – Standard series guides have inserts made of silicone carbide (SIC), increasing casting distance by 10% without additional effort. They are suitable for all monofilament and braided lines.



ALCONITE – These rings have the ultimate in smooth ceramic inserts which are made from aluminium oxide. Such rings have abrasion resistance to all the types of braided line and extend casting distance.



ZIRCONIA - The combination of frame and new, extra-hard inserts made of zirconium dioxide makes the “Kigan Zirconia” guide one of the best on the market. They are extremely strong and have optimal fineness. In terms of these characteristics, “Kigan Zirconia” rings are superior to equivalent ceramics.

Technology and basic specifications




KR-GUIDE CONCEPT (FUJI-JAPAN) - This concept aims to reduce the restriction of braided line running through the guides along the blank. The engineering team at “Fuji Kogyo Co Ltd” concluded that the first guide from the reel should not be big and it is more important to place it at the correct distance and angle from the blank. The idea is to move the line away from the blank while reducing the loop and quenching oscillation. This reduces line slap and together with the lightness of construction, results in minimal interference with the action of the rod and increased casting distance. The bigger number of guides improves sensitivity, minimizing line vibration getting to the blank through the ring frames. Rings up near the tip have smaller stands, moving the line closer to the blank, decreasing the vibration travel distance and delay, resulting in increased sensitivity



3D-ZH GUIDE SYSTEM (KIGAN-KOREA) - Korean company “Kigan Industry Co Ltd” presented a new generation of guides – “Kigan 3D-ZH Guide”. The engineering team used the newest technology of volumetric stamping with 3D modeling, resulting in a super light and strong frame. The complex cut of the frame gives it an advanced rigidity, but needs a smaller quantity of metal in its production, so the end product is much lighter. When creating the frame the aim was to get a shape suitable for thin, soft braided lines that prevents tangling. The main object of guide location according to the 3D-ZH Guide System, is to reduce the restriction when line goes through the rings. As a result we have increased accuracy and casting distance. The more frequent arrangement of micro rings used in this system increases sensitivity as well.





K-GUIDE SYSTEM - This is a more inexpensive version of KR-Guide Concept, with smaller sized guides. The weight reduction and greater number of guides provide more balanced use of the blank. The arrangement of guides according to KR-Guide System gives maximum blank efficiency while casting and even distribution of force while pulling back.






N-GUIDE SYSTEM – This is a way of splitting the location of the guides for extra-long casts. The small rings with tall frame design are placed more frequently on the blank. It improves line passage through the rings, resulting in more precise and longer casts. The New Guide System also allows more equal load distribution along the blank.




ACTION - This shows the difference between actions. As you can see, the rods of fast and extra-fast action are quite stiff in the butt. When casting, only the upper part of such rods work. The action of a slow action rod is less stiff in the butt and all of the blank works during casting. Fast action gives the angler good feedback about the bottom and registers even the slightest strike. A fast action rod allows sharp striking and helps make accurate casts. Slow action is good for long distance casts and for playing fish. The rod bends along the whole length, minimizing the possibility of line breakage while tiring the fish. The medium action is more multi-purpose.




Test test model Raptor-X







Before entering the new rod into production, conducted multi-level checks and tests in bending. All rods have a manufacturer's warranty.

Operational Safety


 Warning! Please follow the instructions for use as it will prolong the life of your rod.



 Please transport your rod in the special rod case to prevent damage.



 **CAUTION!**
Graphite rods are good conductors of electricity. Please keep following rules:



Do not use your graphite rod near high voltage power lines and power transmission lines. Even if there is no direct contact a voltaic arc may occur, resulting in serious damage.




Do not use your graphite rod during thunder-storms as graphite may attract lightning.

Explanation Article

JS-Jig Special	JS
SB-Sbirulino	SB
FR-Feeder Rod	FR
JB-Jerk Bait	JB
TS-Twitching Special	TS
RF-RockFish	MRF SR702UL(*)
TR-Travel	TR
TE-Tele	TE
TEGT-Tele GT	TEGT
BR - Boat Rod	BR
LE - Limited Edition	LE

Explanation article rods Maximus





Work Horse

Spinning rods

This is fast action rod, specially made for fishing with different type of lures. The blank is made of carbon IMF. It has light rings with SIC inserts, ergonomic cork handle and a classic spiral reel seat. The tip is sensitive and it allows the angler to track the progress of the lure. The middle and butt sections are powerful and striking is surefire. The optimal balance between price and specifications makes it a great choice of rod for all fishing conditions.

Blank:

- Graphite IMF
- Fast Action
- 2 sections

Split rings:

- SIC inserts
- Anti-twisting tip
- Light rings, single legged
- Classic guide spacing

Handle:

- Ergonomic design
- Cork

Reel seat:

- Classic screwed design

Accessories:

- Wire loop for hook



SIC

SIC GUIDE

Article	Material	Formation	Length, rd. cm.	Transport length., cm.	weight rods, gr.	Number of rings	Number of sections	Test, gr.
SWH18L	Carbon IMF	Fast Action	180	90	126	6	2	3-15
SWH21L			210	105	158	6	2	3-15
SWH21ML			210	105	162	6	2	5-20
SWH21M			210	105	166	6	2	10-30
SWH24L			240	120	178	6	2	3-15
SWH24ML			240	120	188	6	2	5-20
SWH24M			240	120	200	6	2	10-30
SWH24MH			240	120	202	6	2	15-40
SWH27ML			270	135	218	7	2	5-20
SWH27M			270	135	226	7	2	7-35
SWH27H			270	135	230	7	2	15-50
SWH30H			300	150	250	8	2	15-50
SWH33H			330	165	282	9	2	15-50





Zenith

Spinning rods

This is similar to the Workhorse but it is a rod of medium action which helps to increase casting distance and allow more delicate fish playing, minimizing the prospect of losing fish. The blank is made of carbon IMF and it has light rings with SIC inserts, ergonomic cork handle and classic spiral reel seat. This spinning rod is recommended for multi-purpose use with a wide range of lures.

Blank:

- Graphite IMF
- Medium Action
- 2 sections

Split rings:

- SIC inserts
- Anti-twisting tip
- Light rings, one legged
- Classic guide spacing

Handle:

- Ergonomic design
- Cork

Reel seat:

- Classic screwed design

Accessories:

- Wire loop for hook



SIC
SIC
GUIDE



Article	Material	Formation	Length, rd. cm.	Transport length, cm.	weight rods, gr.	Number of rings	Number of sections	Test, gr.
SZ21L	Carbon IMF	Medium Action	210	105	161	6	2	3-15
SZ21ML			210	105	166	6	2	5-20
SZ21M			210	105	167	6	2	10-30
SZ24L			240	120	183	6	2	3-15
SZ24ML			240	120	185	6	2	5-20
SZ24M			240	120	193	6	2	10-30
SZ27M			270	135	212	7	2	7-35
SZ27MH						135	223	7



SeaWolf

Spinning rods

NEW

This spin series combines low price with the latest technologies. The blank is Ex-fast action, made of graphite IMF, has light K-series rings with SIC inserts. Due to the special Tangle Free shape of the rings, line overshoot is not possible when throwing a lure. The handle is made of high quality neoprene EVA and the rod comes with a reliable classic reel seat. This spin rod is perfectly balanced and designed for any style of fishing with most lures.

Blank:

- Graphite IMF
- Ex-Fast Action
- 2 sections

Split rings:

- SIC inserts
- Anti-twisting tip
- Light rings, one legged
- Classic guide spacing

Handle:

- Ergonomic design
- EVA (neoprene)

Reel seat:

- Classic screwed design

Accessories:

- Wire loop for hook



Article	Material	Formation	Length, rd. cm.	Transport length., cm.	weight rods, , gr.	Number of rings	Number of sections	Test, gr.
MSSW18L	Carbon IMF	Ex-Fast Action	180	90	130	6	2	3-15
MSSW21L			210	105	150	6	2	3-15
MSSW21ML			210	105	152	6	2	5-20
MSSW21M			210	105	170	6	2	10-30
MSSW24L			240	120	181	6	2	3-15
MSSW24ML			240	120	179	6	2	5-20
MSSW24M			240	120	190	6	2	10-30
MSSW24MH			240	120	194	6	2	15-40
MSSW27ML			270	135	196	7	2	5-20
MSSW27M			270	135	204	7	2	7-35
MSSW27H			270	135	208	7	2	15-50
MSSW30H			300	150	249	7	2	15-50
MSSW33H			330	165	297	8	2	15-50





Wild Power

Spinning rods

When developing this series the company considered different fishing conditions and varied ways of using lures. This series is universal with a high level of specification at an acceptable price. These rods are really attractive to all anglers. The blank is made of carbon IMS, has light rings with SIC inserts, ergonomic cork handle and half-open aluminium reel seat, which makes the blank more sensitive. Fast action lets the angler make high-precision casts, control trotting of the lure and react quickly to a bite.

Blank:

- Graphite IMS
- Fast Action
- 2 sections

Split rings:

- SIC inserts
- Anti-twisting tip
- Light rings, one legged
- Classic guide spacing

Handle:

- Ergonomic design
- Cork

Reel seat:

- Aluminium, screwed
- Super Sensitive System

Accessories:

- Wire loop for hook



Super
Sensitive
System



SIC

SIC
GUIDE

Article	Material	Formation	Length, rd. cm.	Transport length., cm.	weight rods, , gr.	Number of rings	Number of sections	Test, gr.
SWP18L	Carbon IMS	Fast Action	180	90	142	7	2	3-15
SWP21L			210	105	163	7	2	3-15
SWP21ML			210	105	176	7	2	5-20
SWP21M			210	105	178	7	2	10-30
SWP24L			240	120	174	7	2	3-15
SWP24ML			240	120	178	7	2	5-20
SWP24M			240	120	200	7	2	10-30
SWP24MH			240	120	205	7	2	15-40
SWP27ML			270	135	212	7	2	5-20
SWP27M			270	135	228	7	2	7-35
SWP27H			270	135	248	7	2	15-50
SWP30H			300	150	270	8	2	15-50
SWP33H			330	165	298	9	2	15-50





Black Side Spinning rods

This is a multipurpose series of spinning rods for all styles of predator fishing with different lures. It is one model for all occasions. The ring location is based on a New Guide System. The blank has a fast action and is made from carbon IMS. The blank doesn't allow the stiff middle section to dominate while twitching wobblers and trotting crankbaits, while the stiff butt gives full control to the angler when pulling back, giving no chance to big fish. Black side is a high quality rod at a reasonable price. This spinning rod is as great for a beginner as for a serious angler who wants to have a cheap high quality rod in his kit.

Blank:

- Graphite IMS
- Fast Action
- 2 sections

Split rings:

- SIC inserts
- Anti-twisting tip
- Light rings, one legged
- N-Guide System

Handle:

- Ergonomic design, light separated construction
- EVA (neoprene)

Reel seat:

- Warm Reel seat
- Super Sensitive System

Accessories:


- Wire loop for hook



Super
Sensitive
System



Article	Material	Formation	Length, rd. cm.	Transport length., cm.	weight rods, , gr.	Number of rings	Number of sections	Test, gr.
MSBS180L	Carbon IMS	Fast Action	180	90	110	7	2	3-15
MSBS180ML			180	90	113	7	2	5-25
MSBS210UL			210	105	120	7	2	2-8
MSBS210L			210	105	120	7	2	3-15
MSBS210ML			210	105	122	7	2	5-25
MSBS210M			210	105	122	7	2	10-30
MSBS240L			240	120	134	8	2	3-15
MSBS240ML			240	120	136	8	2	5-25
MSBS240M			240	120	141	8	2	10-30
MSBS270L			270	135	150	9	2	3-15
MSBS270ML			270	135	154	9	2	5-25
MSBS270M			270	135	176	9	2	7-35
MSBS300M			300	150	219	10	2	7-35
MSBS300MH			300	150	222	10	2	15-40





Stealth - Tele

Spinning rods

This short telescopic rod keeps all the advantages and values of spinning. It is essential for travellers. The blank is made of carbon IMS, has light rings with SIC inserts, ergonomic cork handle and classic reel seat. The ring locations are based on the New Guide System

Blank:

- Graphite IMS
- Fast Action
- Telescopic

Split rings:

- SIC inserts
- Light rings, one legged
- N-Guide System
- 1 discharging ring on tip

Handle:

- Ergonomic design
- Cork

Reel seat:

- Classic screwed design

Accessories:

- Safety cap for rings



Article	Material	Formation	Length, rd. cm.	Transport length., cm.	weight rods, gr.	Number of rings	Number of sections	Test, gr.
TSS20ML	Carbon IMS	Fast Action	200	62 without cap*	174	6	6(tele)	5-25
TSS22L			220	66 without cap*	176	6	6(tele)	4-16
TSS23ML			230	67 without cap*	180	6	6(tele)	5-25
TSS24ML			240	63 without cap*	190	7	7(tele)	6-28
TSS25M			250	66 without cap*	190	7	7(tele)	7-35
TSS28M			280	64 without cap*	198	8	8(tele)	8-30





High Energy-X Spinning rods

NEW

This is a renewed version of the famous High Energy series. Excellent balance was reached by using the latest technologies and components. The blank is made of high modulus graphite HME, warm reel seat, Tangle Free split rings with South Korean made SIC inserts. The K-Guide System is used for split ring location. A combination of price and quality makes this rod the best in its class. It doesn't matter, which style of fishing or type of lure you prefer, this spinning rod is so balanced that it allows you to easily control trotting a lure and feel the slightest nibble. The stiff but elastic blank perfectly manages to pull in big fish thanks to the high modulus graphite construction. The blank soaks up every unexpected lunge of a predator and practically eliminates the chance of losing a fish.

Blank:

- High-modulus graphite HME
- Fast Action
- 2 sections

Split rings:

- SIC inserts
- Anti-twisting tip
- Tangle Free
- Light rings, one legged
- K-Guide System

Handle:

- Ergonomic design
- Cork + EVA (neoprene)

Reel seat:

- Warm Reel seat, ergonomic design



Article	Material	Formation	Length, rd. cm.	Transport length, cm	weight rods, , gr.	Number of rings	Number of sections	Test, gr.
MSHEX18UL	High Modulus Graphite HME	Fast Action	180	90	99	7	2	1-7
MSHEX18L			180	90	106	7	2	3-15
MSHEX21UL			210	105	108	7	2	1-7
MSHEX21L			210	105	119	7	2	3-15
MSHEX21ML			210	105	128	7	2	5-20
MSHEX21M			210	105	128	7	2	10-30
MSHEX24UL			240	120	125	8	2	1-7
MSHEX24L			240	120	139	8	2	3-15
MSHEX24ML			240	120	148	8	2	5-20
MSHEX24M			240	120	148	8	2	10-30
MSHEX24MH			240	120	156	8	2	15-40
MSHEX24H			240	120	167	8	2	20-60
MSHEX27ML			270	135	158	8	2	5-20
MSHEX27M			270	135	163	8	2	7-35
MSHEX27H			270	135	189	8	2	15-50
MSHEX30L			300	150	196	9	2	3-14
MSHEX30ML			300	150	198	9	2	5-20
MSHEX30M			300	150	200	9	2	7-35
MSHEX30H	300	150	211	9	2	14-56		
MSHEX33H	330	165	231	9	2	15-56		





Striker

Spinning rods

This is an improved model of the famous High Energy series. Using the latest technologies and components it combines sensitivity with blank elasticity. The blank is made of high modulus graphite HME, has rings with South Korean made SIC inserts and is located on the New Guide System with an ergonomic warm reel seat. Due to a special Super Sensitive System reel seat, you will feel even a light nibble.

Blank:

- High-modulus graphite HME
- Fast Action
- 2 sections

Split rings:

- SIC inserts
- Anti-twisting tip
- Light rings, one legged
- N-Guide System

Handle:

- Ergonomic design, light separated construction
- Cork

Reel seat:

- Warm Reel seat, ergonomic design
- Super Sensitive System

Accessories:

- Wire loop for hook



Super
Sensitive
System



SIC
SIC
GUIDE



Article	Material	Formation	Length, rd. cm.	Transport length, cm.	weight rods, gr.	Number of rings	Number of sections	Test, gr.
SS21L	High Modulus Graphite HME	Fast Action	210	105	128	7	2	3-15
SS21ML			210	105	132	7	2	5-20
SS21M			210	105	134	7	2	10-30
SS24L			240	120	138	8	2	3-15
SS24ML			240	120	144	8	2	5-20
SS24M			240	120	146	8	2	10-30
SS24MH			240	120	162	8	2	15-40
SS27ML			270	135	158	8	2	5-20
SS27M			270	135	162	8	2	7-35
SS27MH			270	135	172	8	2	15-40
SS30M			300	150	194	9	2	7-35
SS30H			300	150	196	9	2	14-56





Legend-X Spinning rods

NEW

Since the second half of 2013 the Legend series has “X” in its title. This is a series of universal spin rods with excellent specification levels. It features low price and high quality assembly. It also has great sensory capabilities and is perfect for casting. The blank is made from high modulus graphite IMSE, featuring Tangle Free light split rings with South Korean made SIC inserts, ergonomic cork handle and reliable Super Sensitive System reel seat. Thanks to its endurance, Legend-X will give confidence not only to a beginner but professionals as well.

Blank:

- High-modulus graphite IMSE
- Fast Action
- 2 sections
- “Chameleon” covering

Split rings:

- SIC inserts
- Anti-twisting tip
- Tangle Free
- Light rings, one legged
- K-Guide System

Handle:

- Ergonomic design
- Cork

Reel seat:

- Warm Reel seat, ergonomic design
- Super Sensitive System

Accessories:

- Wire loop for hook



Super Sensitive System



Article	Material	Formation	Length, rd. cm.	Transport length., cm.	weight rods, gr.	Number of rings	Number of sections	Test, gr.
MSLX18UL	High Modulus Graphite IMSE	Fast Action	180	90	117	7	2	1-7
MSLX19UL			190	95	120	7	2	1-7
MSLX20UL			200	100	124	7	2	1-7
MSLX20L			200	100	127	7	2	2-9
MSLX21L			210	105	129	7	2	3-10
MSLX22L			220	110	141	7	2	3-10
MSLX23ML			228	114	148	7	2	4-15
MSLX23M			228	115	152	7	2	10-28
MSLX24ML			244	122	160	7	2	5-21
MSLX24M			244	122	163	7	2	12-30
MSLX26MH			260	130	180	8	2	12-36
MSLX27MH	274	137	193	8	2	14-40		





Black Widow Spinning rods

NEW

This is the perfect choice for the angler looking for a hi-tech, cheap rod. It successfully combines a high quality blank with low price. Fast action, average stiffness and high modulus graphite allow this rod to be used for jigging and twitching as well as wobbler fishing. High quality Kigan Zirconia rings are located with the new 3D-Guide System using micro rings with a Mini Guide System, classic FUJI reel seat and warm neoprene handle. High sensitivity, long casting and confidence when pulling in makes this rod suitable for different styles of fishing for any species of fish.

Blank:

- High-modulus graphite IMSE
- Fast Action
- 2 sections

Split rings:

- Kigan with Zirconia inserts
- Anti-twisting tip
- Tangle Free
- Mini Guide System
- 3D- Guide System

Handle:

- Ergonomic design
- EVA (neoprene)

Reel seat:

- Classic screwed design

Accessories:

- Wire loop for hook



KIGAN



Article	Material	Formation	Length, rd. cm.	Transport length., cm.	weight rods, gr.	Number of rings	Number of sections	Test, gr.
MSBW21ML	High Modulus Graphite IMSE	Fast Action	210	105	102	8	2	4-18
MSBW24ML			240	120	119	9	2	7-25
MSBW26ML			256	128	124	9	2	4-18
MSBW27MH			270	135	129	10	2	10-40
MSBW30MH			300	150	138	10	2	10-40



Big River

Spinning rods

This series is specially made for real river monsters hunters. The blank is constructed from high modulus graphite HME, has an ergonomic cork handle, reliable classic reel-seat, split rings with South Korean made SIC inserts and a new way of ring location based on the New Guide System. The use of high modulus graphite makes the butt stronger, which helps to pull out fish with little or no risk of loss.

Blank:

- High-modulus graphite HME
- Fast Action
- 2 sections

Split rings:

- SIC inserts
- Anti-twisting tip
- Light rings, one legged
- N-Guide System

Handle:


- Ergonomic design
- Cork

Reel seat:

- Classic screwed design

Accessories:

- Wire loop for hook



SIC
SIC
GUIDE



Article	Material	Formation	Length, rd. cm.	Transport length., cm.	weight rods, , gr.	Number of rings	Number of sections	Test, gr.
SBR27M	High Modulus Graphite HIME	Fast Action	270	135	202	8	2	10-30
SBR30MH			300	150	226	8	2	15-45



Poacher

Spinning rods

This series is developed using modern technologies, materials and components. This is a fast action rod, powerful, long-casting and sensitive. The blank is made from high modulus graphite HME, has a cork handle, ergonomic reel seat, Tangle free split rings with South Korean made SIC inserts and a new way of ring location based on the K-Guide System.

Poacher rods are made for jig head fishing but are also recommended for trophy salmon fishing with spoons and wobblers. This model MSBSP33H is made of three parts and used specially for bombard fishing on north rapid rivers.

Blank:

- High-modulus graphite HME
- Fast Action
- 2-3 sections

Split rings:

- SIC inserts
- Anti-twisting tip
- Tangle Free
- Light rings, one legged
- K-Guide System

Handle:

- Ergonomic design
- Cork

Reel seat:

- Ergonomic design
- Super Sensitive System

Accessories:

- Wire loop for hook



**Super
Sensitive
System**



Article	Material	Formation	Length, rd. cm.	Transport length., cm.	weight rods, gr.	Number of rings	Number of sections	Test, gr.
MSP24ML	High Modulus Graphite HME	Fast Action	244	122	170	8	2	5-20
MSP27ML			274	137	186	8	2	5-25
MSP27MH			274	137	198	8	2	10-40
MSP30MH			300	150	208	8	2	10-40
MSP30H			300	150	242	8	2	20-60
MSBSP33H*			335	115	326	9	3	20-70

*Sbirulino Special



Fish Poison

Spinning rods

NEW

This light and ultralight series is made using the latest technologies, materials and components. The rod is fast action, powerful and long casting with high sensitivity. The blank is made from high modulus HMN graphite (46T). It makes the blank light and elastic, which helps in pulling out a big fish. Casting characteristics are at the highest level. The rod also features a cork handle, ergonomic FUJI Warm reel seat and FUJI Alconite split rings, located on the KR-Guide Concept. This rod has a low price and it is ideal for fishing with little spinners and spoons, light jigs and flies.

Blank:

- High-modulus graphite HMN
- Ex-Fast Action
- 2-3 sections

Split rings:

- FUJI with ALCONITE inserts
- Anti-twisting tip
- Tangle Free
- Mini Guide System
- KR-Guide System

Handle:

- Ergonomic design
- Cork

Reel seat:

- FUJI
- Warm Reel seat, ergonomic design

Accessories:

- Wire loop for hook



Article	Material	Formation	Length, rd. cm.	Transport length., cm.	weight rods, gr.	Number of rings	Number of sections	Test, gr.
MSFP23UL	High Modulus Graphite HME	Ex-Fast Action	230	115	94	9	2	1-8
MSFP23L			230	115	98	9	2	2-11
MSFP24UL			240	120	104	10	2	1-8
MSFP24L			240	120	106	10	2	2-11



Warrior casting /Jerkbait/ Spinning rods

This is a special casting rod for jerk trotting with average size and big jerkbaits. The stiff and Ex-fast action rod gives the lure excellent trotting ability and handles the biggest predators. A huge margin of safety is achieved by its metal-clad power blank construction and special rod structure 1+ (blank+handle).

Blank:

- Graphite
- Ex-Fast Action
- 1+ section
- WXW-X construction

Split rings:

- SIC inserts
- Anti-twisting tip
- Low-profiled, intensified, on two legs
- N-Guide System

Handle:

- EVA (neoprene)

Reel seat:

- Baitcasting, classic screwed design

Accessories:

- Wire loop for hook



Article	Material	Formation	Length, rd. cm.	Transport length, cm.	weight rods, gr.	Number of rings	Number of sections	Test, gr.
JBCW16XH	Carbon	Ex-Fast Action	160	115	178	6	1+	50-120
JBCW18XXH			180	127	194	7	1+	80-180
JBCW20XXH			200	145	218	8	1+	90-220



Warrior /Jerkbait/ Spinning rods

Warrior is a popular rod for fishing with fixed-spool reel. This rod is powerful, with ex-fast action suitable for jerk trotting of jerkbaits and wobblers. It is perfect for use with spinnerbaits and spoons. A huge margin of safety is achieved by metal-clad power construction of the blank and special rod structure 1+ (blank+handle).

Blank:

- Graphite
- Ex-Fast Action
- 1+ section
- WXW-X construction

Split rings:

- SIC inserts
- Anti-twisting tip
- Intensified, on two legs
- N-Guide System

Handle:

- EVA (neoprene)

Reel seat:

- Classic screwed design

Accessories:

- Wire loop for hook



Article	Material	Formation	Length, rd. cm.	Transport length., cm.	weight rods, gr.	Number of rings	Number of sections	Test, gr.
JBSW16XH	Carbon	Ex-Fast Action	160	115	184	5	1+	50-120



Destroyer casting /Jerkbait/ Spinning rods

This rod is specially made for jerk trotting with average and big jerkbaits and is designed for fishing with a multiplier. It has a separate handle made of neoprene EVA, which reduces the weight of the rod. It also has South Korean made split rings with SIC inserts and a New Guide System of ring location. Stiff Ex-fast action rods provide a lure with necessary trotting action and handles the lunges of the biggest predators. A huge margin of safety is achieved by the metal-clad power construction of the blank and special rod structure 1+ (blank+handle).

Blank:

- High-modulus graphite HME
- Ex-Fast Action
- 1+ section
- WXW-X construction

Split rings:

- SIC inserts
- Anti-twisting tip
- Low profiled, intensified, on two legs
- N-Guide System

Handle:

- Ergonomic design, light separated construction
- EVA (neoprene)

Reel seat:


- Baitcasting, classic screwed design

Accessories:

- Wire loop for hook



SIC
SIC
GUIDE



Article	Material	Formation	Length, rd. cm.	Transport length., cm.	weight rods, , gr.	Number of rings	Number of sections	Test, gr.
JBCD15H	High Modulus Graphite HME	Ex-Fast Action	150	117	123	8	1+	20-80
JBCD17XH			170	139	138	9	1+	40-100



Destroyer /Jerkbait/ Spinning rods

This popular spinning rod is for those who always dreamed of jerk fishing, but can't have both casting rod and multiplying reel. Now you can buy just one rod and equip it with an inertial reel and learn the technique of fishing with jerkbait lures.

Blank:

- High-modulus graphite HME
- Ex-Fast Action
- 1+ section
- WXW-X construction

Split rings:

- SIC inserts
- Anti-twisting tip
- Intensified, on two legs
- N-Guide System

Handle:

- Warm Reel seat, ergonomic design

Reel seat:

- Baitcasting, classic screwed design

Accessories:

- Wire loop for hook



Article	Material	Formation	Length, rd. cm.	Transport length., cm.	weight rods, , gr.	Number of rings	Number of sections	Test, gr.
JBSD15H	High Modulus Graphite HME	Ex-Fast Action	150	75	111	6	1+	20-80



Ranger RockFish Spinning rods

NEW

This series of fast action spinning rods is made for fishing with ultralight jig lures. Supersensitive monolithic top conducts the lightest nibble and provides great casting of your favorite mini lure. The top is white, for better visual trotting control. The blank is made of high modulus HME graphite. The rod has FUJI ALCONITE split rings located on a KR-Guide Concept. Mini Guide System rings reduce the inertia of the blank and increase sensitivity. A separate comfortable handle improves balance with Super Sensitive System reel seat.

Ranger is an excellent rod for anyone who prefers delicate fishing with ultralight jig lures, microspoons and spinners of zero size.

Blank:

- High-modulus graphite HME
- Ex-Fast Action
- 2 sections
- WXW-X construction

Split rings:

- FUJI with ALCONITE inserts
- Anti-twisting tip
- Tangle Free
- Mini Guide System
- KR-Guide System

Handle:

- Ergonomic design, light separated construction
- EVA (neoprene)

Reel seat:

- FUJI
- Warm Reel seat
- Super Sensitive System



Super Sensitive System



Article	Material	Formation	Length, rd. cm.	Transport length., cm.	weight rods,, gr.	Number of rings	Number of sections	Test, gr.
MRF5R702UL	High Modulus Graphite HME	Ex-Fast Action	213	107	88	8	2	1-7
MRF5R762UL			228	114	93	9	2	2-9





Egoist-X Spinning rods

NEW

The renewed Egoist-X series of Maximus rods is for anglers who fish with ultralight tackle. Each rod of this series has a sensitive tip and fast action that guarantees an exact cast and excellent conductivity. The blank is made of high modulus HME graphite and has a KR-Guide System of FUJI Alconite split rings. A separate comfortable handle reduces the weight and improves the balance of the rod. The sensitive tip lets you feel even the slightest nibble, while the blank handles the rigours of even the biggest predators.

Blank:

- High-modulus graphite HME
- Fast Action
- 2 sections
- WXW-X construction

Split rings:

- FUJI with ALCONITE inserts
- Anti-twisting tip
- Tangle Free
- Mini Guide System
- KR-Guide System

Handle:

- Ergonomic design, light separated construction
- Cork

Reel seat:

- FUJI
- Warm Reel seat
- Super Sensitive System

Accessories:

- Wire loop for hook



Super Sensitive System



Article	Material	Formation	Length, rd. cm.	Transport length, cm.	weight rods, gr.	Number of rings	Number of sections	Test, gr.
MSEX602UL	High Modulus Graphite HME	Fast Action	183	92	79	7	2	1-5
MSEX662UL			198	99	91	7	2	1-7
MSEX702UL			213	107	92	7	2	1-7
MSEX762L			228	114	98	8	2	2-10
MSEX802L			244	122	103	8	2	3-14



Dueler-X Twitching

Spinning rods

NEW

This series is the essence of modern spinning rods, specially made for twitching and wobbler fishing. The latest technologies, high quality materials, and components were used to develop a spinning rod which is light, powerful, fast action, sensitive and long casting. A high sensitivity blank allows for total control over the lure. It makes Dueler-X a great instrument for twitching and jig fishing. The blank is made of high modulus HME graphite, has an ergonomic warm reel seat, Tangle Free split rings with SIC inserts and an anti-twisting tip to prevent line overshoot. Dueler-X is an excellent choice for demanding anglers.

Blank:

- High-modulus graphite HME
- Fast Action
- 2 sections
- WXW-X construction

Split rings:

- SIC inserts
- Anti-twisting tip
- Tangle Free
- Light rings, one legged
- K-Guide System

Handle:

- Ergonomic design
- EVA (neoprene)

Reel seat:

- Warm Reel seat
- Super Sensitive System

Accessories:

- Wire loop for hook



Super
Sensitive
System



Article	Material	Formation	Length, rd. cm.	Transport length., cm.	weight rods, gr.	Number of rings	Number of sections	Test, gr.
MTSSDX702UL	High Modulus Graphite HME	Fast Action	213	107	123	7	2	1-7
MTSSDX732L			220	110	128	7	2	2-10
MTSSDX802L			244	122	146	8	2	3-14
MTSSDX832ML			251	126	153	8	2	5-21



Marauder Twitching

Spinning rods

NEW

This is a gorgeous spinning rod for those who prefer twitch fishing. Each detail is thought out: maximum lightness, Ex-fast action, high modulus graphite HMN+HME (40T+46T combination), fantastic weather-cloth and FUJI MINI GUIDE System. This is the ideal twitching rod, implementing all these options on one blank. With this rod you can feel every move of an active wobbler and the top doesn't "fall through" while aggressively twitching. The rod has tangle free, light FUJI Alconite rings located by the KR-Guide System. Marauder has amazing casting characteristics and is perfect for stopping a fish in its tracks before it can dive under a snag or hide in the weeds.

Blank:

- Sandwich construction – a combination of several types of high modulus graphite materials in one blank
- High-modulus graphite HMN + HME
- Ex-Fast Action
- 2 sections
- WXW-X construction
- Carbon Wrapping Power Connection

Split rings:

- FUJI with ALCONITE inserts
- Anti-twisting tip
- Tangle Free
- Mini Guide System
- KR-Guide System

Handle:

- Ergonomic design, light separated construction
- Cork

Reel seat:

- FUJI
- Warm Reel seat
- Super Sensitive System



Super Sensitive System



Article	Material	Formation	Length, rd. cm.	Transport length., cm.	weight rods, gr.	Number of rings	Number of sections	Test, gr.
MTSSM662L	High Modulus Graphite — HMIN+HME	Ex-Fast Action	198	99	86	9	2	3-14
MTSSM662ML			198	99	91	9	2	5-21
MTSSM662M			198	99	93	9	2	7-28



Dreamer-X Spinning rods

NEW

Spinning rods in the updated Dreamer-X series have great lightness, sensitivity and power. The blank is made with a Sandwich system. This system is a combination of several high modulus graphite materials in one blank. Layering of these materials makes the blank stronger in the middle and butt but doesn't enlarge the diameter. The tip is still soft and very sensitive. It helps to clearly feel the bottom contour and control trotting independent of fishing conditions. The blank has Mini Guide FUJI SIC split rings located by the KR-concept. X-joint connection, ergonomic cork handle, reel seat with carbon resonator and ex-fast action high modulus graphite blank make this rod an incredibly informative instrument for the most styles of fishing. A stronger butt lets the angler feel more confident when pulling out a tough fish.

Blank:

- Sandwich construction – a combination of several types of high modulus graphite materials in one blank
- High-modulus graphite HMN + HME
- Ex-Fast Action
- 2 sections
- X-Joint

Split rings:

- FUJI with ALCONITE insets
- Anti-twisting tip
- Tangle Free
- Mini Guide System
- KR-Guide System

Handle:

- Ergonomic design
- Cork + EVA (neoprene)

Reel seat:

- FUJI
- Warm Reel seat
- Super Sensitive System

Accessories:

- Wire loop for hook



Article	Material	Formation	Length, rd. cm.	Transport length, cm.	weight rods, gr.	Number of rings	Number of sections	Test, gr.
MSDX802L	High Modulus Graphite HMN+HME	Ex-Fast Action	244	122	156	8	2	3-14
MSDX832ML			251	126	166	8	2	5-21
MSDX902M			274	137	183	8	2	7-35
MSDX902H			274	137	195	8	2	14-56
MSDX1002MH			305	153	192	9	2	10-42
MSDX1002H			305	153	222	9	2	20-70



Dreamer casting Spinning rods

Spinning rods of the Dreamer series have great lightness, sensitivity and power. The blank is made with a Sandwich system, combining different high modulus graphite materials in one blank. Layering of these materials makes the blank stronger in the middle and butt, but doesn't enlarge the diameter. The tip is still elastic and very sensitive, helping to feel the bottom contour and control trotting independent of fishing conditions. The blank has FUJI SIC split rings located by a new concept X-joint connection, ergonomic cork handle, Super Sensitive System reel seat and ex-fast action blank. A stronger butt section lets the angler feel more confident when pulling out a good fish.

Blank:

- Sandwich construction – a combination of several types of high modulus graphite materials in one blank
- High-modulus graphite HMN + HME
- Ex-Fast Action
- 2 sections
- X-Joint

Split rings:

- FUJI with ALCONITE inserts
- Anti-twisting tip
- Low profiled, intensified, on two legs
- N-Guide System

Handle:

- Ergonomic design
- Cork

Reel seat:


- FUJI
- Super Sensitive System

Accessories:

- Wire loop for hook



Super Sensitive System



Article	Material	Formation	Length, rd. cm.	Transport length., cm.	weight rods, gr.	Number of rings	Number of sections	Test, gr.
CD902H	High Modulus Graphite HMN+HME	Ex-Fast Action	274	137	176	10	2	14-56
CD1002H			305	153	206	11	2	20-70



Raptor-X Professional Series Spinning rods

NEW

The updated Raptor-X series is a universal, very light and modern rod with good sensitivity and a huge reserve of power. The latest technologies, materials and components are used in Raptor-X. The blank is made of NANO fiber using Sandwich technology. This system is the combination of different modulus graphite materials in one blank. Layering of these materials makes the blank stronger in the middle and butt, but doesn't enlarge the diameter. The tip is still elastic and very sensitive. It helps to clearly feel the bottom contour and control trotting independent of fishing conditions. The blank has light FUJI SIC split rings in titanium frames located by new KR-Guide concept. X-joint connection and reinforced graphite fibers make the blank unbelievably powerful yet still very light. Ergonomic cork handle and Warm reel seat with Super Sensitive System allow for comfortable fishing. The tip lets you feel even the lightest nibble and the strong butt guarantees power when you need it.

Blank:

- Sandwich construction – a combination of several types of high modulus graphite materials in one blank
- High-modulus graphite NANO GRAPHITE FIBRES
- Ex-Fast Action
- 2 sections
- WXW-X construction
- X-Joint

Split rings:

- FUJI with ALCONITE inserts
- Titanium frame
- Anti-twisting tip
- Tangle Free
- Mini Guide System
- KR-Guide System

Handle:

- Ergonomic design, light separated construction
- Cork

Reel seat:

- FUJI
- Warm Reel seat
- Super Sensitive System

Accessories:

- Hard tube made of Cordura
- Wire loop for hook



Super Sensitive System



Article	Material	Formation	Length, rd. cm.	Transport length, cm.	weight rods, gr.	Number of rings	Number of sections	Test, gr.
MSRX662UL	High Modulus Nano Graphite Fibers	Ex-Fast Action	198	99 without tube	103	8	2	1-7
MSRX762L			228	114 without tube	118	9	2	2-10
MSRX802L			244	122 without tube	126	9	2	3-17
MSRX862ML			259	130 without tube	145	10	2	5-28
MSRX902M			274	137 without tube	154	10	2	7-35



All spinning Raptor-X delivered in a robust plastic tube fitted by Cordura.



Sorcerer - Pole Float rods



Light, powerful, medium fast action rod made of graphite IMF. This series is recommended for anglers who prefer to fish a tele pole. Handle has a nonslip coating for comfortable use. At the end of a handle there is a twisting cap for drying and rod overhaul.



Blank:

- Graphite IMF
- Medium-Fast Action
- Tele-rod

Handle:

- Nonslip Coating

Accessories:

- Safety closer

Article	Material	Formation	Length, rd., cm.	Transport length, cm.	Weight rods, gr.	Number of rings	Number of sections	Test, gr.
STE400	Carbon IMF	Medium - Fast Action	400	118	166	—	4	—
STE500			500	118	272	—	5	—
STE600			600	118	372	—	6	—



Sorcerer - Bolognese Float rods



The high quality light medium fast action rod. It is made of graphite IMF, has light rings with tall frames and SIC inserts and a reliable reel seat. The top segment has two rings for more proportional distribution of the load. The handle has a nonslip covering for comfortable use. At the end of a handle there is a twisting cap for drying and rod overhaul.

Blank:

- Graphite IMF
- Medium-Fast Action
- Tele-rod

Split rings:

- SIC inserts
- Light rings, have one stand
- Two discharging rings on a tip

Handle:

- Nonslip Coating

Reel seat:

- Provided with flexible lock pin

Accessories:

- Safety cap for rings



Article	Material	Formation	Length, rd., cm.	Transport length, cm.	Weight rods, gr.	Number of rings	Number of sections	Test, gr.
STEGT400	Carbon IMF	Medium - Fast Action	400	120 without cap*	195	6	4	—
STEGT500			500	120 without cap*	306	7	5	—
STEGT600			600	120 without cap*	430	8	6	—



Wizard - Pole Float rods



This reliable light medium-fast action rod is made from graphite IMS and is usable for sport fishing and general recreational fishing as well. This series is recommended for anglers, who prefer to fish with a tele pole. The handle has a nonslip coating for comfortable use. At the end of a handle there is a twisting cap for drying and overhaul of the rod.

Blank:

- Graphite IMS
- Medium-Fast Action
- Tele-rod

Handle:

- Nonslip Coating

Accessories:

- Safety closer



Article	Material	Formation	Length, rd., cm.	Transport length, cm.	Weight rods, gr.	Number of rings	Number of sections	Test, gr.
WTE450	Carbon IMS	Medium - Fast Action	450	116	200	—	5	—
WTE550			550	116	286	—	6	—



Wizard - Bolognese Float rods



This light, durable, sensitive rod shows its best characteristics in every style of float fishing. The rod is made of graphite IMS, has two rings for more proportional distribution of the load. A cap protects the rings during storage and transportation and the handle has a nonslip coating for comfortable use. At the end of a handle there is a twisting cap for drying and rod overhaul.

Blank:

- Graphite IMS
- Medium-Fast Action
- Tele-rod

Split rings:

- SIC inserts
- Light rings, one legged
- Two discharging rings on the tip

Handle:

- Nonslip Coating

Reel seat:

- Provided with flexible lock pin

Accessories:

- Safety cap for rings



Article	Material	Formation	Length, rd., cm.	Transport length, cm.	Weight rods, gr.	Number of rings	Number of sections	Test, gr.
WTEGT450	Carbon IMS	Medium - Fast Action	450	120 without cap*	242	7	5	—
WTEGT550			550	120 without cap*	328	8	6	—



Joker - Bolognese

Float rods

NEW

A light, durable medium-fast action rod on a stiff blank made from graphite IMF. The light weight and ideal balance don't tire the angler during long fishing sessions and the rod's optimal action allows long and exact casts. Joker is compact when folded, making for comfortable transportation. The top segment has three rings for more proportional distribution of the load. A cap protects the rings during storage and transportation. The handle has a nonslip coating for comfortable use. At the end of a handle there is a twisting cap for drying and rod overhaul.

Blank:

- Graphite IMF
- Medium-Fast Action
- Tele-rod

Split rings:

- SIC inserts
- Light rings, one legged
- Three discharging rings on a tip

Handle:

- Nonslip Coating

Reel seat:

- Provided with flexible lock pin

Accessories:

- Safety cap for rings



SIC
SIC
GUIDE



Article	Material	Formation	Length, rd., cm.	Transport length, cm.	Weight rods, gr.	Number of rings	Number of sections	Test, gr.
MJTEGT450	Carbon IMF	Medium - Fast Action	450	110 without cap*	234	8	5	—
MJTEGT550			550	110 without cap*	321	9	6	—



Witcher- Bolognese

Float rods

This is a high quality light and durable fast action rod with stiff IMS blank and guides with South Korean made SIC inserts. Light rings on tall frames avoid line adhesion, while low weight and ideal balance don't tire the angler during long fishing sessions. Optimal action allows long and exact casts and confident control of big fish, as well as minimizing missed strikes and lost fish. Witcher is suitable for every style of fishing. The handle has a nonslip coating for comfortable use. At the end of a handle there is a twisting cap for drying and rod overhaul.

Blank:

- Graphite IMS
- Fast Action
- Tele-rod

Split rings:

- SIC inserts
- Light rings, one legged
- Two discharging rings on a tip

Handle:

- Nonslip Coating

Reel seat:

- Provided with flexible lock pin

Accessories:

- Safety cap for rings



SIC
SIC
GUIDE



Article	Material	Formation	Length, rd., cm.	Transport length, cm.	Weight rods, gr.	Number of rings	Number of sections	Test, gr.
MWCTEGT400	Carbon IMS	Fast Action	400	136 without cap*	214	7	4	4 - 20
MWCTEGT500			500	137 without cap*	295	8	5	4 - 20



Walker - Travel Float rods

NEW

Walker is a high quality short folding float rod and it is perfect for anglers who like to travel a lot. The rod is made of graphite IMS, has light guides with South Korean made SIC inserts and a reliable reel seat. Tangle free rings avoid overshoot of the line while casting and help the angler to concentrate on fishing. Correct location of the rings evenly distributes the load and guarantees long casting while providing the necessary power to handle good fish. At the end of a handle there is a twisting cap for drying and rod overhaul.

Blank:

- Graphite IMS
- Medium-Fast Action
- Tele-rod

Split rings:

- SIC inserts
- Tangle Free
- Light rings, one legged
- One discharging ring on a tip

Handle:


- Compact (Travel)

Reel seat:

- Provided with flexible lock pin

Accessories:

- Safety cap for rings



Article	Material	Formation	Length, rd., cm.	Transport length, cm.	Weight rods, gr.	Number of rings	Number of sections	Test, gr.
MTRFW360	Carbon IMS	Medium - Fast Action	360	63 without cap*	173	8	8	—
MTRFW380			380	63 without cap*	175	8	8	—
MTRFW400			400	65 without cap*	205	9	9	—
MTRFW420			420	65 without cap*	209	9	9	—
MTRFW450			450	65 without cap*	263	10	10	—



Mantra - Match

Match rods

The classic three-segment, fast action match rod is made from graphite IMS. It has rings on tall frames with South Korean made SIC inserts. They are located with short intervals to help avoid the line adhering to the blank and ensure even distribution of the load. Thanks to the fast action blank, the angler can make exact extra long casts and immediately react to a nibble. It is perfect for lake match fishing and for trotting.

Blank:

- Graphite IMS
- Fast Action
- 3 sections

Split rings:

- SIC inserts
- Light match rings, on high stand
- Classic match distribution of rings

Handle:


- Cork + EVA (neoprene)

Reel seat:

- Classic screwed design



SIC
SIC
GUIDE



Article	Material	Formation	Length, rd., cm	Transport length, cm	Weight rods, gr.	Number of rings	Number of sections	Test, gr.
MMMR420	Carbon IMS	Fast Action	420	145	238	14	3	5 - 20
MMMR450			450	155	256	14	3	5 - 25



Red Devil - Feeder Feeder rods

Red devil is a series of feeder rods, appropriate for all fishing conditions, whether it is a river with fast flow or a deep lake with still water. Three segments of medium fast action feeder made of graphite, have guides with SIC insets, neoprene EVA handle and reliable classic reel seat. Three tops with different degree of stiffness are included (two GRP and one graphite). A quality graphite blank guarantees necessary stiffness and excellent casting characteristics.

Blank:

- Graphite
- Medium-Fast Action
- 3 sections +3 tips

Split rings:

- SIC inserts
- Low profiled, intensified, on two legs

Handle:

- Ergonomic design
- Cork + EVA (neoprene)

Reel seat:

- Classic screwed design

Accessories:

- Wire loop for hook
- Three replacement tips in transparent tube.



SIC

SIC GUIDE



Article	Material	Formation	Length, rd., cm	Transport length, cm	Weight rods, gr.	Number of rings	Number of sections	Test, gr.
FRRD360H	Carbon	Medium - Fast Action	360	127	289	13	3+3 Tips	60/90/120
FRRD390H			390	137	316	13	3+3 Tips	60/90/120
FRRD390XH			390	137	323	13	3+3 Tips	90/120/150
FRRD420XH			420	147	441	13	3+3 Tips	120/150/180
Spare parts								
MFRRDQTH*			63	63	-	5	3 Tips	60/90/120
MFRRDQTXH*			63	63	-	5	3 Tips	90/120/150
MFRRDQTXH2*			63	63	-	5	3 Tips	120/150/180

* Red Devil Spare Q-Tips - Three replacement tips in transparent tube.



Bream Master - Feeder Feeder rods

This series of modern, medium-fast action feeder rods is made from graphite. It has a combined EVA neoprene handle, reliable classic reel seat and guides with SIC inserts. Each rod has four tips with varying degrees of stiffness that allow you to use the rod in different fishing conditions. A high-quality graphite blank guarantees necessary stiffness and excellent casting qualities.

Blank:

- Graphite
- Medium-Fast Action
- 3 sections +4 tips

Split rings:

- SIC inserts
- Low profiled, intensified (2 on two stands, 6 on one stand, 6 on a tip)

Handle:


- Ergonomic design
- Cork + EVA (neoprene)

Reel seat:

- Classic screwed design


Accessories:

- Four replacement tips in transparent tube.



SIC

SIC GUIDE



Article	Material	Formation	Length, rd., cm.	Transport length, cm.	Weight rods, gr.	Number of rings	Number of sections	Test, gr.
MFRBM360ML	Carbon	Medium - Fast Action	360	125	-	14	3+4 Tips	20/40/60/90
MFRBM390H			390	135	-	14	3+4 Tips	60/90/120/150
MFRBM420XH			420	145	345	14	3+4 Tips	90/120/150/180



Adventure - Feeder

Feeder rods

This series of modern feeder rods is presented in the three most popular lengths and tests. The medium-fast action blank is made of high modulus graphite that provides the rod with necessary stiffness and good casting ability. The rod has split rings with SIC inserts, combined EVA neoprene handle and high quality cork. Three tops with different degree of stiffness are included (two GRP and one graphite)

Blank:

- High-modulus graphite
- Medium-Fast Action
- 3 sections +3 tips

Split rings:

- SIC inserts
- Low profiled, intensified, on two legs
- Handle
- Ergonomic design
- Cork + EVA (neoprene)

Reel seat:

- Classic screwed design

Accessories:

- Wire loop for hook
- Three replacement tips in transparent tube.



SIC

SIC GUIDE



Article	Material	Formation	Length, rd., cm.	Transport length, cm.	Weight rods, gr.	Number of rings	Number of sections	Test, gr.
FRA330H	High Modulus Graphite	Medium - Fast Action	330	116	234	13	3+3 Tips	60/90/120
FRA360H			360	126	247	13	3+3 Tips	60/90/120
FRA390H			390	136	292	13	3+3 Tips	60/90/120
spare parts								
MFRAQTH*			63	63	—	5	3 Tips	60/90/120

* Adventure Spare Q-Tips - Three replacement tips in transparent tube.



Medalist - Fly Fly rods

The rods of this series are made of high modulus graphite by a factory in South Korea, which specializes in fly rods only. These rods have traditional rings, an elegant reel seat with fine wood insets and cork handle of classic shape (type 1 – Western Style Grip, type 2 – Full Wells Grip). Medium fast action and the light weight of the rod guarantee excellent casting and smooth power. A triangular rod tube is included. The Medalist is the perfect choice for anglers who look for a universal fly rod.

Blank:

- High-modulus graphite
- Medium-Fast Action
- 4 sections

Split rings:

- 2 rings with SIC inserts
- Other rings are classic style

Handle:

- 5- 6 wt – Western Style Grip
- 7 wt – Full Wells Grip
- Ergonomic design
- Cork

Reel seat:

- 5, 6 wt – screwed, with insets made of fine wood
- 7 wt – aluminium, screwed

Accessories:

- Wire loop for hook
- Hard triangular tube made of Cordura
- Direction marks for easy alignment connection

Handle Type №2



SIC
SIC
GUIDE



Article	Material	Formation	Length, rd., cm.	Transport length, cm.	Weight rods, gr.	Handle Type №	Number of sections	Class #
FRM8654	High Modulus Graphite	Medium-Fast Action	256	64	77	1	4	# 5
FRM964			274	69	82	1	4	# 6
FRM974			274	69	112	2	4	# 7



Distance Ace - Fly Fly rods

The double handle fly rod made of high modulus graphite has traditional rings, a reliable aluminium reel seat and high quality cork handle. The rod is specially made to work with middle body line and Scandinavian shooting heads, the most appropriate setup for fishing the northern rivers of Russia. The rod is medium fast action, which helps beginners to avoid timing mistakes. It has the ability to work with high speed lines and narrow loops so experienced anglers can use all their casting skills.

Blank:

- High-modulus graphite
- Medium-Fast Action
- 4 sections

Split rings:

- 2 rings with SIC inserts
- Other rings are classical

Handle:

- Ergonomic design
- Cork

Reel seat:

- Aluminium, screwed with 2 fixing screw-nuts

Accessories:

- Hard triangular tube made of Cordura
- Direction marks for easy alignment connection

Recommended braided lines:

- Rio Skandi Versitip #9
- Rio AFS Shooting Head 8/9 F 520/34 g
- Rio AFS Shooting Head 9/10 F 580/38 g
- Airflo Delta Spey Multi Tip 9/10



SIC

SIC
GUIDE



Article	Material	Formation	Length, rd., cm. Grain	Transport length, cm.	Weight rods, gr.	recommended weight shooting head gr./grain	Number of sections	Class#
DHFRDA	High Modulus Graphite	Medium-Fast Action	427	107	268	34-39rp. / 520 - 580 Grain	4	# 8/9/10

Central office and offices in the regions of the Russian Federation

ECOGROUP "Ecotechnology" Llc
St. Petersburg, ul. Bucharest, on 124/56, 192288,
Tel. / Fax: (812) 773-45-00, 773-55-11,
772-86-93, 701-68-38

Alexander Berezhnoy – destination representative
e-mail: bas@eco-group.ru
Skype: [berezhnoy.alexander](https://www.skype.com/user/berezhnoy.alexander)
tel. (Mobile): +7 (918) 522-26-17

Moscow Tel.: +7 (846) 276-40-99
e-mail: ecosamara@mail.ru
Representative: Minyukov Alexander

Voronezh, ul. Heroes Stratosphere, 13
tel.: +7 (4732) 39-4545; tel.
e-mail: ecosystems@eco-group.ru
Representative: Alexey Khudyakov

Samara, ul. Sandy, 1
tel.: +7 (846) 276-40-99
e-mail: ecosamara@mail.ru
Representative: Minyukov Alexander

Nizhny Novgorod, ul. Gordeev 75A
tel. (Mobile): +7 (910) 395-00-08
e-mail: ecogroupn@mail.ru
Representative: Dmitry Krainov

Volgograd, ul. Socialist, 26
tel. (Mobile): +7 (905) 338-96-75
e-mail: ids@eco-group.ru
Representative: Dmitry Ivanov

Samara, Ul. Angara, 28, 2nd Floor
tel. (Mobile): +7 (914) 876-83-61
e-mail: kes@eco-group.ru
Representative: Kostin Evgueni

Novosibirsk
tel. (Mobile): +7 (963) 949-45-00
e-mail: tg@eco-group.ru
Representative: Tareykin Gregory

Rostov-on-Don
tel. (Mobile): +7 (918) 522-26-17
e-mail: bas@eco-group.ru
Representative:
Berezhnoy Alexander

Kazan
tel. (Mobile): +7 (927) 045-95-89
e-mail: vav@eco-group.ru
Representative: Alexey Voedilov

Ufa
tel. (Mobile): +7 (987) 250-99-52
gaynetdinov.ruslan@eco-group.ru
Skype: [bahskir82](https://www.skype.com/user/bahskir82)
Representative:
Ruslan Gainetdinov

MAXIMUS
THE FISHING GLADIATOR

ECOGROUP
www.eco-group.ru



MAXIMUS
THE FISHING GLADIATOR

High Quality Fishing Rods