



www.maximus-rods.com

resident









The novelty of the 2023 season is the Resident spinning rod. It's classic spinning with a solid neoprene handle for a comfortable work with the rod and secure grip. The blank is made of IMF graphite. The material of the guides inserts is SIC. Resident is a universal fast action spinning rod (FAST ACTION), therefore, it can be used for fishing while combining different methods of fishing and using different types of baits. However, this rod perfectly knits fish, and the balanced design guarantees accurate and far casting. The handle is made of dense finely porous neoprene (EVA), which gives the spinning rod a modern look. Warm reel seat (Warm Reel Seat), provides maximum comfort when using the rod in cold weather. This model has a wide range of sizes, including the most popular tests and lengths.

BLANK

- IMF graphite
- Fast Action

REEL SEAT

- Warm Reel Seat
- Ergonomic design
- GUIDES
- SIC guides
- K-Guide system
- Antitwisting Tip
- Tangle Free frame construction
- Lightweight, single foot
- HANDLE
- Ergonomic design
- Material: EVA

ltem	Length, cm	Closed length, cm	Guides Section		Lure weight, g
MSRE21L	210	110	110 7		4-15
MSRE21ML	210	110	7	2	5-20
MSRE21M	210	110	7	2	7-30
MSRE21MH	210	110	7	7 2	
MSRE24L	240	125	7	7 2	
MSRE24ML	240	125	7 2		5-20
MSRE24M	240	125	7	2	7-30
MSRE24MH	240	125	7	2	17-42
MSRE24H	240	125	7	2	20-60
MSRE27M	270	140	7	2	7-30
MSRE27MH	270	140	7	7 2	
MSRE27H	270	140	7	2	20-60









The Umba spinning rod (Gorbusha fishing) has a telling name, because it was created specifically for catching the most affordable salmon in Russia – pink salmon. Catching this fish is very popular among residents of the northern regions such as St. Petersburg and the Far East. The rod has several unique features, firstly, it has a length of 3.3 and 3.5 meters, and secondly, it is a three-piece rod with a comfortable transport length. The spinning rod is named after the well-known large and full flowing northern river and for fishing in these harsh conditions the blank has an increased power, which helps to confidently play an expressive trophy. Moreover, the length and power of blank allow you to use Umba for long-distance casting of large lures when catching other fish species, such as asp. The blank is also predisposed for sea fishing from the shore, where the casting range is critical. The blank is made of high modulus graphite IMF, equipped with a warm reel seat and added to the handle combination of high quality neoprene and cork. Among northern latitudes such bonus is very demanded. The rods have guides with SIC inserts enclosed in reinforced low-profile frames (1 - on two feet, the rest on one foot).

Warm Reel Seat

BLANK

- IMF graphite
- Fast Action

REEL SEAT

- Warm Reel Seat
- Ergonomic design
- GUIDES
- SIC guides
- K-Guide frame
- Antitwisting Tip
- Tangle Free construction
- Lightweight, single foot
- K-Guide System

- Ergonomic design
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MSRE21L	330	115	259	9	3	max 110
MSRE27H	350	122	304	10	3	max 150



4



Seas, oceans, large rivers and lakes, these are the conditions that require longrange and accurate casting using fairly large lures. The Reef Fast action spinning rod is a response to the growing popularity of fishing in these waters. The model is made in 3.3m, 3.6m and 3.9m sizes, and it is quite a rare offer on the spinning rod market. Reef is a three-piece rod. The extreme size is compensated by a comfortable transport length. Spinning has increased power and was created for catching fish from sea coasts, but this does not mean that its use is limited only to sea areas. It is also ideal for catching large fish in large rivers, lakes and reservoirs. Note that this model is perfect for fishing with a bombard. Blank is made of IMS graphite, equipped with a solid handle made of a combination of high quality neoprene, cork, and warm reel seat (Warm Reel Seat). The warm solid handle makes it very comfortable to fish in seas and large waters with cold weather conditions. The spinning rod series has guides with SIC inserts and it is enclosed in reinforced frames that prevent line overlap (Tangle Free). Guides alignment is made according to the K-Guide Concept with increased running sizes.



Ecogroup

BLANK

• Material: IMF graphite

• Fast Action REEL SEAT

- Warm Reel Seat
- Ergonomic design
- **GUIDES**
- SIC guides
- K-Guide frame
- Antitwisting Tip
- Tangle Free construction
- Lightweight, single foot
- K-Guide System


- Ergonomic design
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MUCSR333M	330	116	209	9	3	7-35
MUCSR363M	360	126	220	9	3	7-35
MUCSR363MH	360	126	228	10	3	15-45
MUCSR363H	360	126	246	10	3	20-60
MUCSR393MH	390	137	255	11	3	17-50



BUTCHERX SPINNING





The updated Butcher-X series has retained its main advantage – excellent build quality at an attractive price. The new blank is made of IMF graphite and equipped with SIC rings. It is worth noting that when developing the updated version, we tried to take into account most of the wishes of anglers. Butcher-X is an all-around spinning rod that is suitable for performing almost any task when fishing with all kinds of baits. When creating the updated series, we greatly improved its performance, the new rods excellently "play" the fish, preventing disappointing fish lost. The spinning handle is made of EVA neoprene and rubber cork, which gives the spinning a modern look while maintaining the classic tradition. Warm reel seat provides maximum comfort when used in cold weather. Spinning is perfectly balanced and designed to catch all types of predatory fish.

Reel Seat

BLANK

- IMF graphite
- Medium Fast Action
- **REEL SEAT**
- Warm Reel Seat
- Ergonomic design
- GUIDES
- SIC guides
- K-Guide system
- Antitwisting Tip
- Tangle Free frame construction
- Lightweight, single foot
- Classic guides arrangement

- Ergonomic design
- Lightweight spaced construction
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MSBXN18L	180	95	93	6	2	3-15
MSBXN18L	210	110	104	6	2	3-15
MSBXN21L	210	110	120	6	2	5-21
MSBXN21ML	210	110	132	6	2	7-28
MSBXN21M	240	125	121	7	2	3-15
MSBXN24L	240	125	134	7	2	5-21
MSBXN24ML	240	125	146	7	2	7-28
MSBXN24M	240	125	160	7	2	10-42
MSBXN24MH	270	140	172	7	2	5-21
MSBXN27ML	270	140	175	7	2	7-28
MSBXN27M	270	140	190	7	2	10-42
MSBXN27MH	270	140	158	7	2	5-21




BUTCHERX JIG, TWITCH









Like the previous model the updated series of Butcher-X spinning rods has retained its main advantage - excellent build quality at an attractive price. The blank is made of IMF graphite and equipped with SIC guides.

It should be noted that when developing an updated version, we tried to take into account most wishes of our customers. Butcher-X is the model that is suitable for performing

almost any task when fishing with all types of lures. When creating the updated series, we have improved its performance in many ways, the new rods perfectly tie the fish, preventing such embarrassing moment as fish getting away. Spinning handle is made of EVA neoprene and rubber cork, which gives the spinning modern look. Warm reel seat (Warm

Reel Seat) provides maximum comfort when used in cold weather. Spinning is perfectly balanced and designed for catching all kinds of predatory fish. In 2023, the range of Butcher-X spinning rods was expanded with versions for jig fishing (Jig) and twitching (Twitching). New rod build – Extra fast. Jig spinning handle - solid, twitching - split handle type. Handle material – neoprene (EVA)

BLANK

• Material: IMF graphite


• Fast Action REEL SEAT

- Warm Reel Seat
- Ergonomic design

GUIDES

- SIC guides
- K-Guide frame
- Antitwisting Tip
- Tangle Free construction
- Lightweight, single foot
- K-Guide System

- Ergonomic design
- Material: EVA













spinning rods. The rods belong to an affordable price category, meanwhile, during development process we took into account wishes of practicing anglers regarding quality and technical characteristics of the spinning. Blank is made of IMF graphite, equipped with guides with SIC inserts. Wide range includes models with a length of 300 and 330 cm, specially designed for ultra-long casts (Ultimatum Cast). The spinning action is medium-fast. As an all-rounder, Indigo can be used to catch almost any type of predatory fish in a wide variety of conditions. The use of a warm reel seat (Warm Reel Seat) in the design of the handle provides maximum comfort when fishing in cold weather. Spinning is excellently balanced, perfectly «knits» fish, suitable for catching most types of lures.

In 2022, the MAXIMUS Rods collection was replenished with the Indigo line of

Warm Reel Seat

BLANK

- IMF graphite
- Medium Fast Action

REEL SEAT

- Warm Reel Seat
- Ergonomic design
- GUIDES • SIC guides
- K-Guide frame shape (for 30MH and 33MH models)
- Antitwisting Tip
- Tangle Free frame construction
- Lightweight, single foot
- Classic guides arrangement
- HANDLE
- Ergonomic design
- Lightweight spaced construction
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MSIN18L	180	95	93	6	2	3-15
MSIN21L	210	110	106	7	2	3-15
MSIN21ML	210	110	126	7	2	5-21
MSIN21M	210	110	110	7	2	7-28
MSIN24L	240	125	135	7	2	3-15
MSIN24ML	240	125	140	7	2	5-21
MSIN24M	240	125	154	7	2	7-28
MSIN24MH	240	125	163	7	2	10-42
MSIN27ML	270	140	169	7	2	5-21
MSIN27M	270	140	177	7	2	7-28
MSIN27MH	270	140	192	7	2	10-42
MSIN30MH	300	156	310	8	2	10-42
MSIN33MH	330	172	326	9	2	15-50





7











Maximus Villain is a series of spinning rods that combine low price, high quality and modern technologies. Villian was designed as a universal spinning rod and, as a result, anglers can fish with it using different retrieval techniques. Villian is perfect for fishing with various jigs since it is a Fast action rod. K-Guide System was applied to this class of spinning rods for the first time. The blank is made of IMF graphite and equipped with SIC guides in Tangle Free frames. The split handle is made of thick microporous neoprene (EVA), it also features an attractive modern design and comfortable grip. The Warm Reel Seat provides maximum comfort in any weather conditions. This is a perfectly balanced spinning rod, which works well with different types of lures and is suitable for various kinds of predators.

BLANK

- Material: IMF graphite
- Fast Action

REEL SEAT

- Warm Reel Seat
- Ergonomic design
- **GUIDES**
- SIC guides
- K-Guide frame
- Antitwisting Tip
- Tangle Free construction
- Lightweight, single foot
- K-Guide System

HANDLE

- Ergonomic design
- Material: EVA



Ecogroup

ltem	Length, cm	Closed length, cm	Rod Guides weight, g		Sections	Lure weight, g
MSVI21L	210	105	122	6	2	3-14
MSVI21ML	210	105	132	6	2	5-21
MSVI21M	210	105	140	6	2	7-28
MSVI21MH	210	105	173	6	2	15-40
MSVI24L	240	120	172	7	2	3-14
MSVI24ML	240	120	174	7	2	5-21
MSVI24M	240	120	175	7	2	7-28
MSVI24MH	240	120	176	7	2	15-40
MSVI24H	240	120	189	7	2	20-60
MSVI27ML	270	135	186	7	2	5-21
MSVI27M	270	135	195	7	2	7-28
MSVI27MH	270	135	207 7 2		2	15-40
MSVI27H	270	135	220	7	2	20-60









The updated Winner-X series of budget spinning rods is an affordable spinning rod that has retained the main advantages of the previous model: reliability, practicality, and versatility. The blanks of the series have a fast action, allow you to manage with fish of any size and at the same time are suitable for fishing with all types of lures – wobblers, spinners and jigs. The new generation X boasts an increased number of guides arranged according to K-Guide Concept. All guides are modern, lightweight, with SIC inserts, and in Tangle Free frames. The rod blank is made of IMF graphite. The new warm reel seat (Warm Reel Seat) is equipped with a modern plastic screw that increases sensory and provides comfort when fishing in all weather conditions. The spinning is perfectly balanced, has modern design and equipment, which allows owners of the spinning to feel confident in any situation on the water. Winner-X is not a compromise, but a conscious choice of an angler who is serious about choosing his main fishing tool.

BLANK

• Material: IMF carbon

Fast Action

REEL SEAT

- Warm Reel Seat
- Ergonomic design

GUIDES

- SIC guides
- Antitwisting Tip
- Guides frame design to prevent line overlap (Tangle Free)
- Lightweight, single foot
- Classic Guide placement

- Ergonomic design
- Material: EVA


ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MSWX18L	180	96	112	6	2	3-15
MSWX21L	210	110	129	7	2	3-15
MSWX21ML	210	110	137	7	2	5-25
MSWX21M	210	110	148	7	2	10-30
MSWX24L	240	125	164	8	2	3-15
MSWX24ML	240	125	162	8	2	5-25
MSWX24M	240	125	177	8	2	10-30
MSWX24MH	240	125	182	8	2	15-40
MSWX27L	270	140	186	8	2	3-15
MSWX27ML	270	140	189	8	2	5-25
MSWX27M	270	140	194	8	2	7-35
MSWX27MH	270	140	198	8	2	15-40
MSWX27H	270	140	217	8	2	15-50
MSWX30H	300	155	220	9	2	15-50











Axiom-X is a versatile line of spinning rods with an updated elegant design and an attractive price-quality ratio. Compared to its predecessor, the number of throughput guides has been increased on the new model. Guides are in K-frames with SIC inserts are arranged according to the K-Guide Concept. The fast action blank is made of IMF graphite, equipped with an ergonomic neoprene handle (EVA) and a "warm" reel seat (Warm ReelSeat). The reel seat is equipped with a carbon nut, which increases the sensitivity of the SSS (Super Sensitive System) rod and provides comfort when fishing in various weather conditions. Spinning is perfectly balanced and designed for fishing with a wide variety of lures. It is important to note that the AXIOM model has a wide range of sizes, which has expanded with the update with new tests in a length of 3 m and new lengths - 3.3 m.

BLANK

- Material: IMF carbon
- Fast Action

REEL SEAT

- Warm Reel Seat
- Ergonomic design

GUIDES

- SIC guides
- Antitwisting Tip
- Guides frame design to prevent line overlap (Tangle Free)
- Lightweight, single foot
- Classic Guide placement

- Ergonomic design
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MSAXX18UL	180	95	94	6	2	1-8
MSAXX18L	180	95	97	6	2	3-15
MSAXX18ML	180	95	100	6	2	5-25
MSAXX21UL	210	110	114	7	2	1-8
MSAXX21L	210	110	117	7	2	3-15
MSAXX21ML	210	110	119	7	2	5-25
MSAXX21M	210	110	131	7	2	7-35
MSAXX24UL	240	125	126	8	2	1-8
MSAXX24L	240	125	129	8	2	3-15
MSAXX24ML	240	125	142	8	2	5-25
MSAXX24M	240	125	157	8	2	7-35
MSAXX24MH	240	125	164	8	2	10-40
MSAXX24H	240	125	168	8	2	15-55
MSAXX27L	270	141	143	9	2	3-15
MSAXX27ML	270	141	151	9	2	5-25
MSAXX27M	270	141	170	9	2	7-35
MSAXX27MH	270	141	176	9	2	10-40
MSAXX27H	270	141	190	9	2	15-55
MSAXX30ML	300	157	185	9	2	5-25
MSAXX30MH	300	157	224	9	2	10-42
MSAXX30H	300	157	239	9	2	15-55
MSAXX33M	330	173	238	9	2	7-35
MSAXX33H	330	173	266	9	2	15-55











For the new Zircon spinning rods series, the same well-known blank construction was used as for the popular Axiom series. Engineers have made just a few small changes applying the more up-to-date "split handle" design and the rare black colour for the guiding ring frames. The Zircon spinning rod was designed as Fast action, all-purpose and intended for a wide group of anglers. Its blank is made of IMF carbon, fitted with light weight SIC guides and comfortable Warm Reel Seat made of dense fine-pored neoprene (EVA). The guides in Tangle Free frames are set up in accordance with the modern K- Guide Concept. The Maximus Zircon rods are available in a wide range of sizes so that you can find a suitable rod for any fishing situation. Due to its perfect balance, this model seems to be very light, but at the same time incredibly powerful to fight a big fish!

BLANK

- Material: IMF carbon
- Fast Action
- 2 sections
- Put over joint

REEL SEAT


- Warm Reel Seat
- Ergonomic design
- GUIDES
- SIC guides
- Antitwisting Tip
- Tangle Free frame construction
- Lightweight, single foot
- K-Guide System

- Ergonomic design
- Lightweight split grip handle
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod Guides weight, g		Sections	Lure weight, g
MSZI18UL	180	90	85	6	2	1-8
MSZI18L	180	90	93	6	2	3-15
MSZI18ML	180	90	109	6	2	5-25
MSZI21UL	210	105	103	6	2	1-8
MSZI21L	210	105	112	6	2	3-15
MSZI21ML	210	105	116	6	2	5-25
MSZI21M	210	105	126	6	2	7-35
MSZI24UL	240	120	120	6	2	1-8
MSZI24L	240	120	131	131 6		3-15
MSZI24ML	240	120	137	6	2	5-25
MSZI24M	240	120	139	6	2	7-35
MSZI24MH	240	120	142	6	2	15-40
MSZI24H	240	120	157	6	2	15-55
MSZI27L	270	135	137	7	2	3-15
MSZI27ML	270	135	155	7	2	5-25
MSZI27M	270	135	160	7	2	7-35
MSZI27MH	270	135	167	7	2	15-40
MSZI27H	270	135	170	7	2	15-55
MSZI30MH	300	150	205	8	2	10-42
MSZI30H	300	150	212	8	2	15-55



SI



The main task of a jigging gear is to have an effective sensitivity. The special Zircon Jig series differs from the "universal" one: it has a different blank and a reel seat. It is designed according to classic principles of a jigging rod – blanks of this series are built more cone-shaped and the tip is much more elastic. Fitted with SSS (Super Sensitive System) reel seats for maximum sensitivity. The blanks are made of IMF carbon, equipped with lightweight SIC guides in Tangle Free frames, placed in accordance with K-Guide System. The reel seat deserves special attention. Thanks to its peculiar design, the angler's fingers always contact directly with the rod blank, which partly provides an excellent sensitivity. The split handle ensures a comfortable grip. The rod shows excellent casting characteristics, which are so necessary when fishing along distant breaklines and slopes.

Super

Sensitive

BLANK

JIG

- Material: IMF carbon
- Fast Action
- 2 sections
- Put-over joint

REEL SEAT

- Ergonomic design
- Super Sensitive System

GUIDES

- SIC guides
- Antitwisting Tip
- Tangle Free frame construction
- Lightweight, single foot
- K-Guide System

- Ergonomic design
- Lightweight split grip handle
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MJSSZI21L	210	105	113	6	2	4-16
MJSSZI21ML	210	105	115	6	2	7-25
MJSSZI21M	210	105	119	6	2	10-35
MJSSZI22ML	220	110	117	6	2	7-25
MJSSZI22M	220	110	118	6	2	10-35
MJSSZI22MH	220	110	120	6	2	17-45
MJSSZI23XH	230	115	140	6	2	50-120
MJSSZI24ML	240	120	140	6	2	7-25
MJSSZI24M	240	120	145	6	2	10-35
MJSSZI24MH	240	120	134	6	2	17-45
MJSSZI24H	240	120	138	6	2	20-60
MJSSZI24XH	240	120	144	6	2	40-90
MJSSZI25XH	250	125	150	6	2	50-120
MJSSZI27M	270	135	161	7	2	10-35
MJSSZI27MH	270	135	165	7	2	17-45
MJSSZI27H	270	135	169	7	2	20-60
MJSSZI29MH	290	145	203	8	2	17-45



Black Side 🛛 TWITCHING



The Black Side-X is an updated range of specialized budget twitching rods. Exfast action contributes to the confident operation of spinning with jerky twitching of wobblers. The blank is made of IMF carbon, equipped with guides with SIC inserts arranged according to the K-Guide Concept system. The spinning handle has split design and made of dense finely porous neoprene (EVA), has a modern design and comfortable grip. The reel seat is warm (Warm Reel Seat), providing maximum comfort when fishing in all weather conditions. Compared to its predecessor, the Black Side-X model has a blank with increased rigidity, allowing you to animate the most «stubborn» wobblers. Spinning rods are equipped with guides in modern lightweight Tangle Free frames. Thanks to a wide range of sizes, it became possible to choose models of different lengths and tests, designed for fishing with wobblers of all types and sizes.

Narm Reel Seat

BLANK

• Material: IMF carbon

• Ex-Fast Action

- REEL SEAT
- Warm Reel Seat
- Ergonomic design GUIDES

• SIC guides

- K-Guide frame shape
- Anti-twisting tip design
- Tangle Free frame design
- Lightweight, single foot
- K-Guide System

- Ergonomic design
- Lightweight split grip handle
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MTSSBSX18M	180	95	97	7	2	7-28
MTSSBSX20L	200	105	98	7	2	4-14
MTSSBSX20ML	200	105	99	7	2	5-21
MTSSBSX20M	200	105	107	7	2	7-28
MTSSBSX21ML	210	110	104	8	2	5-21
MTSSBSX21M	210	110	108	8	2	8-30
MTSSBSX21MH	210	110	112	8	2	12-40
MTSSBSX22H	220	115	129	8	2	18-50





Tchinox





A series of popular Ichiro-X spinning rods from Maximus will delight fans of fishing with ultralight and light tackle. In the updated «Light Fishing» line, the changes mainly affected the ergonomics of the handle - the engineers finalized it and gave it a finished look. The reel seat is equipped with a carbon nut, which increases the sensory HSS (Hyper Sensitive System) and provides comfort when fishing in various weather conditions. In 2 meter models, the number of guides has been increased. As in the previous generation, the blanks are made of IMF graphite, equipped with ultra-light AT-GUIDE guides, arranged according to the K-Guide Concept. The lineup has been replenished with several stream fishing specialized rods. Due to the length (1.45-1.6 m) these spinning rods are great for fishing in «cramped» conditions on an overgrown shore. The medium-fast action allows you to make ultra-precise casts and perform various stream jerk retrieves. The spinning handle is classic, made of dense finely porous neoprene (EVA), has a modern design and comfortable grip. Despite its main specialization - stream fishing with wobblers, this model is able to work with a wide variety of lures. All rods in the Ichiro-X series are well balanced and have enough power reserve to control the jerks of fairly large fish.

BLANK

- Material: IMF carbon
- Ex-Fast Action
- **REEL SEAT**
- Warm Reel Seat
- Ergonomic design
- GUIDES
- SIC guides
- K-Guide frame shape
- Anti-twisting tip design
- Tangle Free frame design
- Lightweight, single foot
- K-Guide System

- Ergonomic design
- · Lightweight split grip handle
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, lb		
			SPINNI	NG					
MSIX18UL	180	95	80	6	2	1-7	2 - 6		
MSIX18L	180	95	88	6	2	2-9	2 - 8		
MSIX20UL	200	105	93	7	2	1-7	2 - 6		
MSIX20L	200	105	94	7	2	2-9	2 - 8		
MSIX22UL	220	115	97	7	2	1-7	2 - 6		
MSIX22L	220	115	102	7	2	2-9	2 - 8		
MSIX145UL	145	74	65	6	2	1-5	1 - 5		
MSIX145L	145	74	68	6	2	2-6	2 - 6		
MSIX16UL	160	84	70	6	2	1-7	2 - 6		
MSIX16L	160	84	76	6	2	2-9	2 - 8		
	CASTING								
MCIX145UL	145	74	81	7	2	1-5	1 - 5		
MCIX16UL	160	84	88	8	2	1-7	2 - 6		





MINI



Maximus Pointer (Rock Fish) is the junior model of the spinning rods, which are specialized in fishing with micro jigs. Its sensitive solid tip allows feeling the lightest bites and at the same time ensures effective casting of micro baits. The tip is painted in white colour for the best visual control. The blank is made of IMF carbon, equipped with SIC micro-guides in Tangle Free frames, placed in accordance with K-Guide System. The ergonomic split-grip handle reduces overall weight of the rod but increases its sensitivity and improves balance. It is made of dense microporous neoprene (EVA). The rod is equipped with the reliable Warm Reel Seat (IPS). Ex-Fast lightweight blank in combination with the monolithic «insert» provides maximum feedback when fishing with micro baits. Pointer is a budget, perfectly balanced spinning rod. It's a great option for those who prefer delicate fishing with micro baits.

Super

Sensitive

System

BLANK

ROCK FISH

- Material: IMF carbon
- Ex-Fast Action
- 2 sections
- Put-over joint
- Glued-in monolithic tip

REEL SEAT

- Warm Reel Seat
- Ergonomic design
- GUIDES
- SIC guides
- Antitwisting Tip
- Tangle Free frame construction
- Micro-rings (Mini Guide System), ultra-lightweight, single foot
- K-Guide System
- HANDLE
- Ergonomic design
- Lightweight split grip handle
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
		P	ointer			
MRFSP021UL	210	105	90	9	2	0,8-6
MRFSP022UL	220	110	91	9	2	0,8-6,5
MRFSP023UL	230	115	92	9	2	0,8-7
		Poin	ter Travel			
MTRRFSP021UL	210	76	85	9	3	0,8-6
	Pointer Casting					
MRFCP021UL	210	105	106	11	2	0,8-6



POINTER 🗶 NANO-JIG



The Pointer X Nano-Jig is a specialized model for fishing with jigs and microscopic jig heads. Spinning retained the main features of the classic model – low price, IMF graphite material, sensitive monolithic top painted in contrasting white, which allows to register the most delicate bites and helps with lure control. At the same time, Pointer X is now equipped with light guides in AT-Guide frames, which significantly lightened the rod and gave it elegance. The rod has SIC guides as before. Spinning runnings are done according to the Mini Guide System scheme. Convenient split type handle is equipped with a modern ergonomic reel seat HSS (Hyper Sensitive System) reduces the weight of the spinning rod, while significantly increasing sensory and improving balance. The elastic blank allows you to manage with the fish as productively as possible, minimizing the possibility of losing your trophy or breaking the fishing line.

BLANK

- Material: IMF carbon
- Ex-Fast Action
- 2 sections
- Put-over joint
- Glued-in monolithic tip

REEL SEAT

- Warm Reel Seat
- Ergonomic design

GUIDES

- SIC guides
- Antitwisting Tip
- Tangle Free frame construction
- Micro-rings (Mini Guide System), ultra-lightweight, single foot
- K-Guide System


- Ergonomic design
- Lightweight split grip handle
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, lb	Reccom. PE, #
MNJSPX165XUL	165	85	62	7	2	0,3-1,5	1-1,5	0,09-0,3
MNJSPX18XUL	180	95	69	8	2	0,4-2,5	1-2,5	0,10-0,3









Work Horse - Z is an updated series of universal spinning rods with a wide range of models and a fast action. Thanks to the new blank and a modified dimensional map of the guides, we have managed to achieve faster blank recovery speed (attenuation of «spurious» oscillations), as well as reducing the weight of the entire spinning rod compared to its predecessor. At the same time, the popular rod series has retained its main trump card - strength and durability. The number of guides has been increased, which allows you to properly distribute the load on the blank. It is also necessary to note that the new reel seat is now modern, ergonomic and warm (Warm Reel Seat). The handle is solid. It is made of dense finely porous neoprene (EVA). The blank is made of IMF graphite, equipped with guides with SIC inserts arranged according to the K-Guide concept. Modern frames of the guides (Tangle Free) perfectly prevent line overlap during the cast. Work Horse Model Z, as it was before, has excellent casting characteristics, which will appeal to a wide range of anglers.

BLANK

- IMF graphite
- Fast Action
- REEL SEAT
- Warm reel seat
- Ergonomic design
- Reel seat designed in a way that it increases sensitivity (Hyper Sensitive System)
 GUIDES
- SIC guides
- K-Guide frame shape
- Anti-twisting tip design
- Tangle free frame design
- Lightweight, on one foot
- Low profile (casting), reinforced, on two feet
- K-Guide System

- Ergonomic design
- Lightweight split grip handle
- Material: EVA

ltem	Length, cm	Closed length, cm	Guides	Sections	Lure weight, g	Line weight, lb
MSWHZ18L	180	95	7	2	3-15	4 - 12
MSWHZ21UL	210	110	7	2	1-8	2 - 6
MSWHZ21L	210	110	7	2	3-15	4 - 12
MSWHZ21ML	210	110	7	2	5-20	6 - 16
MSWHZ21M	210	110	7	2	10-30	8 - 20
MSWHZ24L	240	125	8	2	3-15	4 - 12
MSWHZ24ML	240	125	8	2	5-20	6 - 16
MSWHZ24M	240	125	8	2	10-30	8 - 20
MSWHZ24MH	240	125	8	2	15-40	12 - 24
MSWHZ27ML	270	141	9	2	5-20	6 - 16
MSWHZ27M	270	141	9	2	7-35	8 - 20
MSWHZ27MH	270	141	9	2	10-40	10 - 24
MSWHZ27H	270	141	9	2	15-50	12 - 26
MSWHZ30M	300	157	9	2	7-28	8 - 20
MSWHZ30MH	300	157	9	2	17-45	12 - 26
MSWHZ33H	330	173	10	2	15-50	12 - 26









BASS FISHING



22**H**M



The Work Horse-BF is a specialized rod for bass fishing. The series is represented by casting and spinning models both in one-piece and two-piece versions. A distinctive feature of the Work Horse-BF is its versatility in the use of various types of lures. The rods are great for fishing with hard baits, spinnerbaits, and various rigs with soft lures (soft baits). The Fast Action blank is made of IMS graphite, equipped with guides with SIC inserts in Tangle Free frames, arranged according to the K-Guide Concept. The spinning handle has split modern design, made of dense finely porous neoprene (EVA) and provides comfortable grip. We skillfully combined relatively light weight, good sensitivity and reliability in these rods. All models in the series have enough power reserve to use them in «strong places», which will definitely appeal to fans of bass fishing.

BLANK

- IMS graphite
- Fast Action

REEL SEAT


- Warm reel seat
- Ergonomic design
- Reel seat designed in a way that it increases sensitivity (Hyper Sensitive System) GUIDES
- SIC guides
- K-Guide frame shape
- Anti-twisting tip design
- Tangle free frame design
- · Lightweight, on one foot
- Low profile (casting), reinforced, on two feet
- K-Guide System

- Ergonomic design
- Lightweight split grip handle
- Material: EVA



ltem -	Length		Closed length,	longth R00		Sections-	Lure weight		Line
item	ft	cm	cm	weight, g	Guides	Sections	ΟZ	g	weight, lb
	CASTING								
MCWHBF682M	6'8''	203	105	105	9	2	3/16 - 5/8	5,25-17,5	8 - 18
MCWHBF681MH	6'8''	203	203	203	9	1	3/8 - 1	10,5-28	10 - 20
MCWHBF711M	7'1''	216	216	216	9	1	1/4 - 3/4	7-21	8 - 18
MCWHBF712M	7'1''	216	112	112	9	2	1/4 - 3/4	7-21	8 - 18
MCWHBF711MH	7'1''	216	216	216	9	1	3/8 - 1 1/4	10,5-35	10 - 25
MCWHBF712MH	7'1''	216	112	112	9	2	3/8 - 1 1/4	10,5-35	10 - 25
MCWHBF731H	7'3''	221	221	221	9	1	1/2 - 2	14-56	12 - 25
				SPIN	INING				
MSWHBF681ML	6'8''	203	96	203	8	1	1/8 - 1/2	3,5-14	6 - 12
MSWHBF711M	7'1''	216	110	216	8	1	1/4 - 3/4	7-21	8 - 18
MSWHBF712M	7'1''	216	110	112	8	2	1/4 - 3/4	7-21	8 - 18





Wild Power-Z is an all-around spinning rod with an updated elegant design and a unique price-quality ratio. Compared to the previous model, the number of guides on the new model has been increased (on models longer than 2.4 m). SIC guides are arranged according to the K-Guide system. Fast action blank is made of IMS graphite, equipped with an ergonomic two-color neoprene (EVA) handle and a "warm" reel seat. Wild Power-Z has an excellent casting range, high sensitivity and a large margin of safety. These characteristics were obtained through the use of the most modern materials and high-quality components. Spinning is perfectly balanced and designed for fishing on a wide variety of types of lures.

Warm Reel Seat

Super


Sensitive System

BLANK

- IMS graphite
- Fast Action
- **REEL SEAT**
- Warm reel seat
- Ergonomic design
- GUIDES
- SIC guides
- K-Guide shape frame
- Antitwisting Tip
- Tangle Free frame construction
- Lightweight, single foot
- K-Guide system
- HANDLE
- Ergonomic design
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MSWPZ21L	210	109	114	7	2	3-15
MSWPZ21ML	210	109	120	7	2	5-20
MSWPZ21M	210	109	122	7	2	7-35
MSWPZ21MH	210	109	135	7	2	15-40
MSWPZ24L	240	125	127	8	2	3-15
MSWPZ24ML	240	125	129	8	2	5-20
MSWPZ24M	240	125	141	8	2	7-35
MSWPZ24MH	240	125	148	8	2	15-40
MSWPZ24H	240	125	153	8	2	20-60
MSWPZ27ML	270	140	152	9	2	5-20
MSWPZ27M	270	140	155	9	2	7-35
MSWPZ27MH	270	140	182	9	2	10-42
MSWPZ27H	270	140	196	9	2	15-50
MSWPZ30H	300	156	220	10	2	15-50






WHSS





balanced and designed for fishing on a wide variety of types of lures.



BLANK

- IMS graphite
- Fast Action

REEL SEAT

- Warm reel seat
- Ergonomic design

JIG

GUIDES

- SIC guides
- K-Guide shape frame
- Antitwisting Tip
- Tangle Free frame construction
- Lightweight, single foot
- K-Guide system

- Ergonomic design
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MJSSWPZ228ML	228	118	126	8	2	4-18
MJSSWPZ228M	228	118	130	8	2	7-28
MJSSWPZ245M	245	127	138	9	2	7-28
MJSSWPZ245MH	245	127	140	9	2	12-45
MJSSWPZ245H	245	127	146	9	2	18-56
MJSSWPZ245XH	245	127	145	9	2	35-90
MJSSWPZ258M	258	133	144	9	2	7-28
MJSSWPZ258MH	258	133	148	9	2	12-45
MJSSWPZ258H	258	133	151	9	2	21-65
MJSSWPZ278M	278	143	152	10	2	7-28
MJSSWPZ278MH	278	143	158	10	2	12-45
MJSSWPZ278H	278	143	166	10	2	21-65






MINI

ANUIL







Super

Sensitive System















- Material: IMF carbon
- Ex-Fast Action
- 2 sections

• Put-over joint **REEL SEAT**

- Warm Reel Seat
- Ergonomic design
- **GUIDES**
- SIC guides
- Antitwisting Tip
- Tangle Free construction
- Micro-rings (Mini Guide System), ultra-lightweight, single foot
- K-Guide System
- HANDLE
- Ergonomic design
- Lightweight split grip handle
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, lb
MTSSAN18UL	180	90	90	7	2	1-8	1-6
MTSSAN19L	190	95	93	7	2	2-10	2-8
MTSSAN20L	200	100	97	7	2	3-12	2-10
MTSSAN20ML	200	100	99	7	2	4-18	4-12
MTSSAN21L	210	105	102	7	2	3-14	2-10
MTSSAN21ML	210	105	106	7	2	5-21	4-18









K-Guide



AT-Guide









designed for the Ichiro series. Our experts have increased the range of sizes, applied an unusual camouflage design and a split-grip handle, they also used different types of guides for different models. The Ultralight and light models have been equipped with lightweight AT guides, whereas medium and medium light - with more powerful K-Series guides.

Warm Reel Seat

These all-purpose medium-fast rods are designed for a wide variety of anglers. Its blank is made of IMF graphite, fitted with comfortable Warm Reel Seat made of dense fine-pored neoprene (EVA). The guides are placed in accordance with the modern K- Guide System. Due to its perfect balance, this rod seems to be very light, but at the same time incredibly powerful to fight any big fish!

BLANK

- Material: IMF graphite
- Medium-Fast Action
- 2 sections
- Put-over joint

REEL SEAT

- Warm Reel Seat
- Ergonomic design
- Super Sensitive System
- **GUIDES**
- SIC guides
- AT-Guides (for UL, L)
- K-Guide frame (for ML, M)
- Antitwisting Tip
- Tangle Free construction (for M, ML)
- Micro guides (Mini Guide System), ultra-lightweight, single foot
- K-Guide System

- Ergonomic design
- Lightweight split grip handle
- Material: EVA


ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, lb
MSEM18UL	180	90	78	6	2	1-7	2 - 6
MSEM18L	180	90	80	6	2	2-9	2 - 8
MSEM20UL	200	100	91	6	2	1-7	2 - 6
MSEM20L	200	100	93	6	2	2-10	2 - 8
MSEM20ML	200	100	99	6	2	4-17	4 - 12
MSEM20M	200	100	107	6	2	6-28	6 - 18
MSEM22UL	220	110	96	7	2	1-7	2 - 6
MSEM22L	220	110	97	7	2	2-10	2 - 8
MSEM22ML	220	110	106	7	2	4-17	4 - 12
MSEM22M	220	110	124	7	2	6-28	6 - 18
MSEM24L	240	120	112	7	2	2-10	2 - 8
MSEM24ML	240	120	117	7	2	4-17	4 - 12
MSEM24M	240	120	128	7	2	6-28	6 - 18



MAXIMUS

STREETRACER STREET FISHING









Over the last few years, fishing on the city embankments with ultralight lures is becoming more and more popular. Inspired by this idea, we have developed a series of spinning rods called Streetracer. This unique multi-purpose series of light and ultra-light spinning rods was specially designed for "mobile" fishing in the city area. The basic concepts of Streetracer were compactness and narrow specialization. All the rods of this type have 3-section blanks, which are very important when the rods are being transported in overcrowded city transport.

Streetracer series includes four models of spinning rods, which would be of great demand at any of the fishing spots in the city area:

Nano Jig – Medium action spinning rod for fishing with ultra-light micro-jigs weighing up to 3.5 g.

Twiching – Fast action twitching spinning rod for fishing with lures weighing up to 12 g.

Ultra Light – Medium-Fast action spinning rod of Ultra light class for fishing with lures up to 7 g.

Light – Medium-Fast action spinning rod of Light class, for fishing with lures up to 10 g.

The blank is made of IMF carbon, equipped with SIC micro-rings (AT-GUIDE), placed in accordance with modern K-Guide Concept. All the rods of this series have a split handle and Warm Reel Seat. No matter what type of fishing you prefer – "Rock Fish" or "Nano Jig", "Twitching" or "Ultralight" - in the Streetracer range you will find all the required models. This is an elaborate series of rods, which allows an effortless lure control and lets the angler feel the lightest of bites.

BLANK

- Material: IMF carbon
- Medium Action/Fast Action/Medium-Fast Action
- 3 sections
- Put over joint, multi-section travel design

REEL SEAT

- Warm Reel Seat
- Ergonomic design
- Super Sensitive System
- GUIDES
 - SIC guides
 - Ultralight guides (AT-Guide) for Extra and Ultralight rod classes

Antitwisting Tip

- Micro-rings (Mini Guide System), ultra-lightweight, single foot
- K-Guide System

HANDLE

- Ergonomic design
- Lightweight split grip handle
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, lb
			NANO JI	G			
MNJSSR18XUL	180	60	70	6	3	0,2-3,5	1-3
			TWITCHIN	IG			
MTSSSR19L	190	64	78	7	3	3-12	2-10
		U	LTRA LIGHT ®	LIGHT			
MULSSR20UL	200	67	73	7	3	1-7	2-6
MLSSR21L	210	70	79	7	3	2-10	2-8
			CASTING	ì			
MULCSR20L	200	67	79	9	3	3-11	2-10
MULCSR21ML	210	70	86	9	3	4-16	4-12









Over the last few years, fishing on the city embankments with ultralight lures is becoming more and more popular. Inspired by this idea, we have developed a series of spinning rods called Streetracer. This unique multi-purpose series of light and ultra-light spinning rods was specially designed for "mobile" fishing in the city area. The basic concepts of Streetracer were compactness and narrow specialization. All the rods of this type have 3-section blanks, which are very important when the rods are being transported in overcrowded city transport.

In addition to the models listed above, the series includes one more item:

Rock Fish – Medium-Fast spinning rods with special glued-in tips for the best control of ultra-light jig baits weighing 5g, 6g or 7g. The blank is made of IMF carbon, equipped with SIC micro-rings (AT-GUIDE), placed in accordance with modern K-Guide Concept. All the rods of this series have a split handle and Warm Reel Seat. No matter what type of fishing you prefer – "Rock Fish" or "Nano Jig", "Twitching" or "Ultralight" - in the Streetracer range you will find all the required models. This is an elaborate series of rods, which allows an effortless lure control and lets the angler feel the lightest of bites.

BLANK

- Material: IMF carbon
- Medium-Fast Action
- 3 sections
- Put over joint, multi-section travel design
- Glued-in monolithic tip

REEL SEAT

- Warm Reel Seat
- Ergonomic design
- Super Sensitive System

GUIDES

- SIC guides
- Ultralight guides (AT-Guide) for Extra and Ultralight rod classes
- Antitwisting Tip
- Micro-rings (Mini Guide System), ultra-lightweight, single foot
- K-Guide System

- Ergonomic design
- Lightweight split grip handle
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, lb
			ROCK	FISH			
MRFSSR21SUL	210	70	77	9	3	0,4-5	1-4
MRFSSR22UL	220	74	80	9	3	0,6-6	1-5
MRFSSR23UL	230	77	87	10	3	0,8-7	2-6







This new series of spinning rods was based on the popular Wild Power-X blank. All rods of this series feature bright, creative design and excellent hi-tech equipment. The rods are fitted with SIC guides in Tangle Free frames which help eliminate tangles. They are placed in accordance with ultra-modern K-Guide System concept. The split handle is made from dense fine-pored neoprene (EVA); and a special 'warm' reel seat is used in this series for better tactile comfort. Such handle design makes it possible to use two types of grip: "classic" and "sports", when a forefinger is put directly on the blank thereby increasing its sensitivity. High quality equipment of Neon Spy rods at a quite reasonable price make them extremely popular among all anglers.

Super Sensitive System





- Material: carbon IMS
- Fast Action
- 3 sections

Put over joint

- **REEL SEAT**
- Warm Reel Seat
- Ergonomic design
- Super Sensitive System

GUIDES

- SIC guides
- Antitwisting Tip
- Tangle Free frame construction
- Lightweight, single foot
- K-Guide System
- HANDLE
- Ergonomic design
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MSNS20UL	200	100	112	7	2	1-7
MSNS20L	200	100	115	7	2	2-9
MSNS21L	210	105	115	7	2	3-15
MSNS21ML	210	105	111	7	2	5-20
MSNS24L	240	120	129	7	2	3-15
MSNS24ML	240	120	124	7	2	5-20
MSNS27ML	270	135	158	7	2	5-20









This rod was specially designed for jig fishing. It has a number of characteristics well suited for this fishing method: an Ex-Fast action blank, an elastic tip, lightweight and effective guides, and a reel seat featuring increased sensitivity. All these features provide an incredible sensitivity and maximum comfort during jig fishing.

The choice of length and test of the rod usually depends on fishing conditions. The Advisor range is wide enough to find a rod, which would meet your requirements. The blank is made of IMF carbon, equipped with SIC guides in Tangle Free frames, placed in accordance with K-Guide Concept. Tangle Free frames solve the problem of braided line tangles, which is very important when casting small jigging lures. The ergonomic split-grip handle reduces overall weight of the rod but increases its sensitivity and improves balance. Despite its narrow specialization, this rod can be perfectly used for other types of fishing, such as fishing with spoons and spinners. Short rods can be applied for "twitching". Thanks to its Ex-Fast blank, Advisor can easily "twitch" even the hard-pulling lures.

BLANK

JIG

- Material: IMS carbon
- Ex-Fast Action
- 2 sections
- Put over joint
- SST (Soft Sensitive Tip)

REEL SEAT

- Warm Reel Seat
- Ergonomic design
- Super Sensitive System

GUIDES

- SIC guides
- Antitwisting Tip
- Tangle Free frame construction
- Lightweight, single foot
- K-Guide System

- Ergonomic design
- Lightweight split grip handle
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, lb
MJSSA22ML	220	110	124	7	2	5-25	4-18
MJSSA22M	220	110	126	7	2	7-35	8-20
MJSSA23MH	230	115	128	7	2	10-42	10-24
MJSSA24M	240	120	132	7	2	7-35	8-20
MJSSA24MH	240	120	136	7	2	10-42	10-24
MJSSA24H	240	120	140	7	2	15-56	16-28
MJSSA24XH	240	120	149	7	2	40-90	24-44
MJSSA25MH	250	125	134	7	2	10-42	10-24
MJSSA25H	250	125	141	7	2	20-60	18-32
MJSSA25XH	250	125	165	7	2	50-100	26-50
MJSSA26M	260	130	139	7	2	7-35	8-20
MJSSA26XH	260	130	171	7	2	50-120	26-54
MJSSA27MH	270	135	151	8	2	10-42	10-24
MJSSA27H	270	135	163	8	2	20-60	18-32
MJSSA29MH	290	145	171	8	2	10-42	10-24
MJSSA29H	290	145	176	8	2	25-80	20-42



MAXIMUS

ADVISOR TWITCHING/CHUB







ADVISOR spinning rods are specially designed for lure fishing. The series is represented by both models for minnow wobblers twitching, and spinning rods for catching chub on crankbaits. The rod blank is made of IMS graphite, equipped with SIC guides in Tangle Free frames, placed in accordance with K-Guide Concept. Warm reel seat is equipped with a modern plastic screw, which increases the sensory HSS (Hyper Sensitive System) and provides comfort when fishing in all weather conditions. The split-grip handle, made of high-quality fine-pored neoprene (EVA), reduces the weight of the spinning rod, while significantly increasing sensory and improving balance. Due to the use of the most modern materials and high-quality components in the rods of this series, it was possible to combine light weight, great sensitivity of the blank and a large margin of safety.

BLANK

- IMS graphite
- Fast Action

REEL SEAT

- Warm Reel Seat
- Ergonomic design
- Reel seat designed the way that increases sensitivity (Hyper Sensitive System)
 GUIDES
- SIC guides
- K-Guide frame shape
- Anti-twisting tip design
- Tangle Free frame design
- Lightweight, single foot
- Mini Guide System
- K-Guide System

- Ergonomic design
- Lightweight split grip handle
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, lb				
	TWITCHING										
MTSA198L	198	103	98	8	2	3-14	4 - 12				
MTSA201ML	201	104	108	8	2	5-21	6 - 18				
MTSA203M	203	105	122	8	2	7-28	8 - 20				
MTSA213MH	213	110	134	9	2	12-40	10 - 24				
			CHUE	3							
MSAC198UL	198	103	91	8	2	1-7	2 - 6				
MSAC203L	203	105	97	8	2	3-12	2 - 10				
MSAC222ML	222	114	108	9	2	5-21	4 - 18				



ADVISOR WINTER JIG EDITION



ADVISOR WJ is a unique series of all-weather jig spinning rods. Comfortable fishing at low temperatures is provided by large sizes of runnings and tulip, as well as a "warm" reel seat (Warm Reel Seat). Handle has split design, made of dense finely porous neoprene (EVA), has a modern design and provides a comfortable grip. The main difference between the WINTER JIG series and the classic ADVISOR is the blank material – high-modulus graphite HMN, which allows you to feel the most cautious bite of a predator on ultra-long casts. Spinning rods are equipped with guides with SIC inserts in Tangle Free frames arranged according to the K-Guide Concept system.

This series has the most suitable set of characteristics for jig fishing: ex-fast action, elastic tip, light and productive guides, reel seat with increased sensitivity (Hyper Sensitive System). ADVISOR WJ is a modern fishing tool with high performance that will satisfy the most demanding jig fishing enthusiasts.

BLANK

- Material high modulus HMN graphite
- Ex-Fast Action

REEL SEAT

- Warm Reel Seat
- Ergonomic design
- Reel seat designed the way that increases sensitivity (Hyper Sensitive System)
- GUIDES
- SIC guides
- K-Guide frame shape
- Anti-twisting tip design
- Tangle Free frame design
- Lightweight, single foot
- Enlarged runnings
- K-Guide System

- Ergonomic design
- Lightweight split grip handle
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, lb	Recom. PE, #
MJSSAWJ25MH	250	130	135	8	2	10-42	10 - 24	0,8-2
MJSSAWJ26ML	260	135	129	8	2	5-25	4 - 18	0,5-1,2
MJSSAWJ26M	260	135	135	8	2	7-35	8 - 20	0,6-1,5
MJSSAWJ26H	260	135	146	8	2	20-60	18 - 32	1,2-2,5
MJSSAWJ27M	270	140	145	9	2	7-35	8 - 20	0,6-1,5
MJSSAWJ27MH	270	140	147	9	2	10-42	10 - 24	0,8-2
MJSSAWJ28H	280	145	165	9	2	15-56	16 - 28	1-2,5





High 🗲 Energy-Z









The main task in creating the updated series High Energy-Z was to bring it to a new technological level, and the engineers obviously succeeded in it. Being made of the same material as the previous generation, the new rod turned out on average 12% lighter, whereas the thickness of the blank remained the same. The engineers decided not to paint the blank, they used lighter and smaller guides and equipped the rod with a split handle. As a result, they have achieved some weight reduction and more accurate blank performance. The residual oscillations after casting have practically disappeared. Now the blank recovers instantly, its action becomes more "fast". The blank is made of high modulus HME carbon fitted with K-frame SIC guides placed in accordance with the advanced K-Guide System, and equipped with the unique reel seat. We would like to draw your attention to the latter component, because its design is unique. All the details were made streamlined and have no protrusions or sharp edges, which is extremely convenient for anglers' hands. The split-grip handle is made of dense fine-pored neoprene (EVA). The High Energy-Z spinning rod is capable of performing many different tasks and copes with them very successfully.

BLANK

- Material: High modulus HME carbon
- Fast Action
- **REEL SEAT**
- Warm Reel Seat
- Ergonomic design
- Super Sensitive System


GUIDES

- SIC guides
- K-Guide frame
- Antitwisting Tip
- Tangle Free construction
- Micro guides (Mini Guide System), ultra-lightweight, single foot
- K-Guide System

- Ergonomic design
- Lightweight split grip handle
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, g
MSHEZ18UL	180	90	99	7	2	1-7	2-6
MSHEZ21UL	210	105	108	7	2	1-7	2-6
MSHEZ21L	210	105	112	7	2	3-15	4-12
MSHEZ21ML	210	105	128	7	2	5-20	6-16
MSHEZ21M	210	105	128	7	2	10-30	8-20
MSHEZ24UL	240	120	125	8	2	1-7	2-6
MSHEZ24L	240	120	139	8	2	3-15	4-12
MSHEZ24ML	240	120	137	8	2	5-20	6-16
MSHEZ24M	240	120	148	8	2	10-30	8-20
MSHEZ24MH	240	120	156	8	2	15-40	12-24
MSHEZ24H	240	120	167	8	2	20-60	16-30
MSHEZ27ML	270	135	158	8	2	5-20	6-16
MSHEZ27M	270	135	157	8	2	7-35	8-20
MSHEZ27H	270	135	189	8	2	15-50	12-26
MSHEZ30M	300	150	200	9	2	7-35	8-20
MSHEZ30H	300	150	211	9	2	14-56	12-28





Scogroup

᠕ᠫᠫᠯ

This is a specialized jigging rod which was designed with the help of professional anglers who took into account all the aspects of "heavy-jig" fishing. The High Energy-Z Jig series looks almost the same as the universal High Energy-Z series but their guides, reel seats and the tapers of the rods are completely different. This spinning rod is perfectly balanced and has the maximum set of options for jig fishing. It features Ex-Fast action, lightweight high-performance guides, HSS reel seat (Hyper Sensitive System). The blank is made of high modulus graphite HME, the butt section is reinforced with special carbon fibers to increase rigidity and resistance to twisting. After casting, the oscillations get dumped effectively, the blank recovers almost instantly, which results in excellent casting quality. The rod is equipped with the Korea T-Zirconia Slim Guides with ultra-thin zirconia inserts, placed in accordance with K-Guide Concept. The essential features of the reel seat are 2 clumping nuts - one nut tightens the other and doesn't allow the reel to get loose when fishing with heavy jigs. The split-grip handle is made of dense fine-pored neoprene (EVA). Thanks to its accurate Ex-Fast blank, the rod doesn't "fall through" when using aggressive jigging methods and allows to hook the fish reliably.

BLANK

- Material: High modulus HME graphite
- Ex-Fast Action
- SST (Soft Sensitive Tip) technology used to increase the sensitivity of the blank

REEL SEAT

- Warm Reel Seat
- Ergonomic design
- Super Sensitive System

GUIDES

- KOREA GUIDES with zirconia inserts (Zirconia)
- K-Guide frame
- T-ZIRCONIA SLIM RING
- Antitwisting Tip
- Tangle Free construction
- Lightweight, single foot
- K-Guide System

- Ergonomic design
- Lightweight split grip handle
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, lb
MJSSHEZ22M	220	110	134	8	2	6-28	8-20
MJSSHEZ23MH	230	115	143	8	2	10-45	8-24
MJSSHEZ23H	230	115	148	8	2	15-55	12-26
MJSSHEZ24M	240	120	149	8	2	7-35	8-20
MJSSHEZ24MH	240	120	154	8	2	12-45	10-25
MJSSHEZ24H	240	120	157	8	2	18-60	16-30
MJSSHEZ24XH	240	120	158	8	2	45-110	24-48
MJSSHEZ25MH	250	125	152	8	2	15-45	12-24
MJSSHEZ25H	250	125	160	8	2	40-80	22-42
MJSSHEZ26XH	260	130	195	8	2	40-100	22-46







The HIGH ENERGY-Z VJ is a lightweight, comfortable and extremely sensitive rod for vertical jig fishing from a boat. This series has the most suitable set of characteristics for jig fishing: ultra-fast action, elastic tip, light and productive guides. Blank material - HME high modulus graphite, guides are located in K-frames with SIC inserts arranged according to the K-Guide concept. The spinning has split type handle, made of dense finely porous neoprene (EVA), has a modern design and provides comfortable grip. Warm reel seat (Warm Reel Seat) is equipped with a modern plastic nut that increases the sensory properties (Hyper Sensitive System). The model range is presented by two-part model, and 1+ model (the blank is inserted into the handle). The sensitive tip (painted red) with a strong butt provides the perfect action for maximum performance in vertical jigging. The spinning rods lengths were specially selected in a way so, on the one hand, you can perform precise placement of your bait next to underwater objects and have precise control of the soft bait, and, on the other hand, the weight of the spinning rod was minimal and it allows you to enjoy fishing for a long time.

Super

Sensitive System

BLANK

- Material: High modulus HME graphite
- Ex-Fast Action
- Reel seat designed the way that increases sensitivity (Hyper Sensitive System) **REEL SEAT**
- Warm Reel Seat
- Ergonomic design
- Super Sensitive System

GUIDES

- SIC guides
- K-Guide frame
- Antitwisting Tip
- Tangle Free construction
- Micro guides (Mini Guide System), lightweight, single foot
- K-Guide System

- Ergonomic design
- Lightweight split grip handle
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, g
			SPINNING				
MVJSHEZ17M	170	137	98	6	1+	7-35	8 - 20
MVJSHEZ19H	190	99	115	7	2	15-55	12 -26
			CASTING				
MVJCHEZ17H	170	137	108	8	1+	15-55	12 -26
MVJCHEZ19M	190	99	104	8	2	7-35	8 - 20





nas received a new blank, with a faster action than the previous version, thus, the efficiency of the spinning has increased with aggressive jig bait tosses. The blank material is HMN high modulus graphite. The update of the line also affected the number of guides – new version has increased amount of guides, which allows you to distribute the load on the blank more evenly. The range of models of different lengths and tests within the line has become wider. The butt of the rod is reinforced in a special way (Xwxw technology) to increase strength and resistance to twisting. The spinning rod is equipped with super light and durable T-Zirconia Slim Rings with an ultra-thin zirconia insert. The most productive modern guides in combination with the ergonomic «skeleton» TVS reel seat allow you to achieve excellent sensory and provide comfortable and secure grip. Split handle design reduces the weight of the spinning rod (SST technology) provides maximum feedback when working with baits of the entire test range, a powerful butt part allows you to confidently manage with huge fish. GRAVITY X JIG is an excellent spinning rod that will be appreciated by both beginners and experienced anglers.

BLANK

- Material high modulus HMN graphite
- Ex-Fast Action
- SST (Soft Sensitive Tip) elastic tip

REEL SEAT

- Warm Reel Seat
- Ergonomic design
- Hyper Sensitive System

GUIDES

- KOREA GUIDE with zirconia inserts
- K-Guide frame shape
- T-ZIRCONIA SLIM RING ultra thin guide insert
- Anti-twisting tip design
- Tangle free frame design
- Lightweight, single foot
- K-Guide System

HANDLE

- Ergonomic design
- Lightweight split grip handle
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, lb	Recom. PE, #	Tip type
MMJSGX202SUL	200	104	87	8	2	0,6-5	1-4	0,2-0,5	Solid
MMJSGX204SUL	200	54	98	8	4	0,6-5	1-4	0,2-0,5	Solid
MMJSGX222UL	220	114	93	9	2	0,8-7	1-6	0,3-0,6	Tubular
MJSSGX22L	220	114	99	9	2	3-12	2 - 8	0,4-1	Tubular
MJSSGX23ML	230	119	106	9	2	5-21	4 - 18	0,5-1,2	Tubular
MJSSGX23M	230	119	112	9	2	7-28	8 - 20	0,6-1,5	Tubular
MJSSGX24ML	240	125	115	9	2	5-25	4 - 18	0,5-1,2	Tubular
MJSSGX24M	240	125	118	9	2	7-35	8 - 20	0,6-1,5	Tubular
MJSSGX24MH	240	125	126	9	2	15-45	14 - 26	0,8-2	Tubular
MJSSGX245H	245	127	130	9	2	20-55	18 - 28	1,2-2,5	Tubular
MJSSGX25M	250	130	123	9	2	7-35	8 - 20	0,6-1,5	Tubular
MJSSGX25MH	250	130	126	9	2	14-43	14 - 24	0,8-2	Tubular
MJSSGX26ML	260	135	128	10	2	5-25	4 - 18	0,5-1,2	Tubular
MJSSGX26M	260	135	133	10	2	7-35	8 - 20	0,6-1,5	Tubular
MJSSGX26H	260	135	144	10	2	18-56	16 - 28	1-2,5	Tubular
MJSSGX27MH	270	139	139	10	2	14-43	14 - 24	0,8-2	Tubular




SW Jiq Design

MAXIMUS







increases sensitivity. The light weight of the rod allows you to comfortably perform

MHSS

complex animations of the bait and get true pleasure from fishing.

BLANK

• HME high-modulus graphite

Medium Action

REEL SEAT

- Warm Reel Seat
- Ergonomic design
- Hyper Sensitive System

GUIDES


- SIC guides
- K-Guide shape frame
- Antitwisting Tip
- Mini Guide System, lightweight, single foot
- Guide System

- Ergonomic design
- Lightweight spaced construction
- Material: CORK

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, lb
MAESL622XUL	188	98	75	7	2	0,5-4	1-3lb
MAESL642SUL	193	100	79	8	2	0,8-5	1-4lb
MAESL662UL	201	103	82	8	2	1-7	1-5lb







MHSS







Legend NANO spinning rods have been specially designed for fishing with ultralight weights, jig heads. The series consists of two rods (Nano-Jig) for jigging and two spinning rods (AREA soft baits) for using light trout jig heads. The rods combine lightness, comfort of use and good strength and durability characteristics. Blank of the spinning rods is made of HME High Modulus Graphite and equipped with ultra-lightweight AT-GUIDE guides, so you can easily control the lure and feel the moment even with minimal bite. Guides are arranged according to K-Guide concept. Comfortable extended handle with cork elements reduces the weight of the spinning rod, while significantly increasing sensory and improving balance. Legend NANO is equipped with modern ergonomic reel seat HSS (Hyper Sensitive System), thanks to which the spinning rod is extremely comfortable in hands and has excellent sensorics. All rods are best suited for delicate fishing that requires the "right" animations with lightest lures.

BLANK

- HME high-modulus graphite
- Medium-Fast Action

REEL SEAT

- Warm Reel Seat
- Ergonomic design
- Hyper Sensitive System
- **GUIDES**
- SIC guides
- K-Guide shape frame
- Antitwisting Tip
- Mini Guide System, lightweight, single foot
- Guide System
- HANDLE
- Ergonomic design
- Lightweight split grip handle
- Material: CORK


ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, lb
MNJSLN17XUL-HS	170	89	60	7	2	0,2-1,5	1 - 3
MNJSLN17XUL-T	170	89	63	7	2	0,3-2	1 - 3
MNJSLN19XUL-HS	190	99	66	8	2	0,4-3	1 - 4
MNJSLN19UL-T	190	99	68	8	2	0,7-5	1 - 4



MAXIMUS







MINI





The Ultimatum spinning rod has gained well-deserved popularity among anglers. Since the number of fans of jig fishing constantly increasing, we have introduced a new range of rods called Ultimatum JIG. Spinning retained all the positive qualities of the universal model, such as high sensitivity, long casting distance and confident performance during fishing. At that same time, the Ultimatum Jig received a new blank made from high modulus graphite HMN with reinforced butt and middle part and elastic top (SST technology). The rod has acquired a full-fledged «jig» specialization. The rods of this series have SIC guides with Tangle Free frames that prevent line overlap. The arrangement of the guides is made according to the modern concept of the K-Guide System. The rod has split type handle, made of velvet warm neoprene (EVA) and equipped with an ergonomic reel seat with carbon nut, which provides comfort when fishing in any weather conditions. The correct action of the blank made of high-modulus graphite, in combination with a convenient reel seat, makes spinning rods of the Ultimatum JIG series are incredibly informative (MAX SENSITIVITY) tool for jigging in all conditions.

BLANK

- High modulus HMN carbon
- Ex-Fast Action
- 2 sections

REEL SEAT

• Warm Reel Seat

Ergonomic design

- GUIDES • SIC guides
- K-Guide shape frame
- Antitwisting Tip
- Mini Guide System, lightweight, single foot
- Guide System

- Ergonomic design
- Lightweight split handle
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, lb	Recom. PE, #
MSUJ23M	230	120	116	9	2	7-28	8-18	0,6-2
MSUJ24L	240	125	115	9	2	4-17	6-16	0,4-1,2
MSUJ24ML	240	125	117	9	2	5-22	6-20	0,5-1,5
MSUJ24M	240	125	120	9	2	7-30	8-20	0,6-2
MSUJ24MH	240	125	127	9	2	10-42	10-20	0,8-2,2
MSUJ26ML	260	134	125	10	2	4-18	6-18	0,5-1,2
MSUJ27ML	270	140	128	10	2	5-25	6-18	0,5-1,5
MSUJ27M	270	140	132	10	2	7-35	8-20	0,6-2
MSUJ27MH	270	140	138	10	2	12-42	10-22	0,8-2,2
MSUJ27H	270	140	142	10	2	15-55	15-30	1-3
MSUJ29MH	290	149	148	10	2	12-42	12-22	0,8-2,5



Mescalito JIG LE









Scogroup

Tangle Free Cultor Guide System

Model is produced in a limited edition. This specialized jigging rod has been developed with the help of professional anglers for the most comfortable and successful fishing experience. Mescalito is a lightweight, comfortable and extremely sensitive rod for fishing with all types of jigs. Thanks to its accurate Ex-Fast blank, the rod doesn't "fall through" when using aggressive jigging methods and allows to hook the fish reliably. The spinning rod is perfectly balanced and designed for professional jigging. It features Ex-Fast action, lightweight high-performance guides, HSS reel seat (Hyper Sensitive System).

The blank is made of high modulus graphite HME, the butt section is reinforced with special carbon fibers to increase rigidity and resistance to twisting. After casting, the oscillations get dumped effectively, the blank recovers almost instantly, which results in excellent casting quality. The rod is equipped with the Korea T-Zirconia Slim Guides with ultra-thin zirconia inserts, placed in accordance with K-Guide Concept. The number of the guides and their diameters have been increased compared to the standard models. The increased number of the guides ensures an ideal load distribution throughout the length of the rod. This makes for better performance of the rod during casts and retrieves. The increased diameters of the guides on the rod make it more comfortable to use in cold temperatures. The handle is designed to achieve comfortable grip and maximum sensitivity.

BLANK

- High modulus HME graphite
- Ex-Fast Action
- SST (Soft Sensitive Tip) technology used to increase the sensitivity of the blank

REEL SEAT

- Warm Reel Seat
- Ergonomic design
- Hyper Sensitive System

GUIDES

- KOREA GUIDES with zirconia inserts (Zirconia)
- K-Guide frame
- T-ZIRCONIA SLIM RING
- Antitwisting Tip
- Tangle Free construction
- Lightweight, single foot
- K-Guide System

- Ergonomic design
- Lightweight split grip handle
- Material: EVA


ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, lb
MJSSME782M	234	117	138	9	2	7-35	8-20
MJSSME802MH	244	122	142	9	2	10-42	10-24
MJSSME802H	244	122	146	9	2	14-49	12-26
MJSSME832MH	251	126	145	10	2	12-45	12-28
MJSSME832H	251	126	151	10	2	14-56	12-28
MJSSME862H	259	130	167	10	2	21-63	18-32
MJSSME862XH	259	130	186	10	2	28-84	20-42



MAXIMUS


BLACK WITTCH SPINNING







MINI



BLANK

- High modulus HME carbon
- Fast Action
- 2 sections
- **REEL SEAT**
- Warm Reel Seat
- Ergonomic design
- GUIDES
- SIC guides
- K-Guide shape frame
- Antitwisting Tip
- Mini Guide System, lightweight, single foot
- Guide System
- HANDLE
- Ergonomic design
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, lb
MSBWH23ML	230	120	123	9	2	5-20	4-15
MSBWH24L	240	125	129	9	2	3-15	3-12
MSBWH24ML	240	125	133	9	2	7-25	8-18
MSBWH24M	240	125	131	9	2	10-32	8-20
MSBWH24MH	240	125	139	9	2	12-42	10-20
MSBWH26ML	260	134	140	9	2	4-18	5-12
MSBWH26M	260	134	149	9	2	7-28	8-18
MSBWH27MH	270	140	153	10	2	10-40	8-20



BLACK WITCH JIG










LIGHT JIG

0



Black Witch is a new generation of high-tech spinning rod, assembled on a HME high modulus graphite blank. The rod is being made in two versions at once, universal spinning and jig version. Universal spinning rods have a fast (Fast) action and fit for almost all types of baits, such as wobblers, oscillating and spinning baits. The

spinning rod handle type is solid, completed with an ergonomic «warm» reel seat (Warm Reel seat). The jig version is a rod with extra fast (Ex-Fast) action, with a split type handle, equipped with a reel seat anatomical design. The Black Witch Jig is an incredibly informative jig fishing tool. All handle material models - high-quality «velvet» neoprene (EVA). Guides have SIC inserts and are arranged according to the K-Guide Concept. Thanks to the special shape of the rim of the guides (Tangle Free) there will be no overlap of the cord when casting the bait. All reel seats are equipped with a carbon nut that increases sensory HSS (Hyper Sensitive System) and provides comfort when fishing in various weather conditions. Black Witch is a modern rod suitable for catching any predatory fish species with various fishing styles.

BLANK

- High modulus HME carbon
- Ex-Fast Action
- 2 sections

REEL SEAT

- Warm Reel Seat
- Ergonomic design

GUIDES

- SIC guides • K-Guide shape frame
- Antitwisting Tip
- Mini Guide System, lightweight, single foot
- Guide System

HANDLE

- Ergonomic design
- Material: EVA

HEAVY JIG



0

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, lb
MJSSBWH22ML	220	114	105	8	2	6-21	10-16
MJSSBWH22M	220	114	110	8	2	8-28	12-20
MJSSBWH23M	230	120	140	9	2	7-35	10-20
MJSSBWH24MH	240	125	150	9	2	15-45	10-25
MJSSBWH24H	240	125	155	9	2	18-56	10-25
MJSSBWH26M	260	134	153	9	2	7-35	6-17
MJSSBWH26MH	260	134	165	9	2	15-45	12-22
MJSSBWH28H	280	144	180	10	2	18-56	10-25

MAXIMUS

Super

Sensitive System


CALANDE CASTING TWITCHING





















This is an Ex-Fast Action casting rod to be the perfect match with multiplier reels. Specially designed for twitching but also can be used for fishing in snags, underwater vegetation and jig fishing. Thanks to Ex-Fast Action blank, spinning rod has an incredible margin of power necessary when fighting with a fish on forced retrieve, fishing in snags and in other difficult situations. Blank is made from high modulus HME carbon, equipped with warm reel seat featuring Super Sensitive System technology. Manic Casting rods are fitted with SIC guides with Tangle Free frames helping to prevent any line tangles. Guides are placed in accordance with modern K-Guide System concept. Ideal balance and elaborate design of this model help an angler to make very accurate casting, recognize all bottom details and feel confident while retrieving any fish regardless of its size.

BLANK

- High modulus HME carbon
- Ex-Fast Action
- 2 sections

Put-over joint

REEL SEAT

- Warm Reel Seat
- Ergonomic design
- Super Sensitive System
- **GUIDES**
- SIC guides
- Antitwisting Tip
- Tangle Free frame design
- Mini Guide System, maximum light weight, single foot
- K-Guide System


- Ergonomic design
- · Lightweight split grip handle
- Material: Cork

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MTSCM20ML	200	100	106	9	2	5-25
MTSCM21M	210	105	126	9	2	7-35





SPINNING RODS





The Manic X spinning rod continues the series of rods designed for the ierky "twitching" fishing technique that is very popular among fans of spinning fishing on wobblers. The model received a completely new blank made of HME high modulus graphite. Unlike its predecessor, the Manic-X has a stiffer middle section, which allows you to use it with both jerking and jigging fishing techniques. Also, it is worth noting, that high-informative and responsive blank, allows you to feel every movement of the wobbler. Moreover, the wobbler can be at any weight within the rod's stated test range. Manic-X has excellent sensory (HSS), but at the same time, the strength of the blank allows you to fish in the most difficult conditions and calmly play the trophy specimens. The reel seat is equipped with a carbon nut, the handle is made of a combination of cork + EVA, which ensures comfort when fishing in various weather conditions. The spinning rods of this series are equipped with guides with SIC inserts enclosed in Tangle Free frames which prevents line overlap. The arrangement of the guides is made according to the modern concept of the K-Guide System. The series of rods is supplemented with specialized Manic spinning rods X BB (Big Bait) medium-fast action specially for fans of fishing with super-large lures. These rods have great power, allowing you to safely catch any fish regardless of the size of the trophy, in absolutely any conditions. The main specialization of BB spinning rods is catching trophy pike on large silicone lures. But you can also use other types of baits, for example, swimbaits. Rods allow you to operate with baits weighing up to 200 g without experiencing any inconvenience. Far casting, high sensitivity and excellent ergonomics will allow anybody to enjoy trophy fishing.

BLANK

- High modulus HME carbon
- Ex-Fast Action
- 2 sections
- Put-over joint

REEL SEAT

- Warm Reel Seat
- Ergonomic design
- Hyper Sensitive System

GUIDES

- SIC guides
- Antitwisting Tip
- Tangle Free frame design
- Mini Guide System, maximum light weight, single foot
- K-Guide System

- Ergonomic design
- Lightweight split grip handle
- Material: Cork

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, lb	Recom. PE, #			
SPINNING											
MTSSMX20L	200	104	106	8	2	4-16	5-12	0,4-1,2			
MTSSMX20ML	200	104	111	8	2	5-25	6-18	0,5-1,5			
MTSSMX21M	210	110	120	8	2	7-35	8-20	0,6-2			
MTSSMX21MH	210	110	133	8	2	10-42	10-20	0,8-2,5			
MBBSMX25XH	250	130	185	10	2	30-140	20-55	1,5-4			
MBBSMX26XXH	260	135	205	11	2	40-180	25-72	2-5			
CASTING											
MBBCMX25XXH	250	130	210	11	2	50-200	28-85	2,5-6			



MAXIMUS



This is a series of hi-tech spinning rods specially designed for the most effective trout fishing. It consists of four models: Neon Midori Area Edition 602XUL (test: up to 4 g) suitable for pond trout and classified as "Area Fishing"; Neon Midori Stream Edition 622SUL (test: up to 5q), 662UL and 702UL (test: up to 6q) suitable for fishing in rapid mountain streams, small medium-fast running rivers and brooks. All Midori rods are perfect for delicate fishing style requiring "animation" of plastic lures, lightweight jigs, micro spoons or wire rigs. Midori blanks feature mediumfast action, slightly more stiffness compared with classic Area and Stream rods and the shortest damping period (that is how rapidly a rod will damp out vibrations). All the other characteristics of our ultralight trout rod remained the same - long and accurate casting of lures of any size or weight, the possibility to use various "animation" techniques, superb sensitivity, perfect balance and ultralight weight. This rod is manufactured from high modulus NANO carbon fibers. It is built with premium modern components: ultra-light guides Korea T-Zirconia Slim Rings in super light frames with ultra slim Zirconia inserts and ergonomic Fuji skeleton TVS reel seats. Due to the unique combination of NANO fibers, Korea T- Zirconia Slim Ring, Super Sensitive System and Mini Guide System we managed to create an exceptionally lightweight rod with incredible sensitivity and amazing power. This flexible blank can minimize hookpulls and line breakage giving you the best fishing experience you have ever had!

BLANK

- High modulus carbon NANO GRAPHITE FIBERS
- Medium Action
- 2 sections
- Put-over joint

REEL SEAT

- FUJI
- Warm Reel Seat, ergonomic design
- Super Sensitive System

- KOREA GUIDES (Zirconia)
- T-ZIRCONIA SLIM RING
- AT-Guide ultralight rings for Extra and Ultralight rod classes
- Antitwisting Tip
- Micro-rings Mini Guide System, maximum lightweight, single foot
- HANDLE
- Ergonomic design
- Lightweight split grip handle
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, kg	Line weight, lb
MAESNM602XUL	183	92	59	7	2	0,8-4	0,5-1,5	1-3
MSESNM622SUL	188	94	60	7	2	1-5	0,5-2	1-4
MSESNM662UL	198	100	62	7	2	1,5-6	0,5-2,5	1-5
MSESNM702UL	213	107	70	8	2	1,5-6	0,5-2,5	1-5



Marauder \mathcal{X} TWITCHING


















Our great twitching rod got a new design. The changes mainly affected the ergonomics of the handle; our engineers modified it to have a more complete look. The Marauder-X Twitching rod was specially designed for jerking retrieve technique and every detail was thoroughly developed: ultra-light, Ex-Fast action blank, made of high modulus HMN + HME graphite (40 + 46T combination). The butt section reinforced with special carbon fibers to increase rigidity and resistance to twisting. FUJI guides with Alconite inserts, placed in accordance with modern KR-Guide Concept. Only when all the above components were combined we were able to build an ideal rod for twitching. This rod will allow anglers to feel every movement of a lure, it will work precisely and the tip will not «fall through» when using an aggressive twitching technique.

BLANK

- High modulus HMN+HME graphite
- Ex-Fast Action

REEL SEAT


- FUJI
- Warm Reel Seat
- Ergonomic design
- Super Sensitive System
- GUIDES
- FUJI guides with ALCONITE inserts
- K-Guide frame
- Antitwisting Tip
- Tangle Free construction
- Micro guides (Mini Guide System), ultra-lightweight, single foot
- KR-Guide Concept
- HANDLE
- Ergonomic design
- Lightweight split grip handle
- Material: Cork

ltem	Length, cm	ngth, cm Closed Rod length, cm weight, g		Guides	Sections	Lure weight, g					
SPINNING											
MTSSMX662L	198	99	86	9	2	3-14					
MTSSMX662ML	198	99	91	9	2	5-21					
MTSSMX662M	198	99	93	9	2	7-28					
MTSSMX662MH	198	99	93	9	2	11-42					
			CASTING								
MTSCMX662L	198	99	103	10	2	3-14					
MTSCMX662ML	198	99	105	10	2	5-21					
MTSCMX662M	198	99	107	10	2	7-28					


42

MAXIMUS

MIN







Super

Sensitive System

BLANK

- High modulus HME carbon
- Ex-Fast Action
- 2 sections
- Put-over joint
- «Chameleon» coating
- **REEL SEAT**
- FUJI
- Super Sensitive System
- **GUIDES**
- FUJI SIC guides
- Antitwisting Tip
- Tangle Free frame design
- Micro-rings Mini Guide System, maximum lightweight, single foot
- KR-Guide System

- Ergonomic design
- Lightweight split grip handle
- Material: Cork

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g
MLESE602UL	183	92	83	7	2	1-5
MLESE662UL	198	99	93	7	2	1-7
MLESE762L	228	114	107	8	2	2-10
MLESE802L	244	122	112	8	2	3-14





SPINNING RODS



Ecogroup

NOTHING'S PERFECT, EXCEPT ME!





The newly redesigned series of the popular spinning rods Egoist will please all fans of fishing with ultralight gear. Due to the use of modern materials and high quality components, it became possible to create an incredibly responsive fishing rod for long casting. A number of technical changes have been made including modification of guides. On our spinning rod marked with prefix Z, we have used the lightest guides in AT frames made in South Korea. The elaborate design of the inserts allows using all types of modern fishing lines: fluorocarbon, polyester, nylon, and, of course, all types of braided lines. The blank is made of high modulus HME graphite and fitted with extra-light Korea T-Zirconia Slim Ring with ultra-thin zirconia inserts. The ultra lightweight guides in combination with the ergonomic «skeleton» TVS reel seat provide an excellent balance of the rod and a comfortable and reliable grip. The split handle design helps to reduce overall weight of the rod and at the same time increases its sensitivity.

BLANK

- High modulus HME graphite
- Fast Action

REEL SEAT

- Ergonomic design
- Super Sensitive System

- KOREA GUIDES with zirconia inserts (Zirconia)
- T-ZIRCONIA SLIM RING
- AT-Guide frame
- Antitwisting Tip
- Micro guides (Mini Guide System), ultra-lightweight, single foot
- K-Guide System
- HANDLE
- Ergonomic design
- Lightweight split grip handle
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Lure weight, g	Line weight, lb
MSEZ662UL	198	99	76	7	2	1-5	1-5
MSEZ702UL	213	107	84	8	2	1-7	2-6
MSEZ762L	228	114	96	8	2	2-10	2-8







MSDZ902H

274

137

158

8

2

Scogroup

14-56

16-28

AT-Guide

SPINNING RODS



Ecogroup

46





Satori Twitch Special is specially designed for jerking. Spinning very light, with Ex-Fast Action and a rigid blank. The unique sensitivity of the blank helps to track any details of the animation. Satori Twitch Special features FUJI fittings, Torzite titanium guides and a warm reel seat.

BLANK

- Material High Modulus Nano Graphene Fiber
- Action Extra-Fast Action
- Connection Put Over Joint
- **REEL SEAT**
- FUJI
- Ergonomic design
- GUIDES
- FUJI TORZITE
- Titanium frame
- K-Guide shape
- Antitwisting Tip
- Tangle Free
- KR-Guide System
- HANDLE
- Spaced handle
- Ergonomic design
- High quality neoprene

	ltem	Length		Closed length,	Rod weight, g	Guides	Sections –	Lure weight		Line weight, lb	Recom.	~
	ft	cm	cm	weight, g	ouldes	οz		g	weight, lb	PE, #		
	MTSSGR672M	6'7"	204	103	84	9	2	1/5 -1	6-28	6-20	max 2,5	







The Satori JIG Special series is designed specifically for jig fishing. It is a premium spinning rod made of 46T modulated graphite with graphene filler. Due to such a structure of the blank the series has amazing sensitivity which allows to trace through absolutely all the details of the relief, feel signals and bites, and also has excellent casting characteristics. The blank is protected by an additional reinforced layer, which changes the characteristics of the rod as a whole, gives additional rigidity to the butt-end and significantly increases the torsional strength of the rod. The Satori JIG Special Series features Fuji's Torzite titanium guides and an ergonomic warm reel seat. In general, the Satori jig series combines an absolutely balanced fast blank with increased strength, classic design, excellent casting characteristics and unique sensitivity.

BLANK

- Material High Modulus Nano Graphene Fiber
- Action Extra-Fast Action
- Connection Put Over Joint
- REEL SEAT
- FUJI
- Ergonomic design

- FUJI TORZITE
- Titanium frame
- K-Guide shape
- Antitwisting Tip
- Tangle Free
- KR-Guide System
- HANDLE
- Spaced handle
- Ergonomic design
- High quality neoprene

ltem –	Length		Closed	Rod	Guides	Sections	Lure weight		Line	Recom.
	ft	cm	length, cm	weight, g	Guides	Jections	οz	g	weight, lb	PE, #
MJSSGR782ML	7'8"	238	120	113	9	2	1/8-3/4	4-22	6-16	max 2,5
MJSSGR822M	8'2"	250	128	126	10	2	1/4 -1 1/4	7-36	8-20	max 2,5
MJSSGR862MH	8'6"	262	134	133	10	2	5/16-1 1/2	9-42	8-25	max 3





Satori series has a special rod for fans of trout fishing. The Area Special model combines all the most modern and necessary qualities for Area Fishing. Due to the special geometry and the use of graphene, the blank has a phenomenal sensitivity, which makes it possible to carry out delicate bottom tapping with both light spoons and silicone baits. High-quality accessories, lightness and power of this spinning will allow you to confidently cope with the trophy and enjoy the vivid emotions from fishing.

BLANK

- Material High Modulus Nano Graphene Fiber
- Action Extra-Fast Action
- Connection Put Over Joint
- REEL SEAT
- FUJI
- Ergonomic design
- GUIDES
- FUJI TORZITE
- Titanium frame
- K-Guide shape
- Antitwisting Tip
- Tangle Free
- KR-Guide System
- HANDLE
- Ergonomic design
- High quality cork

	ltem –	Len	Length		Rod weight,	Guides	Guides Sections –		eight	Line	Recom.	
四日の		ft	cm	length, cm	g	Guides	Sections	οz	g	weight, lb	PE, #	
A P. TEL	MAESGR662UL	6'6"	201	102	67	8	2	1/64 -1/6	0,4-5	1-4	max 0,6	





The Long Cast Special spinning rod is specially designed for catching asp, chub and other fish species when it needs very long and precise casting. Like all Satori spinning rods, the Long Cast Special is equipped with Fuji fittings, Torzite titanium guides and warm reel seat with ergonomic design. Despite the fact that spinning has narrow specialization, the blank has exceptional sensitivity. It helps to notice all the details of relief and any changes in animation of the bait. Satori Long Cast Special is a powerful rod that allows to catch all kinds of large fish. The power of the blank allows to cope with any trophy and enjoy fishing.

BLANK

- Material High Modulus Nano Graphene Fiber
- Action Extra-Fast Action
- Connection Put Over Joint
- **REEL SEAT**
- FUJI
- Ergonomic design


- FUJI TORZITE
- Titanium frame
- K-Guide shape
- Antitwisting Tip
- Tangle Free
- KR-Guide System
- HANDLE
- Spaced handle
- Ergonomic design
- High quality neoprene

Item -	Len	Length		Rod			Lure weight		Line	Recom.	
	ft	cm	length, cm	weight, g	Guides	Sections -	oz	g	weight, lb	PE, #	
MSGR882MH	8'8"	268	135	119	10	2	3/8-1 1/2	10-43	8-25	max 3	









BOUNCER TROLLING





This is a series of rods specially designed for trolling. This unique rod is unmatched in its class. Its blank is made of high-quality composite blend and features a J-Action, typical for trolling rods.

The Bouncer is equipped with anti-twisting guides featuring high corrosion resistance. The guides are places in such a way that energy and stress are evenly spread throughout the length of the rod, preventing the line from sticking to the blank under the heaviest load.

The sensitive brightly coloured tip made by using Power Stick technology allows an angler to feel the action of a lure at the end of the line and accurately detect any fish bites. A special coating of the tip makes it easy to notice a fish bite even at twilight. These rods are equipped with classic screw-down reel seats and comfortable EVA handles. Bouncer is a reliable trolling rod that can be used both for fishing in freshwater and in the sea. It is suitable for anglers of all skill levels.

BLANK

- Composite material
- Trolling J-Action
- T Power Stick Top (sensitive and stiff tip)

REEL SEAT

Classic screw-down

GUIDES

- SIC guides
- Antitwisting Tip
- Tangle Free construction
- Reinforced double foot

- Reinforced handle
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Test, lb
MBTRB21MH	210	105	254	9	2	10-25
MBTRB210H	210	105	268	9	2	15 - 40
MBTRB240MH	240	120	320	10	2	10-25
MBTRB240H	240	120	320	10	2	15 - 40
MBTRBGB210MH	210	105	254	9	2	10 - 25
MBTRBGB210H	210	105	268	9	2	15 - 40
MBTRBGB240MH	240	120	320	10	2	10 - 25
MBTRBGB240H	240	120	320	10	2	15 - 40



TROLLING RODS







This is a professional series of trolling rods. The blank is made of high-quality composite blend and features a J-Action, typical for trolling rods.

We applied the Heavy Duty Guide Concept to our new JAZZ rods: we equipped them with powerful anti-twisting guides featuring high corrosion resistance. The guides are places in such a way that energy and stress are evenly spread throughout the length of the rod, preventing the line from sticking to the blank under the heaviest load.

The sensitive brightly coloured tip made by using Power Stick technology allows an angler to feel the action of a lure at the end of the line and accurately detect any fish bites. A special coating of the tip makes it easy to notice a fish bite even at twilight. The rod has a gimbal with a protective removable butt cap, the powerful anodized aluminum reel seat and the comfortable high-quality EVA foam grip with a non-slip coating. JAZZ is a professional trolling rod specially designed for experts in trolling, which can be used both in freshwater and in the sea.

BLANK

- Composite material
- Trolling J-Action
- T Power Stick Top (sensitive and stiff tip)

REEL SEAT

• Reinforced aluminum screw down design with two clamping nuts


GUIDES

- SIC guides
- Antitwisting Tip
- Strong LC guide frames (Tangle Free)
- Reinforced double foot

HANDLE

- Powered Grip Construction (special technology providing an excellent grip)
- Graphite gimbal to be fixed on a fighting belt
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Test, lb
MTRLSJ702MH	210	105	286	10	2	10-25
MTRLSJ702H	210	105	302	10	2	15-40
MTRLSJ802MH	240	120	301	11	2	10-25
MTRLSJ802H	240	120	318	11	2	15-40



Scogroup














This is a rod specially designed for boat fishing with heavy jigs. Reliable lightweight rod is made from IMFI carbon. It is fitted with special guides in durable LC (Low Rider Guide) frames, designed for heavy loads. Handle is made in accordance with Powered Grip Construction technology from durable fined-pored EVA. A special perforation is applied to the upper part of the handle making the grasp more comfortable. Powerful reel seat is made from solid aluminum alloy with two clamping nuts for reliable reel fixation. Butt section has a special aluminum gimbal for use with fight belt. Powerful blank combined with X-Joint (spigot) are designed for extreme loads and have a huge margin of strength. This is an ideal choice for trophy cod, catfish and halibut fishing.

BLANK

- Material: IMFI carbon
- 2 sections
- Put over power joint
- X-Joint (spigot) connection

REEL SEAT

• Reinforced screw down design with two clamping nuts

GUIDES

- SIC guides
- Antitwisting Tip
- Tough durable top design with enlarged improved profile rings
- Durable Tangle Free frame LC
- Reinforced, double foot

- Powered Grip Construction
- Aluminum gimbal buttcap
- Material: EVA



ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Test, lb	Test, g
MBRF210MH	210	105	370	8	2	30	max 500
MBRF210H	210	105	420	8	2	50	max 700






SEA BOAT RODS

DEEP HUNTER







This is a rod specially designed for boat fishing with heavy jigs. Reliable lightweight
rod is made from IMFI carbon. It is fitted with special guides in durable LC (Low Rider
Guide) frames, designed for heavy loads. Handle is made in accordance with Powered
Grip Construction technology from durable fined-pored EVA. A special perforation is
applied to the upper part of the handle making the grasp more comfortable. Powerful
reel seat is made from solid aluminum alloy with two clamping nuts for reliable reel
fixation. Butt section has a special aluminum gimbal for use with fight belt. Powerful
blank combined with X-Joint (spigot) are designed for extreme loads and have a huge
margin of strength. This is an ideal choice for trophy cod, catfish and halibut fishing.
margin er er engan. The le an lacat energe for trophy coa, cather and harbat hermig.

BLANK

- Material: IMFI carbon
- 2 sections
- Put over power joint
- X-Joint (spigot) connection

REEL SEAT

- Reinforced screw down design with two clamping nuts
- GUIDES
- SIC guides
- Antitwisting Tip
- Tough durable top design with enlarged improved profile rings
- Durable Tangle Free frame LC
- Reinforced, double foot

- Powered Grip Construction
- Aluminum gimbal buttcap
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Test, lb	Test, g
MBRDH165H	165	100	450	6	1+	50	max 800
MBRDH165XH	165	100	460	6	1+	70	max 1100
MBRDH190H	190	100	490	7	2	50	max 800
MBRDH190XH	190	100	505	7	2	70	max 1100
MBRDH210MH	210	105	465	8	2	30	max 500
MBRDH210H	210	105	480	8	2	50	max 800
MBRDH19H15	190	129	540	7	1+	50	max 800
MBRDH19XH15	190	129	560	7	1+	70	max 1100





WINTERLINE

















This sea rod is specially designed for catching trophy halibut, cod, ling or sea bass. Sea Empire rods are produced using the unique Multi Tip Concept the idea of which is that rods are supplied with two tips for different purposes:

1) Interline Tip (fishing line runs inside the blank) – for fishing at depths up to 100m. The blank becomes more powerful due to equal load distribution.

2) Tip with classic guides placement is ideal for fishing at depths greater than 100m where fast sinking of a lure is more important than power characteristics of a blank. Each rod of this series is supplied with two tips which makes it really universal in the very best sense of the word. You will be prepared for any situation that may arise. If you have lost or broken one tip, you can continue fishing using the second one. In fact, you will get two rods in one. Sea Empire blanks are made of IMS carbon featuring unique Power Carbon Construction providing ultimate strength which is so necessary to handle extreme load when fighting a trophy sized fish. Sea Empire rods are equipped with a quality aluminum gimbal buttcap, reliable aluminum reel seat with two clamp nuts, excellent SIC guides with modern stainless steel LC (Low Rider) frames and salt water protection. The handle is made using Powered Grip Construction technology of a durable fined-pored EVA (neoprene). A special perforation is applied to the upper part of the handle making the grasp more comfortable.

These rods are capable of more than we expect. The elastic tip absorbs jerks very well whereas the powerful butt section allows to fight a big halibut or cod.

BLANK

BOAT

- Material: IMS carbon
- 2 sections + additional tip
- Конструкция штекерная усиленная
- Reinforced put-over joint


REEL SEAT

- Reinforced screw down design with two clamping nuts
- **GUIDES**
- SIC guides
- Antitwisting Tip
- Heavy Duty Tip Top with enlarged and improved profile of the insert
- Heavy Duty Tangle Free frame LC
- Reinforced, double foot
- Power Interline construction preventing line from overlapping

- Powered Grip Construction
- Aluminum gimbal buttcap
- Material: EVA

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Test, lb	Test, g
MBRSE702MH	210	105	320/315	8/Interline	1+2Tips	30	max 500
MBRSE702H	210	105	325/320	8/Interline	1+2Tips	50	max 700





Popular Agent feeder rod series has been upgraded and now, it is represented by the modern Agent X line of rods. These rods are medium-fast action rods with a modern and spectacular appearance. The rods belong to low price category, but it is easily capable of satisfying the most demanding anglers. Agent X is available in a range of tests from 10 to 150 g and a length of 270 to 390 cm, which allows you to choose optimal rod for any fishing conditions, both in still water, using light feeders, and in strong stream waters, with heavy weights. The feeder is made of IMF graphite, equipped with guides with SIC inserts, handle made of cork and neoprene (EVA). It is sealed with three tops of various degrees of rigidity. High-quality graphite blank provides necessary rigidity and excellent casting ability of the rod.

BLANK

- Material IMF graphite
- Medium-Fast Action

REEL SEAT

- Ergonomic design
- Warm Reel Seat

GUIDES

- SIC guides
- Low profile reinforced (2 on two feet, rest on feet) HANDLE
- Ergonomic design
- Cork + EVA (Neoprene)

INDIVIDUAL PROPERTIES

• Three interchangeable tops in tube

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Test, g
MFRAGX270M	270	140	-	10	2+3 Tips	10/30/60
MFRAGX300M	300	106	233	10	3+3 Tips	30/60/90
MFRAGX300H	300	106	237	10	3+3 Tips	60/90/120
MFRAGX300XH	300	106	-	10	3+3 Tips	90/120/150
MFRAGX330M	330	117	-	13	3+3 Tips	30/60/90
MFRAGX330H	330	117	247	13	3+3 Tips	60/90/120
MFRAGX330XH	330	117	-	13	3+3 Tips	90/120/150
MFRAGX360H	360	124	-	13	3+3 Tips	60/90/120
MFRAGX360XH	360	124	321	13	3+3 Tips	60/90/150
MFRAGX390H	390	134	345	13	3+3 Tips	60/90/120
MFRAGX390XH	390	134	349	13	3+3 Tips	90/120/150











Integro is a series of budget feeder rods with a modern and eyecatching design. This series at a low cost is able to satisfy the most demanding anglers. Integro has a very wide size and test range – from 240 to 420 cm from 10 to 180 g, which allows you to choose the optimal fishing rod for any conditions, suitable for standing water and the use of light feeders, as well as for water with strong currents and the heaviest weights. The feeder is made of a combination of materials – the reinforced comel is made of IMF graphite, the upper parts are made of high-modulus graphite, which makes the fishing rod very strong with the correct load distribution during casting, providing excellent castability and the necessary rigidity. The feeder is equipped with a modern reel seat, the handle is made from a combination of cork and EVA, SIC guides, three interchangeable tops of different rigidity are included.

BLANK


- IMF graphite
- Medium Action
- REEL SEAT
- Classic screw
- GUIDES
- SIC guides
- Low profile reinforced (2 on two feet, rest on feet) HANDLE
- Ergonomic design
- Cork + EVA (Neoprene)

INDIVIDUAL PROPERTIES

• Three interchangeable tops in tube

ltem	Length, cm	Closed length, cm	Rod weight, g	Guides	Sections	Test, g
MFRIG240L	240	125	159	10	2+3 Tips	10/30/60
MFRIG270L	270	140	182	10	2+3 Tips	10/30/60
MFRIG270M	300	140	180	10	2+3 Tips	30/60/90
MFRIG300H	300	106	225	13	3+3 Tips	60/90/120
MFRIG300M	330	106	245	13	3+3 Tips	30/60/90
MFRIG330H	330	117	259	13	3+3 Tips	60/90/120
MFRIG330M	330	117	264	13	3+3 Tips	30/60/90
MFRIG330XH	330	117	265	13	3+3 Tips	90/120/150
MFRIG360H	360	124	309	13	3+3 Tips	60/90/120
MFRIG360XH	360	124	349	13	3+3 Tips	90/120/150
MFRIG360XXH	360	124	338	13	3+3 Tips	120/150/180
MFRIG390XH	390	135	386	13	3+3 Tips	90/120/150
MFRIG390XXH	390	135	373	13	3+3 Tips	120/150/180
MFRIG420XXH	420	145	423	13	3+3 Tips	120/150/180





Jasper is a new, modern and technological series of feeder rods that immediately attracts attention: bright and non-standard design with a split type handle. The handle allows you to lighten the rod and saves you from such problems as bait contamination and loss of appearance. The new feeder rod is available in tests from 30 g to 180 g and lengths from 300 to 390 cm. Jasper has a medium-fast action blank which is made of IMF graphite with a reinforced butt. The rod allows you to make precise and longrange casts. Despite the fact that the blank is elegant and light, the feeder has sufficient rigidity for catching and playing any kind of fish, including trophy specimens. Jasper is equipped with a warm modern reel seat, the handle is made of a combination of cork and EVA, SIC guides, three tips of different rigidity are included.

BLANK

• IMF graphite

Medium Action

- REEL SEAT
- Ergonomic design
- Warm reel seat

- SIC guides
- Low profile reinforced (2 on two feet, rest on feet) HANDLE
- Ergonomic design
- Cork + EVA (Neoprene)
- **INDIVIDUAL PROPERTIES**
- Three interchangeable tops in tube

ltem	Length, cm	Closed length, cm	Guides	Sections	Test, g
MFRJA300M	300	106	12	3+3 Tips	30/60/90
MFRJA330M	330	117	12	3+3 Tips	30/60/90
MFRJA330H	330	117	12	3+3 Tips	60/90/120
MFRJA330XH	330	117	12	3+3 Tips	90/120/150
MFRJA360H	360	124	13	3+3 Tips	60/90/120
MFRJA360XH	360	124	13	3+3 Tips	90/120/150
MFRJA390XH	390	135	13	3+3 Tips	90/120/150
MFRJA390XXH	390	135	13	3+3 Tips	120/150/180







www.maximus-rods.com