



2020 Product Catalog

- Stainless Steel Vacuum Insulated Products (Bottles, Mugs, Food Jars, Lunch Jars, and others)
- Glass Lined Vacuum Insulated Products (Air Pots, Handy Pots)
- Catering Products



-Since 1918, Japan-

ZOJIRUSHI HISTORY

2018
100th Anniversary

Zojirushi lists shares on the First Section of the Tokyo Stock Exchange



1986

Zojirushi lists shares on the Second Section of the Osaka Securities Exchange; corporate identity is introduced; Union Zojirushi Co., Ltd. in Thailand, is established

1981

Stainless steel dual-layer vacuum pipes are launched



1995

Zojirushi-Simatelex Co., Ltd. and Zojirushi Hong Kong Co., Ltd. are established



1968

Osaka Factory is opened

1973

Air Pot is launched, Zojirushi receives high acclaim for this push button-type beverage dispenser



1963

Japan's first automated bottle production equipment is developed, mass production of vacuum bottle interior glass begins



2014

Zojirushi SE Asia co., Ltd. is established in Thailand



2008

Zojirushi celebrates 90th anniversary; Vacuum Bottles & Air Pots Pavilion is established



2003

Zojirushi Shanghai Corporation is established

1987

Zojirushi America Corporation is established



2002

Zojirushi Taiwan Corporation, in Taiwan, is established



1961

Name changed to Zojirushi Corporation; elephant adopted as trademark

1918

Ichikawa Brothers Trading Company is established in Osaka




ESTABLISHED IN 1918

The history of the Zojirushi goes back to a glass-lined vacuum bottle created in 1918. This bottle for home use was created using vacuum insulation - a breakthrough technology at the time. In the years since then, Zojirushi has established itself as a top manufacturer of vacuum bottles and has continued to leverage the latest technologies to create a constant stream of leading-edge products that make life more comfortable and convenient.

Although much has changed and lifestyles have become more varied, our corporate philosophy of "Creating a quality of life." continues to be reflected in our many products and services.

GLOBAL NETWORK



Stainless Steel Vacuum Insulated Products

Mugs

One Touch Flip-Open

Step 1
Keep pressed

While the button is pressed, the cap remains slightly open. Excessive dew on the cap drops.

Step 2
OPEN/Release

The cap will flip open when you release your finger from the button.

Twist-Open

Designed to drink directly out of the mug. Just twist to open the lid.

SLiT Design®

It stands for Slim, Light and Thin

SLiT Design

※Vacuum layer is only about 1 mm thick for lightweight insulation.

Whole-Body Washable

Can be rinsed out completely to keep clean

Do not soak under water.

Non-Stick Coating

Discoloration and odors won't stick

Air Vent System

Easy to drink, with no gurgling.
Drink flows out twice as fast!

(Compared to ST-XB)

Tealeaf Filter

Removable and Easy-to-Clean Tealeaf Filter.

Tealeaf Storage

Plastic Drinking Mouth

Functioning as a cover, the plastic mouth is pleasant to drink from. It also indicates that the drinking spout equipped with plastic mouth.

Take-Apart Stopper

Can be taken apart to clean.

Photo shows SM-J type.

Photo shows SM-K type.

※See list of models for availability of functions

One Touch Flip-Open

SM-SE36 0.36L /48 0.48L /60 0.6L

New Instruction Manuals (JPN) (ENG) (CHN) (KOR)

Light Blue: AL
-SE36 : 217677
-SE48 : 217714

Matte Black: BZ
-SE36 : 217684
-SE48 : 217691
-SE60 : 217738

Beige Gold: NZ
-SE36 : 217684
-SE48 : 217721
-SE60 : 217752

Garnet Red: RZ
-SE36 : 217660
-SE48 : 217707
-SE60 : 217745

Take-Apart Stopper

	Model No.	SM-SE36	SM-SE48	SM-SE60	SM-TA36	SM-TA48	SM-TA60	SM-TAE48SA		SM-SD36	SM-SD48	SM-SD60	SM-KC36	SM-KC48	SM-PC20	SM-PC30	SM-YAF48
Features	Wide Mouth (cm)	4.0	4.0	4.0	4.0	4.0	4.0	4.0		4.0	4.0	4.0	4.0	4.0	3.0	3.0	7.5
	SLIT*1	●	●	●	●	●	●	●		●	●	●	●	●	●	●	
	Non-Stick Coating	●	●	●	●	●*	●*	●*		●	●	●	●	●	●	●	
	Whole-Body Washable*2	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●
	Take-Apart Stopper	●	●	●	●	●	●	●		●	●	●	●	●	●	●	
	Air Vent System	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●
	Plastic Drinking Mouth																
Capacity (liters)	0.36	0.48	0.60	0.36	0.48	0.60	0.48		0.36	0.48	0.60	0.36	0.48	0.20	0.30	0.48	
Packing (pcs./carton)	12	12	12	12	12	12	12	12		12	12	12	12	12	12	12	12
Weight	Net (kgs.)	2.9	3.5	3.9	3.2	3.6	4.1	4.0		2.9	3.5	3.9	3.5	4.0	2.5	3.0	4.8
	Gross (kgs.)	3.1	3.8	4.1	3.5	3.9	4.4	4.2		3.2	3.8	4.1	3.7	4.2	2.7	3.2	5.0
Measurement (m³)		0.014	0.017	0.019	0.014	0.017	0.019	0.018		0.014	0.017	0.019	0.015	0.017	0.010	0.013	0.024
Retention	Hot*3	86°C@1hr./67°C@6hr.	87°C@1hr./71°C@6hr.	88°C@1hr./73°C@6hr.	86°C@1hr./66°C@6hr.	87°C@1hr./71°C@6hr.	88°C@1hr./73°C@6hr.	87°C@1hr./71°C@6hr.		86°C@1hr./67°C@6hr.	87°C@1hr./71°C@6hr.	88°C@1hr./73°C@6hr.	85°C@1hr./64°C@6hr.	86°C@1hr./68°C@6hr.	83°C@1hr./62°C@6hr.	85°C@1hr./69°C@6hr.	81°C@1hr./56°C@6hr.
	Cold*4	9°C@6hr.	8°C@6hr.	8°C@6hr.	9°C@6hr.	8°C@6hr.	8°C@6hr.	9°C@6hr.		9°C@6hr.	8°C@6hr.	8°C@6hr.	8°C@6hr.	9°C@6hr.	10°C@6hr.*	9°C@6hr.	10°C@6hr.
Unit Size*5		6.5x7.0x17.5	6.5x7.0x22.0	6.5x7.0x25.0	6.5x7.0x18.5	6.5x7.0x22.5	7.0x7.0x26.0	6.5x7.0x22.5		6.5x7.0x17.5	6.5x7.0x22.0	6.5x7.0x25.0	6.5x7.0x18.5	6.5x7.0x23.0	6.0x6.5x19.5	6.0x6.5x19.5	8.0x8.5x21.5
Country of Origin		THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND		THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND

*1. SLiT = Slim, Light and Thin. *2. Do not soak under water. *3. Rating is based on water at a starting temperature of 95°C±1°C at a room temperature of 20°C±2°C.
*4. Rating is based on water at a starting temperature of 4°C±1°C at a room temperature of 20°C±2°C. *5. Listed external dimensions: width x depth x height in cm (approximate).
● Do not place in dish washer or dish dryer. ★ SM-TA, SM-TAE: Double non-stick coated.

One Touch Flip-Open

SM-TA36 0.36L /48 0.48L /60 0.6L

Instruction Manuals (JPN) (ENG) (CHN) (KOR)

Black: BA
-TA36 : 216151
-TA48 : 216199
-TA60 : 216236

Honey Gold: DM
-TA36 : 216182
-TA48 : 216229
-TA60 : 216250

Pink: PA
-TA36 : 216168
-TA48 : 216205

White: WA
-TA36 : 216175
-TA48 : 216212
-TA60 : 216243

Stainless: XA
-TA36 : 713391
-TA48 : 713407
-TA60 : 713414

Take-Apart Stopper

Isotonic (Sports Drink) OK

Share!

SM-TAE48SA 0.48L

New Instruction Manuals (ENG) (CHN) (FRE) (GER) (SPA) (NLD) (DAN) (SWE) (ITA) (NOR) (ARA)

Ichimatsu White: WZ
-TAE48SA : 713933

Ichimatsu Black: BZ
-TAE48SA : 713940

Ichimatsu Red: RZ
-TAE48SA : 713957

Ichimatsu Blue: AZ
-TAE48SA : 713964

SM-SD36 0.36L /48 0.48L /60 0.6L

Instruction Manuals (JPN) (ENG) (CHN) (KOR)

Deep Cherry: PV
-SD36 : 214492
-SD48 : 214539

Matte Blue: AM
-SD36 : 214508
-SD48 : 214546
-SD60 : 214577

Matte Gold: NM
-SD36 : 214485
-SD48 : 214522
-SD60 : 214560

Silky Black: BC
-SD36 : 214478
-SD48 : 214515
-SD60 : 214553

Clear Red: RC
-SD48 : 712462
-SD60 : 712486

Stainless: XA
-SD48 : 712455
-SD60 : 712479

Rose Gold: NM
-KC36 : 211866
-KC48 : 211880

Bordeaux: VD
-KC36 : 211873
-KC48 : 211897

Take-Apart Stopper

SM-KC36 0.36L /48 0.48L

Instruction Manuals (JPN) (ENG) (CHN) (KOR)

Take-Apart Stopper

SM-PC20 0.2L /30 0.3L

New Instruction Manuals (JPN) (ENG) (CHN) (KOR)

Coral Pink: PV
-PC20 : 217820

White: WA
-PC20 : 217837
-PC30 : 217851

Navy: AD
-PC30 : 217844

SM-YAF48 0.48L

Instruction Manuals (ENG) (CHN) (KOR)

Cherry Red: RA
-YAF48 : 710970

Lime Green: GA
-YAF48 : 710987

Stainless: XA
-YAF48 : 710956

Dark Cocoa: TD
-YAF48 : 710963

Export Exclusive Item

Fits in most car cup holders.

Fill Line

Main Body

Do not fill beverages above Fill Line.

Twist-Open


SM-NA36 0.36L /48 0.48L /60 0.6L Instruction Manuals (JPN) (ENG) (CHN) (KOR)



Easy-to-Clean 2 Step Take-Apart Stopper

SM-N, SM-L Series Only

To disassemble the Stopper, remove the gasket and turn the Stopper for thorough cleaning.



SM-NAE48SA 0.48L New Instruction Manuals (ENG) (CHN) (FRE) (GER) (SPA) (NLD) (DAN) (SWE) (ITA) (NOR) (ARA)



SM-LB36 0.36L /48 0.48L /60 0.6L Instruction Manuals (JPN) (ENG) (CHN) (KOR)



SM-JF36 0.36L /48 0.48L New Instruction Manuals (JPN) (ENG) (CHN) (KOR)



SM-JE36 0.36L /48 0.48L Instruction Manuals (JPN) (ENG) (CHN) (KOR)



Model No.	SM-NA36	SM-NA48	SM-NA60	SM-NAE48SA	SM-LB36	SM-LB48	SM-LB60	SM-JTE34	SM-JTE46	SM-JF36	SM-JF48	SM-JE36	SM-JE48	SM-AGE35
Wide Mouth (cm)	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	5.0
SLIT*1	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Non-Stick Coating	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Whole-Body Washable*2	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Take-Apart Stopper	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Plastic Drinking Mouth														
Tealeaf Filter														
Tealeaf Storage														
Capacity (liters)	0.36	0.48	0.60	0.48	0.36	0.48	0.60	0.34	0.46	0.36	0.48	0.36	0.48	0.36
Packing (pcs./carton)	12	12	12	12	12	12	12	12	12	12	12	12	12	12
Net (kgs.)	3.1	3.5	3.9	3.9	3.3	3.7	4.1	3.5	4.0	3.4	3.9	3.4	3.9	3.3
Gross (kgs.)	3.4	3.8	4.2	4.1	3.5	3.9	4.3	3.7	4.2	3.6	4.1	3.5	4.0	3.6
Measurement (m ³)	0.013	0.016	0.019	0.017	0.013	0.016	0.019	0.012	0.015	0.012	0.015	0.012	0.015	0.014
Retention	Hot*3 86°C@1hr./ 66°C@6hr.	87°C@1hr./ 71°C@6hr.	88°C@1hr./ 73°C@6hr.	87°C@1hr./ 71°C@6hr.	86°C@1hr./ 67°C@6hr.	87°C@1hr./ 72°C@6hr.	88°C@1hr./ 74°C@6hr.	86°C@1hr./ 66°C@6hr.	87°C@1hr./ 70°C@6hr.	86°C@1hr./ 66°C@6hr.	87°C@1hr./ 70°C@6hr.	86°C@1hr./ 66°C@6hr.	87°C@1hr./ 70°C@6hr.	83°C@1hr./ 60°C@6hr.
Cold*4	9°C@6hr.	8°C@6hr.	8°C@6hr.	9°C@6hr.	8°C@6hr.	8°C@6hr.	8°C@6hr.	9°C@6hr.	10°C@6hr.	9°C@6hr.	9°C@6hr.	10°C@6hr.	9°C@6hr.	10°C@6hr.
Unit Size*5	6.5x6.5x17.5	6.5x6.5x21.5	7.0x7.0x24.5	6.5x6.5x21.5	6.5x6.5x17.5	6.5x6.5x21.5	7.0x7.0x24.5	6.5x6.5x17.0	6.5x6.5x21.5	6.5x6.5x17.0	6.5x6.5x21.5	6.5x6.5x17.0	6.5x6.5x21.5	7.0x7.0x17.0
Country of Origin	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND

*1. SLIT = Slim, Light and Thin. *2. Do not soak under water. *3. Rating is based on water at a starting temperature of 95°C±1°C at a room temperature of 20°C±2°C. *4. Rating is based on water at a starting temperature of 4°C±1°C at a room temperature of 20°C±2°C. *5. Listed external dimensions: width x depth x height in cm (approximate). * See page 3 for descriptions of various functions.

Twist-Open

SM-AGE35 0.36L /50 0.5L Instruction Manuals (ENG) (CHN) (KOR) Export Exclusive Item



SM-ED20 0.2L /30 0.3L Instruction Manuals (JPN) (ENG) (CHN) (KOR)



Bottle With Cup

SS-PCE20 0.20L /25 0.25L Instruction Manuals (ENG) (CHN) (KOR) Export Exclusive Item



SV-GR35 0.35L /50 0.5L Instruction Manuals (JPN) (ENG) (CHN) (KOR) Ag Antibacterial Cup (plastic cup interior)



SJ-JS08 0.82L /10 1.03L Instruction Manuals (JPN) (ENG) (CHN) (KOR) Ag Antibacterial Cup Isotonic (Sports Drink) OK



SJ-TG08 0.8L /10 1.0L Instruction Manuals (JPN) (ENG) (CHN) (KOR) Export Exclusive Color



SF-CC13 1.3L /15 1.5L /18 1.8L /20 2.0L Instruction Manuals (JPN) (ENG) (CHN) (KOR) Take-Apart Shield Stopper




SC-MC60 0.6L Instruction Manuals (JPN) (ENG) (CHN) (KOR) Ag Antibacterial Cup



Model No.	SM-AGE35	SM-ED20	SM-ED30	SS-PCE20	SS-PCE25	SV-GR35	SV-GR50	SJ-JS08	SJ-JS10	SJ-TG08	SJ-TG10	SF-CC13	SF-CC15	SF-CC18	SF-CC20	SC-MC60
Wide Mouth (cm)	5.0	3.0	3.0	3.0	3.0	4.0	4.0	4.0	4.0	5.0	5.0	7.0	7.0	7.0	7.0	5.0
SLIT*1	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Non-Stick Coating	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Whole-Body Washable*2	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Take-Apart Stopper	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Plastic Drinking Mouth																
Tealeaf Filter																
Tealeaf Storage																
Capacity (liters)	0.50	0.20	0.30	0.20	0.25	0.35	0.50	0.82	1.03	0.80	1.00	1.30	1.50	1.80	2.00	0.60
Packing (pcs./carton)	12	12	12	12	12	12	12	12	12	12	12	12	12	6	6	12
Net (kgs.)	3.8	2.4	2.9	2.6	2.8	3.7	4.2	5.5	6.1	6.5	7.0	11.5	6.0	6.5	7.0	5.5
Gross (kgs.)	4.0	2.6	3.0	2.8	3.1	3.9	4.5	6.0	6.5	7.0	7.5	12.5	7.0	7.5	8.0	6.0
Measurement (m ³)	0.017	0.009	0.011	0.010	0.012	0.016	0.020	0.030	0.034	0.031	0.035	0.047	0.026	0.029	0.031	0.030
Retention	87°C@1hr./ 71°C@6hr.	85°C@1hr./ 63°C@6hr.	87°C@1hr./ 70°C@6hr.	71°C@6hr./ 39°C@24hr.	74°C@6hr./ 45°C@24hr.	71°C@6hr./ 41°C@24hr.	76°C@6hr./ 48°C@24hr.	80°C@6hr./ 58°C@24hr.	82°C@6hr./ 62°C@24hr.	76°C@6hr./ 50°C@24hr.	79°C@6hr./ 54°C@24hr.	77°C@6hr./ 53°C@24hr.	79°C@6hr./ 56°C@24hr.	80°C@6hr./ 59°C@24hr.	81°C@6hr./ 62°C@24hr.	75°C@6hr./ 46°C@24hr.
Cold*4	9°C@6hr.	10°C@6hr.	9°C@6hr.	9°C@6hr.	8°C@6hr.	9°C@6hr.	8°C@6hr.	7°C@6hr.	7°C@6hr.	8°C@6hr.	8°C@6hr.	8°C@6hr.	7°C@6hr.	7°C@6hr.	7°C@6hr.	9°C@6hr.
Unit Size*5	7.0x7.0x21.5	6.0x6.0x13	6.0x6.0x17.5	6.0x5.5x17.5	6.5x5.5x20.0	7.0x7.0x18.0	7.0x7.0x22.5	8.0x8.0x25.0	8.5x8.5x28.5	10.5x9.0x23.0	10.5x9.0x26.5	13.0x11.5x24.0	13.0x11.5x26.5	13.0x11.5x30.0	13.0x11.5x32.5	10.0x8.5x20.0
Country of Origin	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND

*6. Test Lab: Boken Quality Evaluation Institute; Testing method: JIS Z 2801; Antibacterial method: AG-1; Antibacterial target area: Interior of cup with plastic material; Testing result: 99.9% of antibacterial effect; Test number: 20215002351-1. *7. Test Lab: Boken Quality Evaluation Institute; Testing method: JIS Z 2801; Antibacterial method: AG-1; Antibacterial target area: Cup; Testing result: 99.9% of antibacterial effect; Test number: 20215002351-1. * See page 3 for descriptions of various functions.

Two-Way Bottles



Two-Way : Cup & Direct Drinking



Two-Way : Cup & Straw



* Direct Drinking type is for cold beverages only.

Model No.	SP-JB06	SP-JB08	SP-JB10	SC-ZT45	SC-ZT60	SD-FA08
Wide Mouth (cm)	4.0	4.0	4.0	5.0	5.0	4.5
SLIT*1	●	●	●	●	●	●
Non-Stick Coating	●	●	●	●	●	●
Whole-Body Washable*2	●	●	●	●	●	●
Take-Apart Stopper	●	●	●	●	●	●
Air Vent System	●	●	●	●	●	●
Capacity (liters)	0.62	0.82	1.03	0.45	0.60	0.80
Packing (pcs./carton)	12	12	12	12	12	12
Weight						
Net (kgs.)	7.6	8.5	9.3	6.4	6.9	6.5
Gross (kgs.)	8.0	8.5	9.5	6.8	7.5	7.0
Measurement (m ³)	0.041	0.048	0.055	0.034	0.039	0.034
Retention						
Hot*3	77°C@6hr.	80°C@6hr.	82°C@6hr.	72°C@6hr.	75°C@6hr.	—
Cold*4	8°C@6hr.	7°C@6hr.	7°C@6hr.	10°C(straw)/9°C(cup)@6hr.	9°C@6hr.	8°C@6hr.
Unit Size*5	Direct:8.0x9.0x21.5/ 9.5x9.5x22.0(with pouch) Cup:10.0x8.0x20.5/ 10.5x10.0x21.0(with pouch)	Direct:8.0x9.0x26.0/ 9.5x9.5x26.5(with pouch) Cup:10.0x8.0x25.0/ 10.5x10.0x25.5(with pouch)	Direct:8.5x9.0x29.0/ 10.0x10.0x29.5(with pouch) Cup:10.0x8.5x28.5/ 10.5x10.0x29.0(with pouch)	10.0x8.5x18.0(straw)/ 10.0x8.5x16.0(cup)	10.0x8.5x21.0(straw)/ 10.0x8.5x19.0(cup)	8.5x9.0x23.5/ 10.0x10.0x24.0(with pouch)
Country of Origin	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND

*1. SLIT = Slim, Light and Thin. *2. Do not soak under water. *3. Rating is based on water at a starting temperature of 95°C±1°C at a room temperature of 20°C±2°C.
*4. Rating is based on water at a starting temperature of 4°C±1°C at a room temperature of 20°C±2°C. *5. Listed external dimensions : width x depth x height in cm (approximate).
● Do not place in dish washer or dish dryer. *SP-JB, SD-FA, SD-CB, SD-BC, SD-CAE, SD-JK: Double non-stick coated.

* See page 3 for descriptions of various functions.

Cool Bottles (for cold beverages only)



Suitable for Isotonic/Sports Drinks with Improved Construction



Direct Drinking



Model No.	SD-FA10	SD-FA15	SD-CB50	SD-BC20	SD-CAE50	ST-ZEE45	SD-JK06	SD-JK08
Wide Mouth (cm)	4.5	5.0	4.0	7.0	4.0	5.0	4.0	4.0
SLIT*1	●	●	●	●	●	●	●	●
Non-Stick Coating	●	●	●	●	●	●	●	●
Whole-Body Washable*2	●	●	●	●	●	●	●	●
Take-Apart Stopper	●	●	●	●	●	●	●	●
Air Vent System	●	●	●	●	●	●	●	●
Capacity (liters)	1.0	1.50	0.52	2.06	0.52	0.45	0.62	0.82
Packing (pcs./carton)	12	6	12	6	12	12	12	12
Weight								
Net (kgs.)	7.9	5.5	5.5	6.8	5.8	4.7	6.1	6.7
Gross (kgs.)	8.0	5.5	6.0	7.0	6.0	5.0	6.5	7.0
Measurement (m ³)	0.040	0.029	0.028	0.047	0.028	0.023	0.034	0.040
Retention								
Hot*3	—	—	—	—	—	—	—	—
Cold*4	7°C@6hr.	7°C@6hr.	9°C@6hr.	8°C@6hr.	9°C@6hr.	10°C@6hr.	8°C@6hr.	7°C@6hr.
Unit Size*5	8.5x9.0x27.5/ 10.0x10.0x28.0(with pouch)	9.5x9.5x32.5/ 11.0x11.0x32.5(with pouch)	7.0x7.5x24.5/ 8.5x8.5x24.5(with pouch)	15.0x12.5x34.0	7x7.5x24.5/ 8.5x8.5x24.5(with pouch)	10.0x8.5x18.0	8.0x9.0x21.5/ 9.5x9.5x22.0(with pouch)	8.0x9.0x26.0/ 9.5x9.5x26.5(with pouch)
Country of Origin	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND

*1. SLIT = Slim, Light and Thin. *2. Do not soak under water. *3. Rating is based on water at a starting temperature of 95°C±1°C at a room temperature of 20°C±2°C.
*4. Rating is based on water at a starting temperature of 4°C±1°C at a room temperature of 20°C±2°C. *5. Listed external dimensions : width x depth x height in cm (approximate).
● Do not place in dish washer or dish dryer. *SP-JB, SD-FA, SD-CB, SD-BC, SD-CAE, SD-JK: Double non-stick coated.

*6. Test Lab: Boken Quality Evaluation Institute; Testing method: JIS Z 2801; Antibacterial method: AG+; Antibacterial target area: Spout (Stopper) and Cup; Testing result: 99.9% of antibacterial effect; Test number: 20215002351-1.
*7. Test Lab: Boken Quality Evaluation Institute; Testing method: JIS Z 2801; Antibacterial method: AG+; Antibacterial target area: Cup and Straw; Testing result: 99.9% of antibacterial effect; Test number: 20215002351-1.
*8. Test Lab: Boken Quality Evaluation Institute; Testing method: JIS Z 2801; Antibacterial method: AG+; Antibacterial target area: Spout (Stopper); Testing result: 99.9% of antibacterial effect; Test number: 20215002351-1.
*9. Test Lab: Boken Quality Evaluation Institute; Testing method: JIS Z 2801; Antibacterial method: AG+; Antibacterial target area: Straw; Testing result: 99.9% of antibacterial effect; Test number: 20215002351-1. * See page 3 for descriptions of various functions.

Food Jars



Stainless steel vacuum-insulated (double wall)



Easy-to-clean interior

Whole-Body Washable
※Do not soak under water

Take-Apart Stopper



SW-JXE75 0.75L Instruction Manuals (ENG) (CHN) (KOR) Export Exclusive Item

Dark Cocoa: TD
-JXE75 : 713049
Tomato Red: RV
-JXE75 : 713032

SW-EZE35 0.35L Instruction Manuals (ENG) (CHN) (KOR) Export Exclusive Item

Green: GA
-EZE35 : 711847
Black: BA
-EZE35 : 711830

SW-GCE26 0.26L / 36 0.36L Instruction Manuals (ENG) (CHN) (KOR) Export Exclusive Item Take-Apart Stopper

Cherry Red: RA
-GCE26 : 711168
-GCE36 : 711182
Nut Brown: TA
-GCE26 : 711151
-GCE36 : 711175

SW-EAE35 0.35L / 50 0.50L Instruction Manuals (ENG) (CHN) (KOR) Export Exclusive Item

Shiny Pink: PS
-EAE35 : 709318
-EAE50 : 709325
Cream: CC
-EAE35 : 712493
-EAE50 : 712516
Aqua Blue: AB
-EAE35 : 709271
-EAE50 : 709288
Stainless: XA
-EAE35 : 706973
-EAE50 : 706997
Dark Brown: TD
-EAE35 : 712509
-EAE50 : 712523

SW-HAE45 0.45L / 55 0.55L Instruction Manuals (ENG) (CHN) (KOR) Export Exclusive Item Take-Apart Stopper

Metallic Red: RM
-HAE45 : 710437
-HAE55 : 710451
Stainless: XA
-HAE45 : 710420
-HAE55 : 710444

SW-FCE75 0.75L Instruction Manuals (ENG) (CHN) (KOR) Export Exclusive Item

Shiny Pink: PS
-FCE75 : 709790
Cream: CC
-FCE75 : 712530
Aqua Blue: AB
-FCE75 : 709806
Stainless: XA
-FCE75 : 708526
Dark Brown: TD
-FCE75 : 712547

SW-FBE75 0.75L Instruction Manuals (ENG) (CHN) (KOR) Export Exclusive Item

Stainless: XA
-FBE75 : 708366
• Comes with Convenient Extra Long Spoon (22.6cm)
• Comes with Convenient Carrying Bag

SW-EXE35 0.35L / 50 0.50L Instruction Manuals (ENG) (CHN) (KOR) Export Exclusive Item

Green: GA
-EXE35 : 709844
Orange: DB
-EXE35 : 709868
Violet: VC
-EXE35 : 709851
Ruby Red: RR
-EXE50 : 709875
Lamp Black: BL
-EXE50 : 709882

Model No.	SW-JXE75	SW-EZE35	SW-GCE26	SW-GCE36	SW-EAE35	SW-EAE50	SW-HAE45	SW-HAE55	SW-FCE75	SW-FBE75	SW-EXE35	SW-EXE50
Wide Mouth (cm)	7.0	6.5	8.0	8.0	6.5	6.5	6.5	6.5	7.0	7.0	6.5	6.5
Capacity (liters)	0.75	0.35	0.26	0.36	0.35	0.50	0.45	0.55	0.75	0.75	0.35	0.50
Food Container (liters)	—	0.3	—	—	—	—	—	—	—	—	0.16 (2pcs.)	0.16 (1pc.)
Packing (pcs./carton)	12	12	12	12	12	12	12	12	12	6	12	12
Weight												
Net (kgs.)	6.0	8.0	4.0	4.5	4.3	4.9	4.5	4.9	5.9	4.9	7.1	7.0
Gross (kgs.)	6.5	8.5	4.5	5.0	4.5	5.0	4.9	5.3	6.2	5.3	7.5	7.4
Measurement (m³)	0.029	0.054	0.020	0.024	0.018	0.021	0.022	0.025	0.028	0.034	0.037	0.034
Heat Retention*1	73°C@6hr.	57°C@6hr.	50°C@6hr.	57°C@6hr.	57°C@6hr.	64°C@6hr.	64°C@6hr.	67°C@6hr.	71°C@6hr.	71°C@6hr.	57°C@6hr.	64°C@6hr.
Unit Size*2	10.0x10.0x18.5	21.5x12.0x20.0	9.5x9.5x11.0	9.5x9.5x13.5	9.0x9.0x12.5	9.0x9.0x15.0	9.0x9.0x14.5	10.0x10.0x18.0	25.5x11.0x38.0	10.0x9.0x25.5	10.5x9.5x26.0	10.5x9.5x25.0
Pouch Size	—	—	—	—	—	—	—	—	—	—	—	—
Country of Origin	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND

*1. Rating is based on water at a starting temperature of 95°C±1°C at a room temperature of 20°C±1°C.
*2. Listed external dimensions: width x depth x height in cm (approximate).● Do not soak under water.
● Do not place in dish washer or dish dryer.

Lunch Jars



Stainless steel vacuum insulated keep warm jar

Microwaveable Containers
※except lids

AG+ Antibacterial inner containers

Whole-Body Washable
※Do not soak under water

SL-NC09 Instruction Manuals (JPN)

Blue: AA
-NC09 : 705143

SL-JAF14 Instruction Manuals (ENG) (CHN) (KOR) Export Exclusive Item

Apple Red: RU
-JAF14 : 712394
Lemon Yellow: YF
-JAF14 : 712400
Silver: SA
-JAF14 : 704412
Gun Metallic: HG
-JAF14 : 704429

SL-GH18 Instruction Manuals (JPN)

Pink: PA
-GH18 : 712561
Black: BA
-GH18 : 213273

SL-XE20 Instruction Manuals (JPN)

Navy: AD
-XE20 : 213266

SL-XCE20 Instruction Manuals (ENG) (CHN) (KOR) Export Exclusive Item

Gun Metallic: HG
-XCE20 : 709158

Lunch Box Only Rice Container is kept warm by stainless steel vacuum insulation

SZ-MB04 Instruction Manuals (JPN)

Black: BA
-MB04 : 211361

SZ-JB02 Instruction Manuals (JPN) (ENG) (CHN) (KOR)

Multi Dot: ZD
-JB02 : 207227

SZ-JB02 Instruction Manuals (JPN) (ENG) (CHN) (KOR)

Black: BA
-JB02 : 207210

Carrying bag conveniently turns into a lunch mat!

Water resistant interior repels dirt and makes it easy to clean.



A place for your drink bottle, too!

Model No.	SL-MEE07	SL-NC09	SL-JAF14	SL-GH18	SL-XE20	SL-XCE20	SZ-MB04	SZ-JB02
Food Container (liters)								
Rice	0.31	0.31	0.45	0.59	0.79	—	0.36	0.24
Food	0.33	0.33	L: 0.30 S: 0.20	0.40	0.40	0.30	0.30 (2pcs.)	0.19 (2pcs.)
Soup	—	0.20	0.28	0.28	0.28	0.28 (3pcs.)	—	—
Packing (pcs./carton)	12	12	6	6	6	6	12	6
Weight								
Net (kgs.)	8.9	11.3	7.5	6.8	7.4	7.9	9.6	3.5
Gross (kgs.)	9.4	11.8	8.0	7.0	8.0	8.4	10.0	3.9
Measurement (m³)	0.050	0.060	0.042	0.035	0.037	0.043	0.054	0.024
Heat Retention*1	69°C@6hr.	65°C@6hr.	67°C@6hr.	69°C@6hr.	71°C@6hr.	72°C@6hr.	54°C@6hr.	49°C@6hr.
Unit Size*2	12.5x11.0x16.0	12.5x11.0x20.5	15.0x13.5x22.0	15.0x13.5x21.0	15.0x13.5x23.0	15.0x13.5x23.0	19.0x11.0x11.0	10.5x9.0x20.5
Pouch Size	25.5x12.0x33.5	24.0x12.0x36.0	16.0x12.0x24.0	—	—	16.0x16.0x25.0	21.5x12.0x20.0	15.0x9.5x25.0
Country of Origin	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND	THAILAND

*1. Test Lab: Broken Quality Evaluation Institute; Testing method: JIS Z 2801; Antibacterial method: AG+; Antibacterial target area: Rice container, rice container lid, food container, soup container and soup container lid; Testing result: 99.9% of antibacterial effect; Test number: 214206124-1.

*2. Test Lab: KyotoBiken Laboratories; Testing method: JIS Z 2801; Antibacterial method: AG+; Antibacterial target area: Rice container, rice container lid and food container; Testing result: 99.9% of antibacterial effect; Test number: 0803-8109, 0803-8110.



Press Down

Just press lightly to dispense hot water.



Lever-Style

Convenient lever-style stopper makes it easy to hold the handle and pour.



Detachable Lid



Tilt Leak Prevention



Without Stopper



Easy to wash.

Air Pots

Press Down

SR-CC22 2.2L /30 3.0L Instruction Manuals JPN



7cm wide mouth makes cleaning easy



Ag antibacterial handle stays clean



Stainless: XA
-CC22 : 212177
-CC30 : 212191

Copper: NZ
-CC22 : 212184
-CC30 : 212207



Handy Pots

Lever-Style



Easy-Open

Lid opens easily by pinching the lock area, making it easy to fill with beverages and clean.



Take-Apart Stopper

Stopper can be taken apart for thorough cleaning.



Detachable Stopper



Coffee Dripper

SH-HB10 1.0L /15 1.5L /19 1.9L Instruction Manuals JPN ENG CHN KOR



6.5cm wide mouth makes cleaning easy



Silver: SA
-HB10 : 211422
-HB15 : 211453

Stainless: XA
-HB10 : 211446
-HB15 : 211477
-HB19 : 211484

Copper: NZ
-HB10 : 211439
-HB15 : 211460



SH-JAE15 1.5L /18 1.8L Instruction Manuals ENG CHN KOR



Silver: SA
-JAE15 : 710727
-JAE18 : 710734

Red: RA
-JAE15 : 710741
-JAE18 : 710758



Stainless Steel Pot or Bottle Cleaning Detergent

Ensures easy and healthy clean-up by putting in the detergent together with lukewarm water. This keeps your pot or bottle sparkling clean.



Before
After
This cleaner is also good for cleaning stoppers
10g x 4 packs
SB-ZA01E(J)
: 702203



Model No.	SR-CC22	SR-CC30	SH-HB10	SH-HB15	SH-HB19	SH-JAE15	SH-JAE18
Wide Mouth (cm)	7.0	7.0	6.5	6.5	6.5	7.0	7.0
Detachable Stopper	•	•	•	•	•	•	•
Lever Style Stopper	•	•	•	•	•	•	•
Easy-Open Lid	•	•	•	•	•	•	•
Without Stopper	•	•	•	•	•	•	•
Coffee Dripper	•	•	•	•	•	•	•
Whole-Body Washable*2	•	•	•	•	•	•	•
Capacity (liters)	2.2	3.0	1.0	1.5	1.9	1.5	1.8
Packing (pcs./carton)	6	6	6	6	6	6	6
Net (kgs.)	10.6	11.9	4.8	5.6	6.2	6.5	7.0
Gross (kgs.)	11.5	13.0	6.0	6.5	7.0	7.0	7.5
Measurement (m³)	0.086	0.096	0.034	0.040	0.044	0.045	0.050
Retention	Hot*4 70°C@10hr./54°C@24hr. Cold*5 8°C@10hr.	74°C@10hr./59°C@24hr. 8°C@10hr.	67°C@10hr./58°C@24hr. 9°C@6hr.	73°C@10hr./56°C@24hr. 8°C@6hr.	76°C@10hr./56°C@24hr. 8°C@6hr.	73°C@10hr./56°C@24hr. 8°C@6hr.	75°C@10hr./60°C@24hr. 8°C@6hr.
Unit Size*6	17.5x23.0x28.5	17.5x23.0x32.5	13.0x16.5x20.0	13.0x16.5x24.5	13.0x16.5x28.0	12.0x18.0x26.5	12.0x18.0x30.0
Country of Origin	CHINA	CHINA	CHINA	CHINA	CHINA	THAILAND	THAILAND

Tumblers

Tumbler with stainless steel vacuum insulated structure provides high keep warm and keep cool performance



Convenient Lid with Tea Leaf Strainer (SX-FSE45 only)



Round and smooth mouth for drinking comfort



Wide mouth for easy filling and cleaning

Tumbler with vacuum insulation

Keep Cool



Prevents condensation

Keep Warm



Outside will not become hot

Model No.	SX-FSE45	SX-DN30	SX-DN45	SX-DN60
Wide Mouth (cm)	7.7	7.5	7.5	7.5
Lid*3	•	•	•	•
Tea Leaf Strainer	•	•	•	•
Capacity (liters)	0.45	0.30	0.45	0.60
Packing (pcs./carton)	12	24	12	12
Weight	Net (kgs.) 4.0 Gross (kgs.) 4.3	Net (kgs.) 5.0 Gross (kgs.) 5.0	Net (kgs.) 3.4 Gross (kgs.) 3.4	Net (kgs.) 4.0 Gross (kgs.) 4.0
Measurement (m³)	0.02	0.025	0.018	0.022
Retention	Hot*4 82°C@1hr. Cold*5 7°C@1hr.	42°C@1hr. 8°C@1hr.	49°C@1hr. 7°C@1hr.	55°C@1hr. 7°C@1hr.
Unit Size*6	8.5x9.0x17.0	8.5x8.5x10.0	8.5x8.5x14.0	8.5x8.5x18.0
Country of Origin	THAILAND	THAILAND	THAILAND	THAILAND

Stainless Steel Vacuum Insulated Cooking Pots

SN-XAE60 6.0L /80 8.0L Instruction Manuals ENG CHN



Stainless: XA
-XAE60 : 707468


Stainless: XA
-XAE80 : 707475




Model No.	SN-XAE60	SN-XAE80
Capacity (liters)	6.0	8.0
Packing (pcs./carton)	2	2
Weight	Net (kgs.) 12.0 Gross (kgs.) 13.0	Net (kgs.) 13.0 Gross (kgs.) 14.0
Measurement (m³)	0.070	0.080
Retention	Hot*4 73°C@6hr.	75°C@6hr.
Unit Size*6	38.0x31.0x26.0	38.0x31.0x30.5
Country of Origin	CHINA	CHINA

Appealing Points

- Saves energy and reduces cooking cost.
- Ingredients do not break or scorch.
- Complete 3-layer structure allows heat to distribute evenly throughout the pan.
- Leaves you free from having to watch over the cooking process.
- Works on all cooking surfaces including IH heaters.
- Glass lid allows you to watch the cooking process.
- Outer lid locks tight.
- Comes with original recipes.



Bottom only 3-layer structure (our previous product SNAE-B)



Complete 3-layer structure



Insulated Container

HOW THERMAL COOKING WORKS



1 Heat the Inner Pan

2 Put into the Insulated Container and close the inner and outer lids

3 Slow cooking using its own heat

4 Complete after the specified time

*1. Test Lab: Boken Quality Evaluation Institute; Testing method: JIS Z 2801; Antibacterial method: AG+; Antibacterial target area: Handle; Testing result: 99.9% of antibacterial effect; Test number: 20215053087-1.
*2. Do not soak under water.
*3. Not leaf proof.
*4. Rating is based on water at a starting temperature of 95°C±1°C at a room temperature of 20°C±2°C.
*5. Rating is based on water at a starting temperature of 4°C±1°C at a room temperature of 20°C±2°C.
*6. Listed external dimensions: width x depth x height in cm (approximate).
● Do not place in dish washer or dish dryer.

SX-FSE45 0.45L New Instruction Manuals ENG CHN KOR Export Exclusive Item



White: WA
-FSE45 : 714732
Navy: AD
-FSE45 : 714749
Blue Gray: AJ
-FSE45 : 714756
Coral Pink: PV
-FSE45 : 714763

SX-DN30 0.3L /45 0.45L /60 0.6L Instruction Manuals JPN ENG CHN KOR



Clear Copper: NC
-DN30 : 215772
Clear Copper: NC
-DN45 : 215796
Clear Copper: NC
-DN60 : 215819

Clear Blue: AC
-DN30 : 215789
Clear Blue: AC
-DN45 : 215802
Clear Blue: AC
-DN60 : 215826



Clear Stainless: XA
-DN45 : 712950
Clear Stainless: XA
-DN60 : 712967

Handy Pots



Push-Type

Just press lightly to open and close the stopper.



Easy Touch

Just press lightly to open and close the stopper.



Lever-Style

Easy-to-use with one touch.



Twist Open

Twist to open and close.



Coffee Dripper

The wide mouth lets you place a coffee dripper directly on top.



Dishwasher Safe

(except lid)

The product can be washed in a dishwasher (except the lid).



360° Swivel Base

Dispenser turns 360° for added convenience.



Push-Type

AH-EAE10 1.0L **New** Export Exclusive Item



Silver: SA
-10 : 714039



Black: BA
-10 : 714046



Kiriko Gray: HG
-10D : 713087



Kiriko Black: BG
-10D : 713094



Red: RA
-10D : 712936



Red: RA
-10 : 714053



Gold NA
-10 : 714060



White: WB
-10D : 712943



Momiji: FM
-10D : 711649



Sasa: FB
-10D : 711632

Model No.	AH-EAE10	AHGB-06	AHGB-10D	AHGB-13	AHGB-16
Features					
Push-Type	●				
Twist Open Stopper		●	●	●	●
Coffee Dripper		●	●	●	●
Capacity (liters)	1.00	0.60	1.00	1.30	1.60
Packing (pcs./carton)	6	12	12	12	12
Net (kgs.)	7.5	9.0	10.5	12.0	13.5
Gross (kgs.)	8.5	10.5	11.5	13.0	15.0
Measurement (m³)	0.052	0.081	0.089	0.101	0.111
Replacement Glass	FTV-1000	FAFT-06	FTV-1000	FSU-1300A	FSLD-1600
Unit Size*	14.5×19.0×27.5	13.5×18.0×22.5	13.5×18.0×26.5	13.5×18.0×30.0	13.5×18.0×33.5
Country of Origin	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN

*Listed external dimensions: width x depth x height in cm (approximate).
● Do not place in dish washer or dish dryer.



Twist Open

AHGB-06 0.6L /10D 1.0L /13 1.3L /16 1.6L Export Exclusive Item



Hanabi: BF
-10D : 709332



Rose Beige: CH
-10D : 709363



Rose Gray: HR
-10D : 709370



Rose Brown: TP
-10D : 709356



Lotus Silver: SF
-10D : 710550



Lotus Black: BZ
-10D : 710543



Edelweiss: WE
-10D : 710416



Gold Corsage: BN
-10D : 710413



Kiriko: CK
-10D : 709349



Herb Cacao: TK
-06 : 701633
-10D : 704788
-13 : 701657



Wheat Brown: TW
-10D : 708380



Black: BL
-10D : 708311



Urushi II: BY
-10D : 709387



Royal Orchid: FG
-10D : 705495



White Ballerina: FC
-06 : 706379
-10D : 706263
-13 : 705631



Cocktail Rose: FW
-06 : 706386
-13 : 705648
-16 : 704672



Gold Brown: TZ
-10D : 707826



Beige: CA
-06 : 706362
-10D : 704771
-13 : 706393



Herb Brown: TD
-06 : 700988
-10D : 706232
-13 : 704917
-16 : 702333



Satin Leaf II: XT
-06 : 711144
-10D : 710567

Handy Pots



Push-Type

Just press lightly to open and close the stopper.



Easy Touch

Just press lightly to open and close the stopper.



Lever-Style

Easy-to-use with one touch.



Twist Open

Twist to open and close.



Coffee Dripper

The wide mouth lets you place a coffee dripper directly on top.



Dishwasher Safe

(except lid)

The product can be washed in a dishwasher (except the lid).



360° Swivel Base

Dispenser turns 360° for added convenience.



Push-Type

AGYE-10 1.0L /13 1.3L /16 1.55L /19 1.85L

Export Exclusive Item



Symphony Flower: FN
-10 : 702869



Jewel Silver: SJ
-10 : 703194



360° Swivel Base (AGYE-16 & 19)

AG-LB10 1.0L

Instruction Manuals JPN



Pink: PA
-LB10 : 206268



Silver: SA
-LB10 : 206251



Herb Cacao: TK
-10 : 701756
-13 : 702173
-16 : 702296
-19 : 702302



Herb Brown: TD
-10 : 702166
-13 : 702180
-16 : 702890
-19 : 704900



Gold Brown: TZ
-10 : 707833
-13 : 707840
-16 : 707857
-19 : 707864



Push-Type

AH-SA10 1.0L

Export Exclusive Item



Brown: TA
-SA10 : 712646



Ivory: CB
-SA10 : 712653



Lever-Style

AG-KB10 1.0L

Export Exclusive Item

Instruction Manuals JPN



White: WB
-KB10 : 023596024243 (UPC)*



Black: BA
-KB10 : 023596024120 (UPC)*

* This product has a UPC code instead of a JAN code



Twist Open

SLE-1000E 1.0L /1300E 1.3L /1600E 1.55L /1900E 1.85L



Satin Leaf: XS
-1000E : 704627
-1300E : 704634
-1600E : 704641
-1900E : 704658

Export Exclusive Item



360° Swivel Base (SLE-1600E & 1900E)



Easy Touch

AFFB-10 1.0L /13 1.3L /16 1.55L /19 1.85L

Export Exclusive Item



New Color

Ichimatsu White: WZ
-10 : 714077



New Color

Ichimatsu Black: BZ
-10 : 714084



New Color

Satin Leaf II: XT
-10 : 711656
-13 : 714381
-16 : 714398
-19 : 714404



All White: WD
-10 : 700582



Coffee Dripper 360° Swivel Base (AFFB-16 & 19)



Metallic Gray: HX
-10 : 708403
-13 : 708410
-16 : 708427
-19 : 708434



Beige: CA
-10 : 704863
-13 : 702777
-16 : 702531
-19 : 702791



Herb Cacao: TK
-10 : 702449
-13 : 701619
-16 : 701626
-19 : 702814



Misty Silver: SF
-10 : 704870
-13 : 702784
-16 : 704894
-19 : 702807

Model No.	AGYE-10	AGYE-13	AGYE-16	AGYE-19	AG-LB10	AH-SA10	AG-KB10	SLE-1000E	SLE-1300E	SLE-1600E	SLE-1900E	AFFB-10	AFFB-13	AFFB-16	AFFB-19
Push-Type	•	•	•	•	•	•	•								
Easy Touch												•	•	•	•
Lever-Style							•								
Twist Open								•	•	•	•				
Coffee Dripper															
Capacity (liters)	1.00	1.30	1.55	1.85	1.00	1.00	1.00	1.00	1.30	1.55	1.85	1.00	1.30	1.55	1.85
Packing (pcs./carton)	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12
Net (kgs.)	11.5	12.5	14.0	15.5	11.5	12.0	12.0	11.5	13.0	14.5	16.0	12.0	13.0	14.5	16.0
Gross (kgs.)	12.5	14.0	15.5	17.0	12.0	13.0	13.0	13.0	14.5	16.0	17.5	13.0	14.5	16.0	17.5
Measurement (m³)	0.088	0.102	0.115	0.125	0.085	0.107	0.085	0.094	0.100	0.105	0.109	0.090	0.099	0.110	0.121
Replacement Glass	FTV-1000	FSU-1300A	FBFA-1600	FSLD-1900	FSPR-1000	FTV-1000	FTV-1000	FTV-1000	FSU-1300A	FBFA-1600	FSLD-1900	FTV-1000	FSU-1300A	FBFA-1600	FSLD-1900
Unit Size*	13.5×17.0×27.5	13.5×17.0×31.0	15.0×18.5×30.0	15.0×18.5×33.0	13.5×17.0×27.5	13.5×19.5×29.0	14.0×17.0×28.0	13.5×18.0×27.0	13.5×18.0×30.5	15.0×19.5×29.0	15.0×19.5×32.0	13.5×17.5×27.0	13.5×17.5×30.5	15.0×18.5×29.5	15.0×18.5×32.5
Country of Origin	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN

* Listed external dimensions: width x depth x height in cm (approximate).

● Do not place in dish washer or dish dryer.

Catering Products

Air Pots



Handy Pots



Air Pots



AALB-19S 1.85L /25S 2.45L

• Comes with a stainless steel stem stopper

Export Exclusive Item




Stainless: ST-19S : 700537
-25S : 701053



ABF-30S 3.0L
Instruction Manuals [JPN]



Stainless Steel: XA-30S : 127556



Model No.	AALB-19S	AALB-25S	ABF-30S	AAPE-19S	AAPE-25S	AAPE-22SB	AAWE-30S	AAWE-30SB
Capacity (liters)	1.85	2.45	3.00	1.85	2.45	2.20	3.00	3.00
Packing (pcs/carton)	8	8	6	8	8	6	6	6
Weight	Net (kgs.)	11.5	12.5	13.5	12.0	13.0	12.0	12.0
	Gross (kgs.)	12.5	14	14.5	13.5	14.5	13.5	13.5
Measurement (m ³)	0.0970	0.1060	0.125	0.101	0.108	0.080	0.116	0.116
Replacement Glass	FSLD-1900	FVB-2500	FABF-30	FSLD-1900	FVB-2500	FSK-2200	FAAV-30	FAAV-30
Unit Size*	15.5x19.0x35.5	15.5x19.0x39.0	18.5x25.5x38.0	15.5x20.0x37.0	15.5x20.0x40.0	15.5x20.0x38.5	18.5x23.5x36.5	18.5x23.5x36.5
Country of Origin	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN



Press Down

AAPE-19S 1.85L /25S 2.45L

Export Exclusive Item



Stainless: ST-19S : 700247
-25S : 700254



AAPE-22SB 2.2L

• Brushed Stainless Finish

Export Exclusive Item

Intertek



Stainless: XA-22SB : 023596035447 (UPC)*
* This product has a UPC code instead of a JAN code



AAWE-30S 3.0L /30SB 3.0L

• Brushed Stainless Finish (AAWE-30SB)

Export Exclusive Item

Intertek



Stainless: XA-30S : 700278



Stainless: XA-30SB : 023596177444 (UPC)*
* This product has a UPC code instead of a JAN code

Intertek (AAWE-30SB)



Brew-Thru Stem Stopper for direct brewing (AAWE-30SB)

Detachable Lid & Brew-Thru Stem Stopper (AAWE-30SB)

VRKE-30S 3.0L

Export Exclusive Item



Stainless: XA-30S : 700971



Stainless Steel Liner

SGA-30 3.0L

Instruction Manuals [JPN]



Stainless: XA-30 : 117618



Lever-Style

AASB-22B 2.2L /22SB 2.2L

• Brushed Stainless Finish (AASB-22SB)

Lever-Style Pump



Safety Lever Lock
Intertek



Matte Black: BE-22B : 023596079120 (UPC)*
* This product has a UPC code instead of a JAN code



Silver: SV-22B : 023596033238 (UPC)*



Stainless: XA-22SB : 023596033436 (UPC)*



Brew-Thru Stem Stopper

Stainless Steel Liner

SR-AG30 3.0L /38 3.8L

• Brew-Thru Stem Stopper

Export Exclusive Item



Stainless: XA-AG30 : 702227
-AG38 : 708021



Model No.	VRKE-30S	SGA-30	AASB-22B	AASB-22SB	SR-AG30	SR-AG38
Capacity (liters)	3.00	3.00	2.20	2.20	3.00	3.80
Packing (pcs/carton)	6	6	6	6	6	4
Weight	Net (kgs.)	12.0	12.5	10.0	14.5	11.2
	Gross (kgs.)	13.5	13.5	11.0	15.5	12.2
Measurement (m ³)	0.113	0.086	0.084	0.084	0.103	0.086
Replacement Glass	FAAV-30	—	FSK-2200	FSK-2200	—	—
Unit Size*	18.5x23.5x38.5	18.0x21.0x36.0	15.5x20.0x39.5	15.5x20.0x39.5	18.0x21.0x39.0	18.0x21.0x43.0
Country of Origin	JAPAN	JAPAN	JAPAN	JAPAN	CHINA	CHINA

Handy Pots



Twist Open

AHGB-06S (0.6L) /10S (1.0L) /13S (1.3L) /16S (1.6L) **Export Exclusive Item**

• Large Handle



Stainless: XA
-06S : 700995
-10S : 700926
-13S : 700933
-16S : 701282



Coffee Dripper



Push-Type

AGYE-10S (1.0L) **Export Exclusive Item**
/13S (1.3L)
/16S (1.55L)
/19S (1.85L)

• Brushed Stainless Finish



Stainless: XA
-10S : 701350
-13S : 702111
-16S : 702128
-19S : 702135



Easy Touch

AFFB-10S (1.0L) **Export Exclusive Item**
/13S (1.3L)
/16S (1.55L)
/19S (1.85L)

• Brushed Stainless Finish



Stainless: XA
-10S : 700728
-13S : 700735
-16S : 700742
-19S : 700759



360° Swivel Base (AFFB-16S & 19S)



Twist Open

BHS-1900/19SB (1.85L) **Export Exclusive Item**



Stainless: ST
-1900 : 700704



Brew-Thru Lid (only for BHS-19SB)

Stainless: XA
-19SB : 023596134447 (UPC)*
* This product has a UPC code instead of a JAN code



Twist Open

SLE-1000N (1.0L) **Export Exclusive Item**
/1300N (1.3L)
/1600N (1.55L)
/1900N (1.85L)



Stainless: ST
-1000N : 705662
-1300N : 705464
-1600N : 705679
-1900N : 705471



360° Swivel Base (SLE-1600N & 1900N)

Creamer/Dairy Server

Stainless Steel Liner

SH-MAE10 (1.0L) **Export Exclusive Item**
Instruction Manuals (ENG) (FRA)

For Cold Beverages



Always Open Lid (Tilt only ready to serve without twisting the lid.)



Easy to Clean



Stainless: XA
-MAE10 : 710833

Model No.	AHGB-06S	AHGB-10S	AHGB-13S	AHGB-16S	AGYE-10S	AGYE-13S	AGYE-16S	AGYE-19S	AFFB-10S	AFFB-13S	AFFB-16S	AFFB-19S
Capacity (liters)	0.60	1.00	1.30	1.60	1.00	1.30	1.55	1.85	1.00	1.30	1.55	1.85
Packing (pcs/carton)	12	12	12	12	12	12	12	12	12	12	12	12
Weight												
Net (kgs.)	9.0	10.5	12.0	13.5	11.5	12.5	14.0	15.5	12.0	13.0	14.5	16.5
Gross (kgs.)	10.5	11.5	13.0	15.0	13.0	14.0	15.5	17.0	13.5	14.5	16.0	18.0
Measurement (m³)	0.081	0.081	0.101	0.111	0.083	0.102	0.115	0.125	0.091	0.101	0.115	0.125
Replacement Glass	FAFT-06	FTV-1000	FSU-1300A	FSLD-1600	FTV-1000	FSU-1300A	FBFA-1600	FSLD-1900	FTV-1000	FSU-1300A	FBFA-1600	FSLD-1900
Unit Size*	13.5x18.0x22.5	13.5x18.0x26.5	13.5x18.0x33.5	13.5x18.0x33.5	13.0x17.0x27.5	13.5x17.0x31.0	15.0x18.5x30.0	15.0x18.5x33.0	13.5x17.5x27.0	13.5x17.5x31.0	15.0x18.5x30.0	15.0x18.5x33.0
Country of Origin	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN

Model No.	BHS-1900	BHS-19SB	SLE-1000N	SLE-1300N	SLE-1600N	SLE-1900N	SH-MAE10
Capacity (liters)	1.85	1.85	1.00	1.30	1.55	1.85	1.00
Packing (pcs/carton)	12	12	12	12	12	12	6
Weight							
Net (kgs.)	14.5	14.5	11.5	13.0	14.5	16.0	4.7
Gross (kgs.)	16.0	16.0	13.0	14.5	16.0	17.5	5.1
Measurement (m³)	0.106	0.108	0.094	0.100	0.105	0.109	0.035
Cold Retention*	—	—	—	—	—	—	5°C @ 4hr.
Replacement Glass	FSLD-1900	FSLD-1900	FTV-1000	FSU-1300A	FBFA-1600	FSLD-1900	—
Unit Size*	15.0x18.5x31.0	15.0x18.5x31.0	13.5x18.0x27.0	13.5x18.0x30.5	15.0x19.5x29.0	15.0x19.5x32.0	11.0x15.5x28.5
Country of Origin	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN	THAILAND

*1. Rating is based on NSF Regulation; water at a starting temperature of 1.5 ± 0.5°C filled to full capacity and with the stopper set placed, at an ambient temperature of 30 ± 2°C, with the product temperature pre-stabilized at an ambient temperature of 21 ± 2.5°C. *2. Listed external dimensions: width x depth x height in cm (approximate).
• Do not place in dish washer or dish dryer.

Beverage Dispensers



Pours straight down into placed cup

Main unit detaches from stand with the press of a button for easy cleaning




Brew-Thru lid with mesh filter

Sight gauge easily detaches for quick cleaning



LEGAYAE-12
Taller serving base also available
* for AY-AE25/25N, SY-AA25/25N



**Height measured with taller serving base, LEGAYAE-12.

AY-AE25/25N (2.5L) **Export Exclusive Item**

- Detachable Serving Base
- High Impact Plastic Body Resists Dents And Corrosion
- Fold Down Handle For Easy Transport
- Removable Drip Tray
- Brew-Thru Lid
- Easy to check water level gauge

Black: BA
-AE25N : 707987

Black: BA
-AE25 : 707970

Stainless Steel Liner

SY-AA25/25N (2.5L) **Export Exclusive Item**

- Detachable Serving Base
- High Impact Plastic Body Resists Dents And Corrosion
- Fold Down Handle For Easy Transport
- Removable Drip Tray
- Brew-Thru Lid
- Easy to check water level gauge

Black: BA
-AA25N : 707994

Black: BA
-AA25 : 706157

Stainless Steel Liner

SY-BA60/60N (6.0L) **Export Exclusive Item**

- Large Capacity 6L
- Detachable Serving Base
- High Impact Plastic Body Resists Dents And Corrosion
- Fold Down Handle For Easy Transport
- Removable Drip Tray
- Brew-Thru Lid
- Easy to check water level gauge

Black: BA
-BA60N : 712059

Black: BA
-BA60 : 711441

DVA-F10S* (10.0L)

• Non-Stick Coated Interior



Stainless: XA
-F10S : 130440

Food Containers

RDS-400* (4.0L) /600* (6.0L)

• Non-Electric Large Size Food Container



Stainless: ST
-400 : 016331



Stainless: ST
-600 : 016355

Ice Pail With Ice Tongs

BJC-1300* (1.3L)

• Convenient Storage Compartment For Ice Tongs

Export Exclusive Item



White: WH
-1300 : 700179



Black: BL
-1300 : 700186

Ice Pail

JPE-1200E* (1.2L)

Export Exclusive Item



Stainless: ST
-1200E : 700223

Model No.	AY-AE25	AY-AE25N	SY-AA25	SY-AA25N	SY-BA60	SY-BA60N	DVA-F10S	RDS-400	RDS-600	BJC-1300	JPE-1200E
Capacity (liters)	2.50	2.50	2.50	2.50	6.00	6.00	10.00	10.80	16.20	1.30	1.20
Packing (pcs/carton)	6	6	6	6	1	1	6	2	2	24	24
Weight											
Net (kgs.)	14.5	10.0	14.5	10.0	8.5	6.0	12.5	11.0	13.0	16.0	14.0
Gross (kgs.)	15.5	11.0	16.0	11.0	—	—	13.5	12.5	14.5	17.0	16.0
Measurement (m³)	0.146	0.100	0.146	0.100	0.110	0.070	0.182	0.104	0.128	0.144	0.144
Replacement Glass	FVPA-2500	FVPA-2500	—	—	—	—	—	—	—	—	—
Unit Size*	20.0x22.5x43.5	18.5x22.0x30.0	20.0x22.5x43.5	18.5x22.0x30.0	26.0x37.5x59.5	26.0x34.5x36.5	26.0x29.0x42.0(36.0)	46.0x38.0x27.0	46.0x38.0x34.0	15.0x15.0x21.0	13.5x15.0x19.0
Country of Origin	TAIWAN	TAIWAN	TAIWAN	TAIWAN	CHINA	CHINA	JAPAN	JAPAN	JAPAN	JAPAN	JAPAN

*3. Foam Insulation
*4. Double-wall Insulation

ZOSAN, THE MASCOT OF "ZOJIRUSHI" LOVED IN THE WORLD.

ZOSAN was introduced in 2003. ZOSAN is a 9 years old boy, cheerful sometimes mischievous and healthy friendly boy. ZOSAN appeared in Japanese printed materials at first, but soon later it started to be used in America, Hong Kong, Taiwan, China, Thailand, Vietnam and Indonesia. And now ZOSAN is loved in the world having many variations such as wearing Kung-Fu outfit, Dragon Dance costume and Indonesian student's outfit with Garuda cap and so on.



OVERSEAS OFFICES

Zojirushi America Corporation

19310 Pacific Gateway Dr. Suite 101, Torrance, CA 90502
Tel: 1-310-769-1900 / 800-733-6270 (Toll free) Fax: 1-310-323-5522
e-mail: info@zojirushi.com <http://www.zojirushi.com>

Zojirushi SE Asia Corporation Ltd.

4th Floor, Saha-Union Building No.1828 Sukhumvit Road,
Bangchak, Phraknong, Bangkok 10260 Thailand
Tel: 66-2741-4818 Fax: 66-2741-4819
e-mail: info@zojirushi.co.th
<http://www.zojirushi-seasia.com> (Eng) <http://www.zojirushi.co.th> (Thai)

Zojirushi Taiwan Corporation

11F., No. 4&6, Sec. 3, Minquan East Road, Zhongshan District, Taipei, Taiwan
Tel: 886-2-2506-9009 Fax: 886-2-2506-8980
e-mail: customer@zojirushi.com.tw <http://www.zojirushi.com.tw>

Zojirushi Shanghai Corporation

Room 1108, Henderson 688, No. 688 Nanjing Road West,
Jingan District, Shanghai, China
Tel: 86-21-6190-7755 Fax: 86-21-6190-7733
e-mail: zojirushi@zoshanghai.com.cn <http://zojirushi-china.com>

- ★JAN code: The 6-digit number after the model number (e.g.:AA05) is the last 6 digits of the JAN code number. The first 7 digits for all models are "4974305".
- ★2 capital letters listed after the color name are the color code.
- ★Contents of this catalog may change without notice.
- ★The product colors in this catalog may differ from the actual products.



ISO 9001 No: JET-0297
Zojirushi Corporation
(R&D Department)



ISO 14001 No: E98-063
Zojirushi Corporation
(R&D Department)



ISO 9001 Cert. No: TH010600
ISO 14001 Cert. No: TH011295
Union Zojirushi Co., Ltd.

DISTRIBUTOR:

